

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: HYDRO (Hydrography Lines and Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Publication_Date: 200812

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: HYDRO (Hydrography Lines and Polygons)

Edition: Second

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Northern California

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous

Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Description:

Abstract:

This data set contains vector lines and polygons representing coastal hydrography used in the creation of the Environmental Sensitivity Index (ESI) for Northern California. The HYDRO data layer contains all annotation used in producing the atlas. The annotation features are categorized into three subclasses in order to simplify the mapping and quality control procedures: GEOG for geographic features, SOC for socioeconomic features, and HYDRO for water features. This data set comprises a portion of the ESI data for Northern California. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1959

Ending_Date: 2007

Currentness_Reference:

The data were compiled during 2007. The currentness dates for this data ranges from 1959 to 2007 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -124.45800

East_Bounding_Coordinate: -122.75000

North_Bounding_Coordinate: 37.97900

South_Bounding_Coordinate: 42.00000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Hydrography

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Northern California

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Northern California ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003).

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in the data set: birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in ARC export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate

data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD or DVD, and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent linear and polygonal hydrography for Northern California.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

The HYDRO data set was developed from pre-existing digital data and reflects the positional accuracy of these original data. The horizontal positional accuracy of the 1:24,000 USGS topographic quads should conform to National Map Accuracy Standards at scales of 1:24,000. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: CALIFORNIA COASTAL RECORDS PROJECT

Publication_Date: 20051004

Title: PHOTOGRAPHIC DATABASE DOCUMENTING CALIFORNIA'S COAST

Geospatial_Data_Presentation_Form: PHOTO

Other_Citation_Details:

<http://www.californiacoastline.org/> (Contact the site webmaster if this URL is no longer active.)

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 20051004

Ending_Date: 20051005

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: HYDRO INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CALIFORNIA SPATIAL INFORMATION LIBRARY

Publication_Date: 2004

Title: REMOTE SENSING DIGITAL ORTHO QUARTER QUADS

Geospatial_Data_Presentation_Form: RASTER DIGITAL DATA

Other_Citation_Details:

http://archive.casil.ucdavis.edu/casil/remote_sensing/doq/doqq/
(Contact the site webmaster if this URL is no longer active.)

Source_Scale_Denominator: 40,000

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2002

Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: HYDRO INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: NOAA
Publication_Date: 1994
Title:
 SENSITIVITY OF COASTAL ENVIRONMENTS AND WILDLIFE TO
 SPILLED OIL: NORTHERN CALIFORNIA: ESI: HYDRO
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details:
 NATIONAL OCEAN SERVICE HAZARDOUS MATERIAL RESPONSE
 DIVISION, 7600 SAND POINT WAY, SEATTLE, WA 98115-6349
Source_Scale_Denominator: 24,000
Type_of_Source_Media: CD-ROM
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1992
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: HYDRO INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: RESEARCH PLANNING INC.
Publication_Date: 2007
Title: ESI INDEX
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: UNPUBLISHED
Source_Scale_Denominator: 24,000
Type_of_Source_Media: DIGITAL
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: HYDRO INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: RESEARCH PLANNING INC.
Publication_Date: 200709
Title: OVERFLIGHT OBLIQUES
Geospatial_Data_Presentation_Form: PHOTOGRAPH
Other_Citation_Details: UNPUBLISHED
Source_Scale_Denominator: VARIES
Type_of_Source_Media: DIGITAL PHOTO
Source_Time_Period_of_Content:

*Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 200709*Source_Currentness_Reference:* DATE OF SURVEY*Source_Citation_Abbreviation:* NONE*Source_Contribution:* HYDRO INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* U.S. GEOLOGICAL SURVEY*Publication_Date:* 1972*Title:* SCANNED TOPOGRAPHIC MAPS*Geospatial_Data_Presentation_Form:* HARDCOPY MAP*Other_Citation_Details:*<http://archive.casil.ucdavis.edu/casil/maps/drg>[/7.5_minute_series_albers_nad83_trimmed/](http://archive.casil.ucdavis.edu/casil/maps/drg/7.5_minute_series_albers_nad83_trimmed/) (Contact the site webmaster if this URL is no longer active.)*Source_Scale_Denominator:* 24,000*Type_of_Source_Media:* PAPER*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 1959*Source_Currentness_Reference:* DATE OF PUBLICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* HYDRO INFORMATION*Process_Step:**Process_Description:*

The shoreline was derived primarily from the original ESI maps, published in 1994. Where appropriate, revisions to the existing shoreline were made by a coastal geologist using two methods: (1) interpretation of the 2005 contiguous oblique aerial photography (www.californiacoastline.org) and the 2002-04 Digital Ortho Quarter Quads (DOQQs), and (2) through verification via overflights and ground surveys conducted in September 2007. Digital stream data provided by the National Marine Fisheries Service (NMFS) and used for anadromous fish locations as part of the FISHL (Fish Lines) data set in this ESI atlas, were also incorporated into this data layer.

The above digital and/or hardcopy sources were compiled to create the HYDRO data layer. Depending on the type of source data, three general approaches are used for compiling the data layer: (1) hardcopy maps are digitized at their source scale; (2) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources; and/or (3) overflight changes are digitized from the scanned and registered hardcopy field maps or aerial photography. After the initial shoreline classification, these data are edgematched and checked for logical consistency errors. Review maps are plotted at 1:24,000 scale for verification of polygonal and linear attributes. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the maps. If necessary, edits to the HYDRO data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200812

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 6859

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 6858

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 10595

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 293399

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Label Point

Point_and_Vector_Object_Count: 378

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 10480

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

*Entity_and_Attribute_Information:**Overview_Description:**Entity_and_Attribute_Overview:*

In addition to the geographic data layers, one relational attribute or data table, SOURCES, is used to store the source data information in the ESI data structure. The geographic data layer containing resource information (in this case, HYDRO) is linked to the SOURCES table using the SOURCE_ID. The entity-relationship diagram describes relationships between attribute tables in the ESI data structure.

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: HYDRO.AAT

Entity_Type_Definition:

The HYDRO.AAT table contains attribute information for the vector lines representing linear hydrography features in the HYDRO data layer.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: LINE

Attribute_Definition: Type of geographic feature.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: B

Enumerated_Domain_Value_Definition: Breakwater

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: H

Enumerated_Domain_Value_Definition: Hydrography

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: I

Enumerated_Domain_Value_Definition: Index

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: P

Enumerated_Domain_Value_Definition: Pier

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: S

Enumerated_Domain_Value_Definition: Shoreline

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Spatial data source for the data layer lines that link to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Range_Domain:*

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Detailed_Description:

Entity_Type:

Entity_Type_Label: HYDRO.PAT

Entity_Type_Definition:

The HYDRO.PAT table contains attribute information for the vector polygons representing polygonal hydrography features in the HYDRO data layer.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: WATER_CODE

Attribute_Definition: Specifies a polygon as either water or land.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: L

Enumerated_Domain_Value_Definition: Land

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: W

Enumerated_Domain_Value_Definition: Water

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: ANNO.GEOG

Entity_Type_Definition:

The spatial data layer HYDRO contains label points representing annotation for geographic features.

Entity_Type_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: ANNO.HYDRO

Entity_Type_Definition:

The spatial data layer HYDRO contains label points representing annotation for water features.

Entity_Type_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: ANNO.SOC

Entity_Type_Definition:

The spatial data layer HYDRO contains label points representing annotation for socioeconomic features.

Entity_Type_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* SOURCE_ID*Attribute_Definition:*

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* ORIGINATOR*Attribute_Definition:* Author or developer of source material or data set.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:*

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* TITLE*Attribute_Definition:* Title of source material or data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* DATA_FORMAT*Attribute_Definition:* The format of the source material.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* PUBLICATION*Attribute_Definition:* Additional citation information.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* SCALE*Attribute_Definition:* Description of the source scale.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:*

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Northern California

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Access Personal Geodatabase, ARC export files, Shape files, and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200902

Metadata_Review_Date: 200902

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.21 on Sat Mar 21 14:27:16 2009

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: ESI (Shoreline Types - Lines and Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Publication_Date: 200812

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: ESI (Environmental Sensitivity Index Shoreline Types - Lines and Polygons)

Edition: Second

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Northern California

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous

Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Description:

Abstract:

This data set contains vector lines and polygons representing the shoreline and coastal habitats of Northern California, classified according to the Environmental Sensitivity Index (ESI) classification system. This data set comprises a portion of the ESI data for Northern California. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1992

Ending_Date: 2007

Currentness_Reference:

The data were compiled during 2007. The currentness dates for the data ranges from 1992 to 2007 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -124.45800

East_Bounding_Coordinate: -122.75000

North_Bounding_Coordinate: 37.97900

South_Bounding_Coordinate: 42.00000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Shoreline habitats

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Northern California

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations.

Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Northern California ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003).

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in the data set: birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in ARC export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD or DVD, and the metadata are written. After the data are

delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent coastal shorelines and habitats classified according to the Environmental Sensitivity Index (ESI) classification system.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

The spatial location of the ESI shoreline was developed from pre-existing digital sources and reflects the positional accuracy of these original data. The horizontal positional accuracy of the 1:24,000 USGS topographic quads should conform to National Map Accuracy Standards at scales of 1:24,000. The minimum mapping unit (MMU) of the actual shoreline classification segments is estimated at 50 meters where mapping is conducted using 1:24,000 hardcopy fieldmaps. Field verification has shown that the absolute positional accuracy of breaks between shoreline ESI types with a 95-percent error bound is approximately 58 meters. See the Lineage and Process_Description sections for more information on the original data sources used in this atlas and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: CALIFORNIA COASTAL RECORDS PROJECT

Publication_Date: 20051004

Title: PHOTOGRAPHIC DATABASE DOCUMENTING CALIFORNIA'S COAST

Geospatial_Data_Presentation_Form: PHOTO

Other_Citation_Details:

<http://www.californiacoastline.org/> (Contact the site webmaster if this URL is no longer active.)

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 20051004

Ending_Date: 20051005

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: ESI INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CALIFORNIA SPATIAL INFORMATION LIBRARY

Publication_Date: 2004

Title: REMOTE SENSING DIGITAL ORTHO QUARTER QUADS (DOQQs)

Geospatial_Data_Presentation_Form: RASTER DIGITAL DATA

Other_Citation_Details:

http://archive.casil.ucdavis.edu/casil/remote_sensing/doq/doqq/
(Contact the site webmaster if this URL is no longer active.)

Source_Scale_Denominator: 40,000

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2002

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: ESI INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NATIONAL OCEANIC AND ATMOSPHERIC
ADMINISTRATION (NOAA)

Publication_Date: 1994

Title:

SENSITIVITY OF COASTAL ENVIRONMENTS AND WILDLIFE TO
SPILLED OIL: NORTHERN CALIFORNIA: ESI: HYDRO

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details:

NATIONAL OCEAN SERVICE, HAZARDOUS MATERIALS
RESPONSE DIVISION, 7600 SAND POINT WAY, SEATTLE, WA
98115-6349

Source_Scale_Denominator: 24,000

Type_of_Source_Media: CD-ROM

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1992

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: ESI INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: RESEARCH PLANNING INC. (RPI)

Publication_Date: 2007

Title: ESI INDEX

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Source_Scale_Denominator: 24,000

Type_of_Source_Media: DIGITAL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: ESI INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: RESEARCH PLANNING INC.

Publication_Date: 200709

Title: OVERFLIGHT OBLIQUES

Geospatial_Data_Presentation_Form: PHOTOGRAPH

Other_Citation_Details: UNPUBLISHED

Source_Scale_Denominator: VARIES

Type_of_Source_Media: DIGITAL PHOTO

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 200709

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: ESI INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. FISH AND WILDLIFE SERVICE

Publication_Date: 2006

Title: NATIONAL WETLANDS INVENTORY (NWI)

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: NWI VECTOR WETLANDS POLYGONS

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2006

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: ESI INFORMATION

Process_Step:

Process_Description:

The shoreline habitats on the original ESI maps, published in 1994, were re-examined and updated by a coastal geologist using two methods: (1) interpretation of the 2005 contiguous oblique aerial photography (www.californiacoastline.org) and the 2002-04 Digital Ortho Quarter Quads (DOQQs), and (2) verification via overflights and ground surveys conducted in September 2007. The overflights were conducted at elevations of 400-600 feet and slow air speed. All flights were planned to maximize time on site during the 2.5 hours preceding and the 2.5 hours following peak low tide. Where appropriate, revisions to the existing shoreline were made, and where necessary, multiple habitats were described for each shoreline segment. Additionally, the 2006 National Wetlands Inventory (NWI) data were used to assist in the classification of polygonal wetlands in the area surrounding Lake Earl in Del Norte County.

The above digital and/or hardcopy sources were compiled to create the ESI data layer. Depending on the type of source data, four general approaches are used for compiling the data layer: (1) hardcopy maps are digitized at their source scale; (2) digital data layers are evaluated and used "as is" or integrated with the other data sources; (3) overflight classifications are digitized from the scanned and registered hardcopy field maps; and/or (4) classifications are interpreted from oblique GPS-referenced photography or video taken during the overflights. After the initial shoreline classification, these data are edgematched and checked for logical consistency errors. Review maps are plotted at 1:24,000 scale for verification of polygonal and linear attributes. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource

experts, a second set of interviews is conducted to review the maps. If necessary, edits to the ESI data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200812

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 546

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 545

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 3596

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 139949

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 3425

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

*Entity_and_Attribute_Information:**Overview_Description:**Entity_and_Attribute_Overview:*

In addition to the geographic data layers, one relational attribute or data table, SOURCES, is used to store the source data information in the ESI data structure. The geographic data layer containing resource information (in this case, ESI) is linked to the SOURCES table using the SOURCE_ID. The entity-relationship diagram describes the relationships between the attribute tables in the ESI data structure.

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: ESI.AAT

Entity_Type_Definition:

The ESI.AAT table contains attribute information for the vector lines representing linear shoreline features with ESI classification.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ESI

Attribute_Definition:

The item ESI contains values representing the ESI shoreline type. In many cases shorelines are ranked with multiple codes, such as "6B/3A" (listed landward to seaward from left to right). The first code, "6B", is the most landward shoreline type and the second code, "3A", is the shoreline type closest to the water. Singular shoreline types are listed below. No multiple codes are listed, but all multiple codes included in the data set can be assembled from the codes described. The ESI rankings progress from low to high susceptibility to oil spills. To determine the sensitivity of a particular intertidal shoreline habitat, the following factors are integrated: (1) Shoreline type (substrate, grain size, tidal elevation, origin); (2) Exposure to wave and tidal energy; (3) Biological productivity and sensitivity; (4) Ease of cleanup. Prediction of the behavior and persistence of oil in intertidal habitats is based on an understanding of the dynamics of the coastal environments, not just the substrate type and grain size. The intensity of energy expended upon a shoreline by wave action, tidal currents, and river currents directly affects the persistence of stranded oil. The need for shoreline cleanup activities is determined, in part, by the slowness of natural processes in removal of oil stranded on the shoreline. The potential for biological injury and ease of cleanup of spilled oil are also important factors in the ESI ranking. Generally speaking, areas exposed to high levels of physical energy, such as wave action and tidal currents, and low biological activity rank low on the scale, whereas sheltered areas with associated high biological activity have the highest ranking.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: 1A

Enumerated_Domain_Value_Definition: Exposed Rocky Shores

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: 1B

Enumerated_Domain_Value_Definition: Exposed, Solid Man-made Structures

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: 2A

Enumerated_Domain_Value_Definition: Exposed Wave-cut Platforms in Bedrock

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 3A

Enumerated_Domain_Value_Definition: Fine- to Medium-grained Sand Beaches

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 3B

Enumerated_Domain_Value_Definition: Scarps and Steep Slopes in Sand

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 4

Enumerated_Domain_Value_Definition: Coarse-grained Sand Beaches

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 5

Enumerated_Domain_Value_Definition: Mixed Sand and Gravel Beaches

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 6A

Enumerated_Domain_Value_Definition: Gravel Beaches

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 6B

Enumerated_Domain_Value_Definition: Riprap

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 6D

Enumerated_Domain_Value_Definition: Boulder Rubble

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 7

Enumerated_Domain_Value_Definition: Exposed Tidal Flats

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 8A

Enumerated_Domain_Value_Definition: Sheltered Rocky Shores

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 8B

Enumerated_Domain_Value_Definition: Sheltered, Solid Man-made Structures

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 8C

Enumerated_Domain_Value_Definition: Sheltered Riprap

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 9A

Enumerated_Domain_Value_Definition: Sheltered Tidal Flats

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 9B

Enumerated_Domain_Value_Definition: Vegetated Low Banks

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 10A

Enumerated_Domain_Value_Definition: Salt- and Brackish-water marshes

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: U

Enumerated_Domain_Value_Definition: Unranked

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: LINE

Attribute_Definition: Type of geographic feature.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: B

Enumerated_Domain_Value_Definition: Breakwater

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: F

Enumerated_Domain_Value_Definition: Flat

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: H

Enumerated_Domain_Value_Definition: Hydrography

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: I

Enumerated_Domain_Value_Definition: Index

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* M*Enumerated_Domain_Value_Definition:* Marsh*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* P*Enumerated_Domain_Value_Definition:* Pier*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* S*Enumerated_Domain_Value_Definition:* Shoreline*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SOURCE_ID*Attribute_Definition:*

Spatial data source for the data layer lines that link to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* ENVIR*Attribute_Definition:* Type of regional environment.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E*Enumerated_Domain_Value_Definition:* Estuarine*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* U*Enumerated_Domain_Value_Definition:* Unranked*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* ESI.PAT*Entity_Type_Definition:*

The ESI.PAT table contains attribute information for the vector polygons representing polygonal features with ESI classification.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* ESI*Attribute_Definition:* The item ESI contains values representing the ESI polygon type.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* 2A

Enumerated_Domain_Value_Definition: Exposed Wave-cut Platforms in Bedrock

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 7

Enumerated_Domain_Value_Definition: Exposed Tidal Flats

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 9A

Enumerated_Domain_Value_Definition: Sheltered Tidal Flats

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 10A

Enumerated_Domain_Value_Definition: Salt- and Brackish-water marshes

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 10B

Enumerated_Domain_Value_Definition: Freshwater Marshes

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 10C

Enumerated_Domain_Value_Definition: Swamps

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 10D

Enumerated_Domain_Value_Definition: Scrub-shrub Wetlands

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: U

Enumerated_Domain_Value_Definition: Unranked

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: WATER_CODE

Attribute_Definition: Specifies a polygon as either water or land.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: L

Enumerated_Domain_Value_Definition: Land

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: W

Enumerated_Domain_Value_Definition: Water

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* ENVIR*Attribute_Definition:* Type of regional environment.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E*Enumerated_Domain_Value_Definition:* Estuarine*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* U*Enumerated_Domain_Value_Definition:* Unranked*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SOURCES*Entity_Type_Definition:*

The data table SOURCES contains the primary sources used to create the ESI data set.

See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SOURCE_ID*Attribute_Definition:*

Source identifier that links records in the SOURCES data table to the items

G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* ORIGINATOR*Attribute_Definition:* Author or developer of source material or data set.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:*

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:*

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Northern California

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable

format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Access Personal Geodatabase, ARC export files, Shape files, and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200902

Metadata_Review_Date: 200902

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.21 on Thu Mar 19 22:03:44 2009

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: INDEX (Index Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Publication_Date: 200812

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: INDEX (Index Polygons)

Edition: Second

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Northern California

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous

Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Description:

Abstract:

This data set contains vector polygons representing the boundaries of all hardcopy cartographic products produced as part of the Environmental Sensitivity Index (ESI) for Northern California. This data set comprises a portion of the ESI data for Northern California. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Currentness_Reference:

The INDEX data were compiled during 2007. The currentness date for the data is 2007 and is documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -124.45800

East_Bounding_Coordinate: -122.75000

North_Bounding_Coordinate: 37.97900

South_Bounding_Coordinate: 42.00000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Northern California

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys.

Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Northern California ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003).

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in the data set: birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in ARC export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD or DVD, and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent the boundaries of all hardcopy cartographic products produced as part of the ESI for Northern California.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

The index polygons in this data layer were generated in ArcInfo from the coordinates of the U.S. Geological Survey (USGS) 1:24,000 topographic map corners. Some small amount of positional error may be present along the arcs forming the boundaries of these polygons, particularly away from the polygon corners. Some boundaries were developed from pre-existing digital and hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: RESEARCH PLANNING INC. (RPI)

Publication_Date: 2007

Title: ESI INDEX

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Source_Scale_Denominator: 24,000

Type_of_Source_Media: DIGITAL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INDEX INFORMATION

Process_Step:

Process_Description:

Primarily, 1:24,000 U.S. Geological Survey (USGS) topographic maps were used to provide boundaries for cartographic products. In some cases, the polygons represent USGS topographic maps that were re-tiled, moved, or extended to provide better cartographic coverage of the study area.

Process_Date: 200812

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

*Spatial_Data_Organization_Information:**Direct_Spatial_Reference_Method:* Vector*Point_and_Vector_Object_Information:**SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* GT-polygon composed of chains*Point_and_Vector_Object_Count:* 40*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Area point*Point_and_Vector_Object_Count:* 39*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Complete chain*Point_and_Vector_Object_Count:* 172*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Link*Point_and_Vector_Object_Count:* 176*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Node, planar graph*Point_and_Vector_Object_Count:* 134

*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.0000001*Longitude_Resolution:* 0.0000001*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clark 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698

*Entity_and_Attribute_Information:**Detailed_Description:**Entity_Type:**Entity_Type_Label:* INDEX.PAT*Entity_Type_Definition:*

The INDEX.PAT table contains attribute information for the vector polygons representing the boundaries of the maps and digital data boundaries used in the creation of the ESI.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* TILE-NAME*Attribute_Definition:*

The TILE-NAME contains the map number according to the specified layout of the atlas.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1

Range_Domain_Maximum: 39

Attribute:

Attribute_Label: TOPO-NAME

Attribute_Definition:

USGS Topographic map name, short description of location, or atlas name.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition:

SCALE contains the value of the denominator of the scale at which the map is plotted in the final map product.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: MAPANGLE

Attribute_Definition:

MAPANGLE contains the value to rotate the final map product so that it is situated straight up and down.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1.7010

Range_Domain_Maximum: 2.7750

Attribute_Units_of_Measure: Degree

Attribute:

Attribute_Label: PAGESIZE

Attribute_Definition:

PAGESIZE contains the value of the width and height of the map in the final map product.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 11,17

Enumerated_Domain_Value_Definition: Page size= 11" by 17"

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Northern California

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Access Personal Geodatabase, ARC export files, Shape files, and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200902

Metadata_Review_Date: 200902

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.21 on Thu Mar 19 22:12:59 2009

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: MGT (Management Area Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Publication_Date: 200812

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: MGT (Management Area Polygons)

Edition: Second

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Northern California

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous

Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Description:

Abstract:

This data set contains human-use data for designated critical habitats, essential habitats, management areas, marine sanctuaries, National Park Service properties, Nature Conservancy properties, State parks, and wildlife refuges in Northern California. Vector polygons in this data set represent management areas. Location-specific type and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer. This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Northern California. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the SOCECON (Socioeconomic Resource Points and Lines) data layer, part of the larger Northern California ESI database, for additional human-use information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1996

Ending_Date: 2007

Currentness_Reference:

The data were compiled during 2007. The currentness dates for the data range from 1996 to 2007 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -124.45800

East_Bounding_Coordinate: -122.75000

North_Bounding_Coordinate: 37.97900

South_Bounding_Coordinate: 42.00000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Management areas

Theme_Keyword: Human use resources

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Northern California

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Northern California ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003).

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in the data set: birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in ARC export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above *Attribute_Accuracy_Report*, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD or DVD, and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent a synthesis of digital boundaries for management areas. See also the SOCECON (Socioeconomic Resource Points and Lines) data layer, part of the larger Northern California ESI database, for additional human-use information. These data do not necessarily represent all management areas in Northern California.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the human-use data layers can come from expert interviews, hardcopy, or digital sources. Most of the spatial components of the human-use data layers are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. Some of the spatial components of the human-use data layers are compiled on hardcopy base maps with a scale of 1:24,000. See the *Lineage* and *Process_Description* sections for more information on the original data source and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: CALIFORNIA RESOURCES AGENCY LEGACY PROJECT

Publication_Date: 2003

Title: PUBLIC CONSERVATION AND TRUST LANDS

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details:

<http://gis.ca.gov/catalog/BrowseRecord.epl?id=21066> (Contact the site webmaster if this URL is no longer active.)

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: MGT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CALIFORNIA DEPT. OF FISH AND GAME (CDF&G) MARINE REGION

Publication_Date: 2006

Title: MARINE PROTECTED AREAS

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details:

http://www.dfg.ca.gov/itbweb/gis/mr_gov_units.htm (Contact the site

webmaster if this URL is no longer active.)

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2006

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: MGT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NOAA, NMSP

Publication_Date: 2004

Title: NATIONAL MARINE SANCTUARY PROGRAM DIGITAL BOUNDARY FILES

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: NOAA, NATIONAL MARINE SANCTUARY PROGRAM, SILVER SPRING, MD

Source_Scale_Denominator: VARIES

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1996

Ending_Date: 2003

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: MGT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NATIONAL PARK SERVICE (NPS)

Publication_Date: 2007

Title: REDWOOD NATIONAL AND STATE PARK BOUNDARIES

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: NPS, ORICK, CA

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: MGT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: POINT REYES NATIONAL SEASHORE GIS

Publication_Date: 2006

Title: GOGA_TRACTS_LANDS04; PORE_ADMIN46; PHILIP_BURTON_WILDERNESS2

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2006

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: MGT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. FISH AND WILDLIFE SERVICE (USFWS), ARCATA, CA

Publication_Date: 2005

Title:

FINAL CRITICAL HABITAT FOR THE WESTERN SNOWY PLOVER
(CHARADRIUS ALEXANDRINUS NIVOSUS)

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: USFWS, ARCATA, CA

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: MGT INFORMATION

Process_Step:

Process_Description:

Numerous digital coverages were used to depict the management data layer. Data were provided by: U.S. Fish and Wildlife Service (USFWS), California Department of Fish & Game Marine Region (CDF&G, MR), California Resources Agency Legacy Project, National Park Service (NPS), and NOAA National Marine Fisheries Service (NMFS). Chinook and Steelhead salmon critical habitat areas were evaluated and are identified on the hardcopy maps as text boxes. These digital data sets were not used in the atlas production and were not delivered as part of the final data set. However, these data can be obtained from <http://swr.nmfs.noaa.gov/salmon/layers/finalgis.htm> and are titled: CCC_STEELHEAD_CH_06_2005, NC_STEELHEAD_CH_06_2005, CC_CHINOOK_CH_06_2005. (Contact the site webmaster if the URL is no longer active.)

The above digital and/or hardcopy sources were compiled by the project biologist to create the MGT data layer. Depending on the type of source data, three general approaches are used for compiling the data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the

maps. If necessary, edits to the MGT data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200812

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 355

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 354

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 661

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 63958

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 509

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

*Entity_and_Attribute_Information:**Overview_Description:**Entity_and_Attribute_Overview:*

In addition to the geographic data layers, two relational attribute or data tables, SOC_DAT and SOURCES, are used to store the complex socioeconomic data in the ESI data structure. The geographic data layer containing socioeconomic data resource information (in this case, MGT) is linked to the Socioeconomic Resources table (SOC_DAT) using the unique ID and the lookup table SOC_LUT, or it can be linked directly using HUNUM. HUNUM is a unique reference number concatenated with the atlas number (for Northern California, the number is 207). ID is a unique combination of the atlas number (207), an element specific number (MGT = 11), and a unique record number. SOC_DAT and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: MGT.PAT

Entity_Type_Definition:

The MGT.PAT table contains attribute information for the vector polygons representing designated critical habitats, essential habitats, management areas, marine sanctuaries, National Park Service properties, Nature Conservancy properties, state parks and wildlife refuges in Northern California. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TYPE

Attribute_Definition:

The human-use features depicted on the maps are those that could be impacted by an oil spill or could provide access for response operations.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: CH

Enumerated_Domain_Value_Definition: Designated Critical Habitat

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: MA

Enumerated_Domain_Value_Definition: Management Area

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: MS

Enumerated_Domain_Value_Definition: Marine Sanctuary

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: MR

Enumerated_Domain_Value_Definition:

Multiple Records - Signifies that multiple types overlap in the polygon

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: NC

Enumerated_Domain_Value_Definition: Nature Conservancy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: NP

Enumerated_Domain_Value_Definition: National Park

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: P

Enumerated_Domain_Value_Definition: Regional or State Park

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: WR

Enumerated_Domain_Value_Definition: Wildlife Refuge

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the human-use data layers to records in the SOC_LUT data table. ID is a concatenation of atlas number (207), element number (11), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 2071100002

Range_Domain_Maximum: 2071100359

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links directly to the SOC_DAT table. HUNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000164

Range_Domain_Maximum: 207000336

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOC_LUT

Entity_Type_Definition:

The data table SOC_LUT is a lookup table that contains items necessary for linking vector objects in the human-use data layers with the SOC_DAT data table. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links records in the SOC_LUT data table to records in the SOC_DAT data table. HUNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000001

Range_Domain_Maximum: 207000336

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the human-use data layers to records in the SOC_LUT data table. ID is a concatenation of atlas number (207), element number (SOCECON=10; MGT=11), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 2071000001

Range_Domain_Maximum: 2071100359

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOC_DAT

Entity_Type_Definition:

The data table SOC_DAT contains both human-use attribute data and items necessary for linking the human-use spatial data layers to the SOURCES data table. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links records in the SOC_DAT data table to records in the SOC_LUT data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000001

Range_Domain_Maximum: 207000336

Attribute:

Attribute_Label: TYPE

Attribute_Definition: Identifies the feature type

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: AIRPORT

Enumerated_Domain_Value_Definition: Airport

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* ACCESS*Enumerated_Domain_Value_Definition:* Access area*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* AQUACULTURE*Enumerated_Domain_Value_Definition:* Aquaculture*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BEACH*Enumerated_Domain_Value_Definition:* Beach*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BOAT RAMP*Enumerated_Domain_Value_Definition:* Boat Ramp*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* COMMERCIAL FISHING*Enumerated_Domain_Value_Definition:* Commercial Fishing*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* COAST GUARD*Enumerated_Domain_Value_Definition:* Coast Guard site*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* DESIGNATED CRITICAL HABITAT*Enumerated_Domain_Value_Definition:* Designated Critical Habitat*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* ESSENTIAL HABITAT*Enumerated_Domain_Value_Definition:* Essential Habitat*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HOIST*Enumerated_Domain_Value_Definition:* Hoist*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HISTORICAL SITE*Enumerated_Domain_Value_Definition:* Historical Site*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* MANAGEMENT AREA

Enumerated_Domain_Value_Definition: Management Area

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: MARINA

Enumerated_Domain_Value_Definition: Marina

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: MARINE SANCTUARY

Enumerated_Domain_Value_Definition: Marine Sanctuary

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: NATIONAL PARK

Enumerated_Domain_Value_Definition: National Park

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: RECREATIONAL FISHING

Enumerated_Domain_Value_Definition: Recreational Fishing

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REGIONAL OR STATE PARK

Enumerated_Domain_Value_Definition: Regional or State Park

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: SUBSISTENCE

Enumerated_Domain_Value_Definition: Subsistence area

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: STAGING SITE

Enumerated_Domain_Value_Definition: Staging Site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: WATER INTAKE

Enumerated_Domain_Value_Definition: Water Intake

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: WASH OVER

Enumerated_Domain_Value_Definition: Wash Over

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: WILDLIFE REFUGE

Enumerated_Domain_Value_Definition: Wildlife Refuge

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* NAME*Attribute_Definition:* The feature name*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* CONTACT*Attribute_Definition:* Contact person or entity*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* PHONE*Attribute_Definition:* Contact telephone number*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* G_SOURCE*Attribute_Definition:*

Geographic source identifier that links records in the SOC_DAT data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* A_SOURCE*Attribute_Definition:*

Attribute source identifier that links records in the SOC_DAT data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SOURCES*Entity_Type_Definition:*

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SOURCE_ID*Attribute_Definition:*

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Distribution_Information:**Distributor:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* John Kaperick*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6400*Contact_Facsimile_Telephone:* (206) 526-6329*Resource_Description:* ESI Atlas for Northern California*Distribution_Liability:*

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Access Personal Geodatabase, ARC export files, Shape files, and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

*Metadata_Reference_Information:**Metadata_Date:* 200902*Metadata_Review_Date:* 200902*Metadata_Contact:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* Jill Petersen*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Position:* GIS Manager*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.21 on Thu Mar 19 21:26:15 2009

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: SOCECON (Socioeconomic Resource Points and Lines)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Publication_Date: 200812

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: SOCECON (Socioeconomic Resource Points and Lines)

Edition: Second

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Northern California

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous

Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Description:

Abstract:

This data set contains the following human-use resource data for Northern California: access areas, airports, aquaculture sites, beaches, boat ramps, Coast Guard areas, commercial/recreational fishing areas, essential habitats, historical sites, hoists, marinas, staging areas, subsistence areas, wash overs, and water intakes. Vector points and lines in this data set represent the human-use locations. Location-specific type and source information is stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer. This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Northern California. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the MGT (Management Area Polygons) data layer, part of the larger Northern California ESI database, for additional human-use information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1994

Ending_Date: 2007

Currentness_Reference:

The SOCECON data were compiled during 2007. The currentness dates for the data range from 1994 to 2007 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -124.45800

East_Bounding_Coordinate: -122.75000

North_Bounding_Coordinate: 37.97900

South_Bounding_Coordinate: 42.00000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Socioeconomic resources

Theme_Keyword: Human use resources

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Northern California

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations.

Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys.

Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Northern California ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003).

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in the data set: birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above *Attribute_Accuracy_Report*, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD or DVD, and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent a synthesis of expert knowledge and available hardcopy reports and digital data on socioeconomic resources. See also the MGT (Management Area Polygons) data layer, part of the larger Northern California ESI database, for additional human-use information. These data do not necessarily represent all human-use sites in Northern California.

*Positional_Accuracy:**Horizontal_Positional_Accuracy:**Horizontal_Positional_Accuracy_Report:*

Spatial components for the human-use data layers can come from expert interviews, hardcopy, or digital sources. Most of the spatial components of the human-use data layers are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. Some of the spatial components of the human-use data layers are compiled on hardcopy base maps with a scale of 1:24,000. See the *Lineage* and *Process_Description* sections for more information on the original data source and how these data were integrated or manipulated to create the final data set.

*Lineage:**Source_Information:**Source_Citation:**Citation_Information:*

Originator: ALLEN, S. (NATIONAL PARK SERVICE, POINT REYES)

Publication_Date: 2005

Title:

DISTRIBUTION AND SEASONALITY OF SPECIES AND SOC_ECON
FEATURES ON NPS LANDS

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:*

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: SOCECON INFORMATION

*Source_Information:**Source_Citation:**Citation_Information:*

Originator: ANDERSON, D. (NATIONAL PARK SERVICE, ORICK)

Publication_Date: 2007

Title: REDWOOD NATIONAL PARK RESOURCES

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: SOCECON INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator:
 CALIFORNIA DEPT OF FISH AND GAME, Office of Spill Prevention
 and Response (OSPR), GIS UNIT
Publication_Date: 2005
Title: ECONOMICALLY SIGNIFICANT SITES
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: DFG, OSPR, GIS UNIT, SACRAMENTO, CA
Type_of_Source_Media: EMAIL
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2005
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: SOCECON INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: CALIFORNIA RESOURCES AGENCY LEGACY PROJECT
Publication_Date: 2003
Title: PUBLIC CONSERVATION AND TRUST LANDS
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details:
<http://gis.ca.gov/catalog/BrowseRecord.epl?id=21066> (Contact the site
 webmaster if this URL is no longer active.)
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2003
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: SOCECON INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: CALIFORNIA DEPT OF FISH AND GAME STAFF
Publication_Date: 2007
Title: MARINE SPORTFISH AND OTHER MARINE RESOURCES
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: SOCECON INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: HARRIS, JAY (CSP, EUREKA)
Publication_Date: 2007
Title: CALIFORNIA STATE PARK RESOURCES
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: SOCECON INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: MELLO, J. (CDF&G, EUREKA)
Publication_Date: 2007
Title:
 MARINE RESOURCE DISTRIBUTION AND SEASONALITY IN
 NORTHERN CALIFORNIA
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: SOCECON INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: MOORE, T. (CDF&G, BODEGA BAY)
Publication_Date: 2007
Title: AQUACULTURE SITES
Geospatial_Data_Presentation_Form: SPREADSHEET
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: EMAIL
Source_Time_Period_of_Content:
Time_Period_Information:

Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: SOCECON INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: NOAA NOS OR&R HAZMAT
Publication_Date: 2001
Title:
 SENSITIVITY OF COASTAL ENVIRONMENTS AND WILDLIFE TO
 SPILLED OIL: NORTHERN CALIFORNIA
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: SEATTLE, WASHINGTON
Source_Scale_Denominator: 24,000
Type_of_Source_Media: CD-ROM
Source_Time_Period_of_Content:
Time_Period_Information:
Range_of_Dates/Times:
Beginning_Date: 1994
Ending_Date: 2001
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: SOCECON INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: NATIONAL PARK SERVICE (NPS)
Publication_Date: 2007
Title: REDWOOD NATIONAL PARK RESOURCES
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: SOCECON INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: RESEARCH PLANNING INC.
Publication_Date: 2007
Title: ESI INDEX
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: UNPUBLISHED
Source_Scale_Denominator: 24,000
Type_of_Source_Media: DIGITAL
Source_Time_Period_of_Content:

*Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2007*Source_Currentness_Reference:* DATE OF PUBLICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* SOCECON INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* RESEARCH PLANNING, INC.*Publication_Date:* 1994*Title:*SENSITIVITY OF COASTAL ENVIRONMENTS AND WILDLIFE TO
SPILLED OIL: CENTRAL CA*Geospatial_Data_Presentation_Form:* ATLAS*Other_Citation_Details:* CDF&G OSPR AND NOAA, 41 MAPS*Source_Scale_Denominator:* 46,500*Type_of_Source_Media:* PAPER*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 1994*Source_Currentness_Reference:* DATE OF PUBLICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* SOCECON INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* TEALE GIS SOLUTIONS GROUP*Publication_Date:* 1997*Title:* AIRPORTS*Geospatial_Data_Presentation_Form:* VECTOR DIGITAL DATA*Other_Citation_Details:* TEALE GIS SOLUTIONS GROUP*Type_of_Source_Media:* ONLINE*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 1997*Source_Currentness_Reference:* DATE OF PUBLICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* SOCECON INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* TERRALOGIC GIS, INC.*Publication_Date:* 2005*Title:*ALTERNATIVE B.2 OF THE PACIFIC COAST GROUND FISH
ESSENTIAL FISH HABITAT (EFH) DRAFT EIS (ESTUARIES HAPC)*Geospatial_Data_Presentation_Form:* VECTOR DIGITAL DATA*Other_Citation_Details:* NATIONAL MARINE FISHERIES SERVICE (NMFS),
NORTHWEST REGION

Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2005
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: SOCECON INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: TERRALOGIC GIS, INC.
Publication_Date: 2005
Title:
 ALTERNATIVE B.4 OF THE PACIFIC COAST GROUND FISH EFH
 DRAFT EIS (SEAGRASS HAPC)
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: NMFS, NORTHWEST REGION
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2005
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: SOCECON INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: TERRALOGIC GIS, INC.
Publication_Date: 2005
Title:
 ALTERNATIVE B.6 OF THE PACIFIC GROUND FISH EFH DRAFT EIS
 (ROCKY REEFS HAPC)
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: NMFS NORTHWEST REGION
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2005
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: SOCECON INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: U.S. COAST GUARD (USCG) SECTOR SAN FRANCISCO
Publication_Date: 2005
Title:
 2005 SECTOR SAN FRANCISCO AREA ACP 1 NORTH COAST;
 VOLUME 2: MENDOCINO COUNTY SECTION 9814

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: USCG SECTOR SAN FRANCISCO, OCTOBER 1, 2005

Source_Scale_Denominator: VARIES

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: SOCECON INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: USCG SECTOR SAN FRANCISCO

Publication_Date: 2005

Title:

2005 SECTOR SAN FRANCISCO-ACP 1 NORTH COAST: HUMBOLDT BAY SECTION 9813

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: USCG SECTOR SAN FRANCISCO, OCTOBER 1, 2005

Source_Scale_Denominator: VARIES

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: SOCECON INFORMATION

Process_Step:

Process_Description:

Three main sources of data were used to depict human-use resources for this data layer: 1) personal interviews with resource experts from the California Department of Fish & Game (CDF&G), California State Parks (CSP), National Park Service (NPS); 2) published reports, and 3) digital socioeconomic layers provided by CDF&G. Bridges were located using U.S. Geological Survey (USGS) Topographic Maps. State borders were taken from the 1994 Northern California ESI Atlas.

The above digital and/or hardcopy sources were compiled by the project biologist to create the SOCECON data layer. Depending on the type of source data, three general approaches are used for compiling the data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto USGS 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the maps. If necessary, edits to the SOCECON data layer are made based on the recommendations of the resource

experts, and final hardcopy maps and digital data are created.

Process_Date: 200812

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Entity Point

Point_and_Vector_Object_Count: 294

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 5

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 11

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 9

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, two relational attribute or data tables, SOC_DAT,

and SOURCES, are used to store the complex socioeconomic data in the ESI data structure. The geographic data layer containing socioeconomic data resource information (in this case, SOCECON) is linked to the Socioeconomic Resources table (SOC_DAT) using the unique ID and the lookup table SOC_LUT, or it can be linked directly using HUNUM. HUNUM is a unique reference number concatenated with the atlas number (for Northern California, the number is 207). ID is a unique combination of the atlas number (207), an element specific number (SOCECON = 10), and a unique record number. SOC_DAT and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOCECON.PAT

Entity_Type_Definition:

The SOCECON.PAT table contains attribute information for the vector points representing access areas, airports, aquaculture sites, beaches, boat ramps, coast guard areas, commercial/recreational fishing areas, essential habitat points, historical sites, hoist areas, marinas, staging areas, subsistence areas, wash overs, and water intakes. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TYPE

Attribute_Definition:

The human-use features depicted on the maps are those that could be impacted by an oil spill or could provide access for response operations.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: A

Enumerated_Domain_Value_Definition: Airport

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: A2

Enumerated_Domain_Value_Definition: Access area

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: AQ

Enumerated_Domain_Value_Definition: Aquaculture site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: B

Enumerated_Domain_Value_Definition: Beach

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BR

Enumerated_Domain_Value_Definition: Boat Ramp

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: CF

Enumerated_Domain_Value_Definition: Commercial Fishing

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: CG

Enumerated_Domain_Value_Definition: Coast Guard site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: EH

Enumerated_Domain_Value_Definition: Essential Habitat

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: H

Enumerated_Domain_Value_Definition: Hoist

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HS

Enumerated_Domain_Value_Definition: Historical site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M

Enumerated_Domain_Value_Definition: Marina

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: RF

Enumerated_Domain_Value_Definition: Recreational Fishing

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: S

Enumerated_Domain_Value_Definition: Subsistence

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: ST

Enumerated_Domain_Value_Definition: Staging site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: WI

Enumerated_Domain_Value_Definition: Water Intake

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* WO*Enumerated_Domain_Value_Definition:* Wash Over*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* ID*Attribute_Definition:*

An identifier that links vector objects in the human-use data layers to records in the SOC_LUT data table. ID is a concatenation of atlas number (207), element number (10), and record number.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 2071000001*Range_Domain_Maximum:* 2071000294*Attribute:**Attribute_Label:* HUNUM*Attribute_Definition:*

An identifier that links directly to the SOC_DAT table. HUNUM values of 0 are holes in the polygons and do not contain information.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 207000001*Range_Domain_Maximum:* 207000297*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SOCECON.AAT*Entity_Type_Definition:*

The SOCECON.AAT table contains attribute information for the vector lines representing bridges and state borders. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* TYPE*Attribute_Definition:*

The human-use features depicted on the maps are those that could be impacted by an oil spill or could provide access for response operations.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* R*Enumerated_Domain_Value_Definition:* Road, Transportation, or Bridge*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* SB*Enumerated_Domain_Value_Definition:* State Border*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Detailed_Description:*

*Entity_Type:**Entity_Type_Label:* SOC_LUT*Entity_Type_Definition:*

The data table SOC_LUT is a lookup table that contains items necessary for linking vector objects in the human-use data layers with the SOC_DAT data table. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* HUNUM*Attribute_Definition:*

An identifier that links records in the SOC_LUT data table to records in the SOC_DAT data table. HUNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 207000001*Range_Domain_Maximum:* 207000336*Attribute:**Attribute_Label:* ID*Attribute_Definition:*

An identifier that links vector objects in the human-use data layers to records in the SOC_LUT data table. ID is a concatenation of atlas number (207), element number (SOCECON=10; MGT=11), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 2071000001*Range_Domain_Maximum:* 2071100359*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SOC_DAT*Entity_Type_Definition:*

The data table SOC_DAT contains both human-use attribute data and items necessary for linking the human-use spatial data layers to the SOURCES data table. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* HUNUM*Attribute_Definition:*

An identifier that links records in the SOC_DAT data table to records in the SOC_LUT data table.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 207000001*Range_Domain_Maximum:* 207000336*Attribute:**Attribute_Label:* TYPE*Attribute_Definition:*

The human-use features depicted on the maps are those that could be impacted by an oil spill or could provide access for response operations.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: AIRPORT

Enumerated_Domain_Value_Definition: Airport

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: ACCESS

Enumerated_Domain_Value_Definition: Access area

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: AQUACULTURE

Enumerated_Domain_Value_Definition: Aquaculture

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BEACH

Enumerated_Domain_Value_Definition: Beach

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BOAT RAMP

Enumerated_Domain_Value_Definition: Boat Ramp

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: COMMERCIAL FISHING

Enumerated_Domain_Value_Definition: Commercial Fishing

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: COAST GUARD

Enumerated_Domain_Value_Definition: Coast Guard site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: DESIGNATED CRITICAL HABITAT

Enumerated_Domain_Value_Definition: Designated Critical Habitat

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: ESSENTIAL HABITAT

Enumerated_Domain_Value_Definition: Essential Habitat

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HOIST

Enumerated_Domain_Value_Definition: Hoist

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HISTORICAL SITE

Enumerated_Domain_Value_Definition: Historical Site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: MANAGEMENT AREA

Enumerated_Domain_Value_Definition: Management Area

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: MARINA

Enumerated_Domain_Value_Definition: Marina

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: MARINE SANCTUARY

Enumerated_Domain_Value_Definition: Marine Sanctuary

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: MULTIPLE RECORDS

Enumerated_Domain_Value_Definition: Multiple types overlap in the polygon

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: NATIONAL PARK

Enumerated_Domain_Value_Definition: National Park

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: NATURE CONSERVANCY

Enumerated_Domain_Value_Definition: Nature Conservancy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: RECREATIONAL FISHING

Enumerated_Domain_Value_Definition: Recreational Fishing

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REGIONAL OR STATE PARK

Enumerated_Domain_Value_Definition: Regional or State Park

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: SUBSISTENCE

Enumerated_Domain_Value_Definition: Subsistence area

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* STAGING SITE*Enumerated_Domain_Value_Definition:* Staging Site*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* WATER INTAKE*Enumerated_Domain_Value_Definition:* Water Intake*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* WASH OVER*Enumerated_Domain_Value_Definition:* Wash Over*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* WILDLIFE REFUGE*Enumerated_Domain_Value_Definition:* Wildlife Refuge*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* NAME*Attribute_Definition:* The feature name*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* CONTACT*Attribute_Definition:* Contact person or entity*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* PHONE*Attribute_Definition:* Contact telephone number*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* G_SOURCE*Attribute_Definition:*

Geographic source identifier that links records in the SOC_DAT data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* A_SOURCE*Attribute_Definition:*

Attribute source identifier that links records in the SOC_DAT data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set.

See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items

G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* PUBLICATION*Attribute_Definition:* Additional citation information.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* SCALE*Attribute_Definition:* Description of the source scale.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* TIME_PERIOD*Attribute_Definition:*

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Distribution_Information:**Distributor:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* John Kaperick*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6400*Contact_Facsimile_Telephone:* (206) 526-6329*Resource_Description:* ESI Atlas for Northern California*Distribution_Liability:*

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Access Personal Geodatabase, ARC export files, Shape files, and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA

Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200902

Metadata_Review_Date: 200902

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.21 on Thu Mar 19 21:31:09 2009

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: BIRDS (Bird Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Publication_Date: 200812

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: BIRDS (Bird Polygons)

Edition: Second

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Northern California

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous

Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Description:

Abstract:

This data set contains sensitive biological resource data for alcids, diving birds, gulls, terns, passerines, pelagic birds, raptors, shorebirds, wading birds, and waterfowl in Northern California. Vector polygons in this data set represent bird nesting, migratory staging, roosting, and wintering sites. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Northern California. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the NESTS (Nest Points) data layer, part of the larger Northern California ESI database, for additional bird information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1975

Ending_Date: 2007

Currentness_Reference:

The biological data were compiled during 2007. The currentness dates for the data range from 1975 to 2007 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -124.45800

East_Bounding_Coordinate: -122.75000

North_Bounding_Coordinate: 37.97900

South_Bounding_Coordinate: 42.00000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Bird

*Place:**Place_Keyword_Thesaurus:* None*Place_Keyword:* Northern California*Access_Constraints:* None*Use_Constraints:*

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

*Browse_Graphic:**Browse_Graphic_File_Name:* [datafig.jpg](#)*Browse_Graphic_File_Description:*

Depicts the relationships between spatial data layers and attribute data tables for the Northern California ESI data.

Browse_Graphic_File_Type: JPEG*Data_Set_Credit:*

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003).

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in that data set: birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in ARC export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

*Data_Quality_Information:**Attribute_Accuracy:**Attribute_Accuracy_Report:*

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed

evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD or DVD, and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new IDs and RARNUMs or HUNUMs are also generated. The new IDs are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUMs are also modified to include the atlas number, so multiple atlases can be combined and RARNUMs remain unique. RARNUMs are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUMs are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge, available hardcopy documents, survey data, maps, and digital data on bird nesting, wintering, migratory staging and other spatial/temporal concentration areas. See also the NESTS (Nest Points) data layer, part of the larger Northern California ESI database, for additional bird information. These data do not necessarily represent all bird occurrences in Northern California. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 1, Common loon, *Gavia immer*; 3, Red-throated loon, *Gavia stellata*; 4, Red-necked grebe, *Podiceps grisegena*; 5, Horned grebe, *Podiceps auritus*; 6, Eared grebe, *Podiceps nigricollis*; 7, Western grebe, *Aechmophorus occidentalis*; 8, Double-crested cormorant, *Phalacrocorax auritus*; 9, Brandt's cormorant, *Phalacrocorax penicillatus*; 10, Pelagic cormorant, *Phalacrocorax pelagicus*; 11, Tundra swan, *Cygnus columbianus*; 12, Canada goose, *Branta canadensis*; 13, Brant, *Branta bernicla*; 16, Mallard, *Anas platyrhynchos*; 17, Northern pintail, *Anas acuta*; 18, Green-winged teal, *Anas crecca*; 20, Northern shoveler, *Anas clypeata*; 21, Canvasback, *Aythya valisineria*; 22, Greater scaup, *Aythya marila*; 23, Lesser scaup, *Aythya affinis*; 24, Common goldeneye, *Bucephala clangula*; 26, Bufflehead, *Bucephala albeola*; 28, Harlequin duck, *Histrionicus histrionicus*; 29, White-winged scoter, *Melanitta fusca*; 30, Surf scoter, *Melanitta perspicillata*; 31, Pacific loon, *Gavia pacifica*; 32, Common merganser, *Mergus merganser*; 33, Red-breasted merganser, *Mergus serrator*; 34, American coot, *Fulica americana*; 36, Glaucous-winged gull, *Larus glaucescens*; 37, Western gull, *Larus occidentalis*; 38, Herring gull, *Larus argentatus*; 39, California gull, *Larus californicus*; 40, Ring-billed gull, *Larus delawarensis*; 41, Mew gull, *Larus canus*; 42, Bonaparte's gull, *Larus philadelphia*; 43, Heermann's gull, *Larus heermanni*; 46, Common murre, *Uria aalge*; 47, Pigeon guillemot, *Cepphus columba*; 48, Marbled murrelet, *Brachyramphus marmoratus*; 49, Cassin's auklet, *Ptychoramphus aleuticus*; 50, Rhinoceros auklet, *Cerorhinca monocerata*; 54, Great blue heron, *Ardea herodias*; 55, Whimbrel, *Numenius phaeopus*; 57, Wandering tattler, *Heteroscelus incanus*; 58, Greater yellowlegs, *Tringa melanoleuca*; 62, Least sandpiper, *Calidris minutilla*; 63, Dunlin, *Calidris alpina*; 64, Short-billed dowitcher, *Limnodromus griseus*; 65, Long-billed dowitcher, *Limnodromus scolopaceus*; 66, Western sandpiper, *Calidris mauri*; 67, Sanderling, *Calidris alba*; 68, Black oystercatcher, *Haematopus bachmani*; 69, Semipalmated plover, *Charadrius semipalmatus*; 70, Killdeer, *Charadrius vociferus*; 71, Black-bellied plover, *Pluvialis squatarola*; 72, Surfbird, *Aphriza virgata*; 74, Black turnstone, *Arenaria melanocephala*; 76, Bald eagle, *Haliaeetus*

leucocephalus; 77, Osprey, Pandion haliaetus; 88, Great egret, Ardea alba; 89, Snowy egret, Egretta thula; 90, Black-crowned night-heron, Nycticorax nycticorax; 93, Cattle egret, Bubulcus ibis; 97, Green heron, Butorides virescens; 118, Brown pelican, Pelecanus occidentalis; 124, Redhead, Aythya americana; 131, White-tailed kite, Elanus leucurus; 136, Caspian tern, Sterna caspia; 138, Forster's tern, Sterna forsteri; 141, American avocet, Recurvirostra americana; 145, Elegant tern, Sterna elegans; 148, Ruddy duck, Oxyura jamaicensis; 151, Saltmarsh common yellowthroat, Geothlypis trichas sinuosa; 155, Willet, Catoptrophorus semipalmatus; 160, Red phalarope, Phalaropus fulicaria; 161, Rock sandpiper, Calidris ptilocnemis; 162, Gadwall, Anas strepera; 169, American wigeon, Anas americana; 173, American white pelican, Pelecanus erythrorhynchos; 174, Golden eagle, Aquila chrysaetos; 177, Bank swallow, Riparia riparia; 179, Pied-billed grebe, Podilymbus podiceps; 180, Ring-necked duck, Aythya collaris; 181, Northern harrier, Circus cyaneus; 182, American kestrel, Falco sparverius; 185, American bittern, Botaurus lentiginosus; 187, Virginia rail, Rallus limicola; 191, Wood duck, Aix sponsa; 197, Black scoter, Melanitta nigra; 198, Hooded merganser, Lophodytes cucullatus; 200, Sooty shearwater, Puffinus griseus; 204, California clapper rail, Rallus longirostris obsoletus; 206, California black rail, Laterallus jamaicensis coturniculus; 207, Tricolored blackbird, Agelaius tricolor; 209, Long-billed curlew, Numenius americanus; 210, Marbled godwit, Limosa fedoa; 215, Aleutian cackling goose, Branta hutchinsii leucopareia; 216, Belted kingfisher, Ceryle alcyon; 218, Red-shouldered hawk, Buteo lineatus; 220, Merlin, Falco columbarius; 230, Red-tailed hawk, Buteo jamaicensis; 239, Clark's grebe, Aechmophorus clarkii; 254, Laysan albatross, Phoebastria immutabilis; 270, Western snowy plover, Charadrius alexandrinus nivosus; 273, Geese, n/a; 302, Scoters, Melanitta spp.; 349, Burrowing owl, Athene cunicularia hypugea; 396, Phalaropes, Phalaropus spp.; 406, Cinnamon teal, Anas cyanoptera; 455, Yellow-billed cuckoo, Coccyzus americanus; 626, American peregrine falcon, Falco peregrinus anatum; 722, Common yellowthroat, Geothlypis trichas; 814, Band-tailed pigeon, Patagioenas fasciata; 1001, Gulls, n/a; 1002, Shorebirds, n/a; 1003, Waterfowl, n/a; 1004, Wading birds, n/a; 1005, Raptors, n/a; 1006, Diving birds, n/a; 1008, Terns, n/a; 1009, Shearwaters, n/a; 1013, Dabbling ducks, n/a; 1014, Diving ducks, n/a; 1019, Sea ducks, n/a; 1021, Ducks, n/a; 1022, Seabirds, n/a; 1026, Grebes, n/a; 1035, Pelicans, Pelecanus spp.; 1037, Cormorants, Phalacrocorax spp.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy," and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: ADAMS, J. (US GEOLOGICAL SURVEY, MOSS LANDING)

Publication_Date: 2005

Title:

DISTRIBUTION OF SEABIRDS AND MARINE MAMMALS IN

CENTRAL CALIFORNIA

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE*Other_Citation_Details*: UNPUBLISHED*Type_of_Source_Media*: PERSONAL COMMUNICATION*Source_Time_Period_of_Content*:*Time_Period_Information*:*Single_Date/Time*:*Calendar_Date*: 2005*Source_Currentness_Reference*: DATE OF COMMUNICATION*Source_Citation_Abbreviation*: NONE*Source_Contribution*: BIRDS INFORMATION*Source_Information*:*Source_Citation*:*Citation_Information*:*Originator*: ALLEN, S. (NATIONAL PARK SERVICE, POINT REYES)*Publication_Date*: 2005*Title*:DISTRIBUTION AND SEASONALITY OF SPECIES AND SOC_ECON
FEATURES ON NPS LANDS*Geospatial_Data_Presentation_Form*: EXPERT KNOWLEDGE*Other_Citation_Details*: UNPUBLISHED*Type_of_Source_Media*: PERSONAL COMMUNICATION*Source_Time_Period_of_Content*:*Time_Period_Information*:*Single_Date/Time*:*Calendar_Date*: 2005*Source_Currentness_Reference*: DATE OF COMMUNICATION*Source_Citation_Abbreviation*: NONE*Source_Contribution*: BIRDS INFORMATION*Source_Information*:*Source_Citation*:*Citation_Information*:*Originator*: ANDERSON, D. (NPS, ORICK)*Publication_Date*: 2007*Title*: REDWOOD NATIONAL PARK RESOURCES*Geospatial_Data_Presentation_Form*: EXPERT KNOWLEDGE*Other_Citation_Details*: UNPUBLISHED*Type_of_Source_Media*: PERSONAL COMMUNICATION*Source_Time_Period_of_Content*:*Time_Period_Information*:*Single_Date/Time*:*Calendar_Date*: 2007*Source_Currentness_Reference*: DATE OF COMMUNICATION*Source_Citation_Abbreviation*: NONE*Source_Contribution*: BIRDS INFORMATION*Source_Information*:*Source_Citation*:*Citation_Information*:*Originator*:CALIFORNIA STATE PARKS (CSP) NORTH COAST REDWOODS
DISTRICT (NCRD)*Publication_Date*: 2005

Title:

MAPS OF SPECIAL STATUS SPECIES, REC ACTIVITIES, AND MGT
ISSUES AT CSP NCRD STATE PARKS

Geospatial_Data_Presentation_Form: HARDCOPY MAP

Other_Citation_Details: CSP NORTH COAST REDWOOD DISTRICT

Source_Scale_Denominator: 10,000-20,000

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

CAPITOLO, CARTER, YOUNG, MCCHESENEY, MCIVER,
GOLIGHTLY, AND GRESS

Publication_Date: 2004

Title:

CHANGES IN BREEDING POPULATION SIZE OF BRANDT'S AND
DOUBLE-CRESTED CORMORANTS IN CALIFORNIA, 1975-2003

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

UNPUBLISHED REPORT, DEPARTMENT OF WILDLIFE,
HUMBOLDT STATE UNIVERSITY (HSU), ARCATA, CALIFORNIA

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1975

Ending_Date: 2003

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CAPITOLO, MCCHESENEY, CARTER, PARKER, HALL,
YOUNG, GOLIGHTLY

Publication_Date: 2006

Title:

WHOLE-COLONY COUNTS OF COMU, BRCO, AND DCCO AT
SAMPLE COLONIES IN NORTHERN AND CENTRAL CALIFORNIA,
1996-2004

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

UNPUBLISHED REPORT, DEPT. OF WILDLIFE, HSU, ARCATA, CA;
USFWS, SFB NWR COMPLEX, NEWARK, CA. 40 PP.

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2006
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator:
 CALIFORNIA DEPT. OF FISH & GAME (CDF&G) BIOGEOGRAPHIC
 DATA BRANCH
Publication_Date: 2007
Title: CALIFORNIA NATURAL DIVERSITY DATABASE
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details:
<http://www.dfg.ca.gov/biogeodata/> (Contact the site webmaster if this
 URL is no longer active.)
Source_Scale_Denominator: VARIES
Type_of_Source_Media: CD-ROM
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: CDF&G, U.S. COAST GUARD (USCG)
Publication_Date: 2005
Title:
 SAN FRANCISCO GEOGRAPHIC RESPONSE AREA 1 SONOMA AND
 NORTH MARIN COAST
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: ACP 2 SF BAY & DELTA - GRA 1
Type_of_Source_Media: DISC
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2005
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator:
 COLWELL, M.A., T. DANUFSKY, N.W. FOX-FERNANDEZ, J.E.
 ROTH, AND J.R. CONKLIN

Publication_Date: 2003

Title:

VARIATION IN SHOREBIRD USE OF DIURNAL, HIGH-TIDE
ROOSTS: HOW CONSISTENTLY ARE ROOSTS USED?

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: WATERBIRDS: VOLUME 26, ISSUE 4 (PP. 484-493)

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: DAYTON, J. (CDF&G)

Publication_Date: 2007

Title: FISH, WILDLIFE, AND HABITAT DISTRIBUTION IN NORTHERN
CALIFORNIA

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: DEUEL, B. (CDF&G, REDDING)

Publication_Date: 2007

Title:

BIRD AND MAMMAL DISTRIBUTION AND SEASONALITY IN
NORTHERN CALIFORNIA

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: HARRIS, JAY (CSP, EUREKA)
Publication_Date: 2007
Title: CALIFORNIA STATE PARK RESOURCES
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: HARRIS, S.
Publication_Date: 2006
Title: NORTHWESTERN CALIFORNIA BIRDS
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: LIVING GOLD PRESS, KLAMATH RIVER, CA
Type_of_Source_Media: PAPER
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2006
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: HUMBOLDT STATE UNIVERSITY
Publication_Date: 2007
Title: ARCATA MARSH AND WILDLIFE SANCTUARY
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details:
http://www.humboldt.edu/~ere_dept/marsh/birds.html (Contact the site
webmaster if this URL is no longer active.)
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: KELLY, J.P. AND S.L. TAPPEN
Publication_Date: 1998

Title:

DISTRIBUTION, ABUNDANCE, AND IMPLICATIONS FOR
CONSERVATION FOR WINTER WATERBIRDS ON TOMALES BAY,
CALIFORNIA

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: WESTERN BIRDS 29:103-120

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1998

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: KOVACS, K.

Publication_Date: 2007

Title: WADING BIRD, RAPTOR, AND FISH DISTRIBUTION AND
SEASONALITY

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LEVALLEY, R. (MAD RIVER BIOLOGISTS, ARCATA)

Publication_Date: 2007

Title:

COASTAL RESOURCE DISTRIBUTION AND SEASONALITY IN
NORTHERN CALIFORNIA

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: MADRONE AUDUBON SOCIETY
Publication_Date: 2000
Title: GUALALA RIVER
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details:

<http://audubon.sonoma.net/birding/RROS.html#anchor126937> (Contact the site webmaster if this URL is no longer active.)

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2000

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: MADRONE AUDUBON SOCIETY, SONOMA COUNTY, CALIFORNIA, USA

Publication_Date: 1997

Title: BODEGA BAY

Geospatial_Data_Presentation_Form: WEBSITE

Other_Citation_Details:

http://audubon.sonoma.net/birding/bodega_bay.html (Contact the site webmaster if this URL is no longer active.)

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1997

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: MBNMS, CDF&G OSPR, MBSF

Publication_Date: 2006

Title:

SENSITIVITY OF COASTAL ENVIRONMENTS TO SPILLED OIL:
CENTRAL CALIFORNIA ATLAS

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: NOAA OR&R HAZMAT, SEATTLE, WASHINGTON

Source_Scale_Denominator: VARIES

Type_of_Source_Media: CD-ROM

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2006

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: MELLO, J. (CDF&G, EUREKA)
Publication_Date: 2007
Title:
 MARINE RESOURCE DISTRIBUTION AND SEASONALITY IN
 NORTHERN CALIFORNIA
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: MILLER, MEYER, AND RALPH; RALPH AND MILLER
Publication_Date: 2002
Title:
 LAND/SEASCAPE PATTERNS ASSOCIATED W/ MARBLED
 MURRELETS ABUNDANCE OFFSHORE; OFFSHORE POP
 ESTIMATES OF MARBLED MURRELETS
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details:
 WATERBIRDS 25(1): 100-108, 2002; USDA FOREST SERVICE GEN
 TECH. REP. PSW-152. 1995.
Type_of_Source_Media: PAPER
Source_Time_Period_of_Content:
Time_Period_Information:
Range_of_Dates/Times:
Beginning_Date: 1989
Ending_Date: 1998
Source_Currentness_Reference: DATE OF SURVEY
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: NELSON, E. (USFWS, LOLETA)
Publication_Date: 2007
Title: HUMBOLDT BAY NWR AND CASTLE ROCK NWR SPECIES
 DISTRIBUTION
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:

*Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2007*Source_Currentness_Reference:* DATE OF COMMUNICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* BIRDS INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* NPS*Publication_Date:* 2007*Title:* REDWOOD NATIONAL PARK RESOURCES*Geospatial_Data_Presentation_Form:* EXPERT KNOWLEDGE*Other_Citation_Details:* UNPUBLISHED*Type_of_Source_Media:* PERSONAL COMMUNICATION*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2007*Source_Currentness_Reference:* DATE OF COMMUNICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* BIRDS INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* PAGE, G.*Publication_Date:* 2007*Title:* SNOWY PLOVER DISTRIBUTION AND SEASONALITY*Geospatial_Data_Presentation_Form:* EXPERT KNOWLEDGE*Other_Citation_Details:* UNPUBLISHED*Type_of_Source_Media:* PERSONAL COMMUNICATION*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2007*Source_Currentness_Reference:* DATE OF COMMUNICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* BIRDS INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* PRBO*Publication_Date:* 2007*Title:*2003-2007 SUMMER AND WINTER SNOWY PLOVER SURVEYS OF
THE PACIFIC COAST*Geospatial_Data_Presentation_Form:* SPREADSHEET*Other_Citation_Details:* UNPUBLISHED*Type_of_Source_Media:* EMAIL*Source_Time_Period_of_Content:**Time_Period_Information:**Range_of_Dates/Times:*

Beginning_Date: 2003

Ending_Date: 2007

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: ROBERSON, D.

Publication_Date: 2002

Title: MONTEREY BIRDS

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: MONTEREY PENINSULA AUDUBON SOCIETY,
CARMEL, CA

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: STRONG, C.S. AND JAQUES, D.L.

Publication_Date: 2000

Title:

AERIAL SURVEYS OF BROWN PELICANS AT ROOST SITES
WITHIN MBNMS/GFNMS, 1998-2000

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

A REPORT TO MBNMS AND GFNMS, THE AMERICAN TRADER
OILSPILL RESTORATION TRUSTEE COUNCIL, AND CDF&G

Type_of_Source_Media: DISC

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1998

Ending_Date: 2000

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: THE GOLD RIDGE RESOURCE CONSERVATION DISTRICT

Publication_Date: 2007

Title: THE ESTERO AMERICANO WATERSHED MANAGEMENT PLAN

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: SWRCB CONTRACT NO. 03-138-250-1

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: U.S. DEPT. OF THE INTERIOR, FISH AND WILDLIFE SERVICE
Publication_Date: 1992
Title: THE ECOLOGY OF HUMBOLDT BAY, CALIFORNIA: AN ESTUARINE PROFILE
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details:
 U.S. DEPT. OF THE INTERIOR, FISH AND WILDLIFE SERVICE,
 WASHINGTON, D.C., BIOLOGICAL REPORT 1
Type_of_Source_Media: PAPER
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1992
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: USCG SECTOR SAN FRANCISCO
Publication_Date: 2005
Title:
 2005 SECTOR SAN FRANCISCO AREA ACP 1 NORTH COAST;
 VOLUME 2: MENDOCINO COUNTY SECTION 9814
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: USCG SECTOR SAN FRANCISCO, OCTOBER 1,
 2005
Source_Scale_Denominator: VARIES
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2005
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: USCG SECTOR SAN FRANCISCO
Publication_Date: 2005
Title:

2005 SECTOR SAN FRANCISCO AREA ACP 1 NORTH COAST;
 VOLUME 2: HUMBOLDT COUNTY COAST SECTION 9812

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: USCG SECTOR SAN FRANCISCO, OCTOBER 1,
 2005

Source_Scale_Denominator: VARIES

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: USCG SECTOR SAN FRANCISCO

Publication_Date: 2005

Title:

2005 SECTOR SAN FRANCISCO-ACP 1 NORTH COAST: HUMBOLDT
 BAY SECTION 9813

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: USCG SECTOR SAN FRANCISCO, OCTOBER 1,
 2005

Source_Scale_Denominator: VARIES

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: USCG SECTOR SAN FRANCISCO

Publication_Date: 2005

Title:

2005 SECTOR SAN FRANCISCO-ACP 1 NORTH COAST: DEL NORTE
 COUNTY SECTION 9811

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: USCG SECTOR SAN FRANCISCO, OCTOBER 1,
 2005

Source_Scale_Denominator: VARIES

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: USGS, NOAA, MLML

Publication_Date: 2006

Title: MARINE MAMMAL, SEABIRD, AND SEA TURTLE 'ZONES' AND HOT SPOTS

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2006

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Process_Step:

Process_Description:

Three main sources of data were used to depict bird distribution and seasonality for this data layer: 1) personal interviews with resource experts from the U.S. Fish and Wildlife Service (USFWS), California Department of Fish & Game (CDF&G), Mad River Biologists, Point Reyes Bird Observatory (PRBO), National Park Service (NPS), California State Parks (CSP) and NOAA; 2) numerous published and unpublished documents; and 3) digital data sets provided by CDF&G.

The above digital and/or hardcopy sources were compiled by the project biologist to create the BIRDS data layer. Depending on the type of source data, three general approaches are used for compiling a biology data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the maps. If necessary, edits to the BIRDS data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200812

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington
Postal_Code: 98115-6349
Contact_Voice_Telephone: (206) 526-6944
Contact_Facsimile_Telephone: (206) 526-6329
Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 7511

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 7510

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 8809

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 432248

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 8152

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, BIRDS) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Northern California atlas, the number is 207), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of

these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIRDS.PAT

Entity_Type_Definition:

The BIRDS.PAT table contains attribute information for the vector polygons in this data set representing bird nesting, migratory staging, roosting, and wintering sites. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (207), element number (1), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 2070100002

Range_Domain_Maximum: 2070107533

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000001

Range_Domain_Maximum: 207000506

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000001

Range_Domain_Maximum: 207001115

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (207), element number (1), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 2070100002

Range_Domain_Maximum: 2072200500

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-

relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000001

Range_Domain_Maximum: 207001115

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density values, and may contain counts of individuals for each species present at a particular nesting or staging site, or a term that describes relative abundance of birds at a particular site. The field may contain counts of individuals (XX BIRDS or XX INDIV), a range of individuals (XX-XXX BIRDS), or an estimate (1000s). In cases where no quantitative data were available, the field may contain descriptive terms such as "HIGH" or "COMMON". If no concentration information was available from any source, the CONC field is populated with "-". Counts were derived from a variety of surveys, and may range in date (see the Lineage section).

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in

the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: alcid

Enumerated_Domain_Value_Definition: Alcid

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: amphibian

Enumerated_Domain_Value_Definition: Amphibian

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve

Enumerated_Domain_Value_Definition: Bivalve

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: cephalopod

Enumerated_Domain_Value_Definition: Cephalopod

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crab

Enumerated_Domain_Value_Definition: Crab

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diadromous

Enumerated_Domain_Value_Definition: Diadromous fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diving

Enumerated_Domain_Value_Definition: Diving bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: dolphin

Enumerated_Domain_Value_Definition: Dolphin

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: echinoderm

Enumerated_Domain_Value_Definition: Echinoderm

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_nursery

Enumerated_Domain_Value_Definition: Estuarine nursery fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* e_resident*Enumerated_Domain_Value_Definition:* Estuarine resident*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* freshwater*Enumerated_Domain_Value_Definition:* Freshwater fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* gastropod*Enumerated_Domain_Value_Definition:* Gastropod*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* gull_tern*Enumerated_Domain_Value_Definition:* Gull or tern*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* insect*Enumerated_Domain_Value_Definition:* Insect*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* kelp*Enumerated_Domain_Value_Definition:* Kelp*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* m_benthic*Enumerated_Domain_Value_Definition:* Marine benthic fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* m_pelagic*Enumerated_Domain_Value_Definition:* Marine pelagic fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* passerine*Enumerated_Domain_Value_Definition:* Passerine bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* pelagic*Enumerated_Domain_Value_Definition:* Pelagic bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: pinniped

Enumerated_Domain_Value_Definition: Pinniped

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: plant

Enumerated_Domain_Value_Definition: Plant

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: raptor

Enumerated_Domain_Value_Definition: Raptor

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sav

Enumerated_Domain_Value_Definition: Submerged aquatic vegetation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sea otter

Enumerated_Domain_Value_Definition: Sea otter

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shorebird

Enumerated_Domain_Value_Definition: Shorebird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp

Enumerated_Domain_Value_Definition: Shrimps

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sm_mammal

Enumerated_Domain_Value_Definition: Small mammal

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: turtle

Enumerated_Domain_Value_Definition: Turtle

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: ungulate

Enumerated_Domain_Value_Definition: Ungulate

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wading

Enumerated_Domain_Value_Definition: Wading bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl

Enumerated_Domain_Value_Definition: Waterfowl

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: whale

Enumerated_Domain_Value_Definition: Whale

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking.

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank

Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Date unspecified

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in June

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL

Attribute_Definition: July

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG

Attribute_Definition: August

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in September

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT

Attribute_Definition: October

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in October

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV

Attribute_Definition: November

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC

Attribute_Definition: December

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED3*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = intersting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED4*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:*

*Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED5*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SOURCES*Entity_Type_Definition:*

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SOURCE_ID*Attribute_Definition:*

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:*

*Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* ORIGINATOR*Attribute_Definition:* Author or developer of source material or data set.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:*

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* TITLE*Attribute_Definition:* Title of source material or data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* DATA_FORMAT*Attribute_Definition:* The format of the source material.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* PUBLICATION*Attribute_Definition:* Additional citation information.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* SCALE*Attribute_Definition:* Description of the source scale.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* TIME_PERIOD*Attribute_Definition:*

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.

*Detailed_Description:**Entity_Type:**Entity_Type_Label:* STATUS*Entity_Type_Definition:*

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a

nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Three-letter country abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* C*Enumerated_Domain_Value_Definition:* Species of Special Concern*Enumerated_Domain_Value_Definition_Source:* NOAA ESI Guidelines*Attribute:**Attribute_Label:* I*Attribute_Definition:* International threatened or endangered status.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E*Enumerated_Domain_Value_Definition:* Endangered on international list*Enumerated_Domain_Value_Definition_Source:* NOAA ESI Guidelines*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T*Enumerated_Domain_Value_Definition:* Threatened on international list*Enumerated_Domain_Value_Definition_Source:* NOAA ESI Guidelines*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* C*Enumerated_Domain_Value_Definition:* Species of Special Concern*Enumerated_Domain_Value_Definition_Source:* NOAA ESI Guidelines*Attribute:**Attribute_Label:* S_DATE*Attribute_Definition:*

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* F_DATE*Attribute_Definition:*

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* I_DATE*Attribute_Definition:*

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Northern California

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Access Personal Geodatabase, ARC export files, Shape files, and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA

Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200902

Metadata_Review_Date: 200902

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.21 on Thu Mar 19 19:32:13 2009

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: NESTS (Nest Points)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Publication_Date: 200812

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: NESTS (Nest Points)

Edition: Second

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Northern California

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous

Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Description:

Abstract:

This data set contains sensitive biological resource data for seabirds, diving birds, gulls, terns, and shorebirds in Northern California. Vector points in this data set represent bird nesting and roosting sites. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Northern California. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the BIRDS (Bird Polygons) data layer, part of the larger Northern California ESI database, for additional bird information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1975

Ending_Date: 2007

Currentness_Reference:

The biological data were compiled during 2007. The currentness dates for the data range from 1975 to 2007 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -124.45800

East_Bounding_Coordinate: -122.75000

North_Bounding_Coordinate: 37.97900

South_Bounding_Coordinate: 42.00000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Nest

Theme_Keyword: Bird

*Place:**Place_Keyword_Thesaurus:* None*Place_Keyword:* Northern California*Access_Constraints:* None*Use_Constraints:*

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

*Browse_Graphic:**Browse_Graphic_File_Name:* [datafig.jpg](#)*Browse_Graphic_File_Description:*

Depicts the relationships between spatial data layers and attribute data tables for the Northern California ESI data.

Browse_Graphic_File_Type: JPEG*Data_Set_Credit:*

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003).

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in that data set: birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in ARC export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

*Data_Quality_Information:**Attribute_Accuracy:**Attribute_Accuracy_Report:*

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed

evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD or DVD, and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new IDs and RARNUMs or HUNUMs are also generated. The new IDs are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUMs are also modified to include the atlas number, so multiple atlases can be combined and RARNUMs remain unique. RARNUMs are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUMs are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge, available hardcopy documents, survey data, and digital data on bird nesting and roosting locations. See also the BIRDS (Bird Polygons) data layer, part of the larger Northern California ESI database, for additional bird information. These data do not necessarily represent all nest occurrences in Northern California. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 8, Double-crested cormorant, *Phalacrocorax auritus*; 9, Brandt's cormorant, *Phalacrocorax penicillatus*; 10, Pelagic cormorant, *Phalacrocorax pelagicus*; 37, Western gull, *Larus occidentalis*; 46, Common murre, *Uria aalge*; 47, Pigeon guillemot, *Cephus columba*; 49, Cassin's auklet, *Ptychoramphus aleuticus*; 50, Rhinoceros auklet, *Cerorhinca monocerata*; 51, Tufted puffin, *Fratercula cirrhata*; 68, Black oystercatcher, *Haematopus bachmani*; 96, Leach's storm-petrel, *Oceanodroma leucorhoa*; 102, Fork-tailed storm-petrel, *Oceanodroma furcata*; 118, Brown pelican, *Pelecanus occidentalis*; 144, Ashy storm-petrel, *Oceanodroma homochroa*; 626, American peregrine falcon, *Falco peregrinus anatum*.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy," and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: CALIFORNIA STATE OFFICE, BUREAU OF LAND
MANAGEMENT, U.S. DOI

Publication_Date: 2005

Title: CALIFORNIA COASTAL NATIONAL MONUMENT RESOURCE
MANAGEMENT PLAN

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: CALIFORNIA STATE OFFICE, BUREAU OF LAND
MANAGEMENT, U.S. DOI

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: NESTS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

CAPITOLO, CARTER, YOUNG, MCCHESENEY, MCIVER,
GOLIGHTLY, AND GRESS

Publication_Date: 2004

Title:

CHANGES IN BREEDING POPULATION SIZE OF BRANDT'S AND
DOUBLE-CRESTED CORMORANTS IN CALIFORNIA, 1975-2003

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

UNPUBLISHED REPORT, DEPARTMENT OF WILDLIFE,
HUMBOLDT STATE UNIVERSITY, ARCATA, CALIFORNIA

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1975

Ending_Date: 2003

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: NESTS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CAPITOLO, MCCHESENEY, CARTER, PARKER, HALL,
YOUNG, GOLIGHTLY

Publication_Date: 2006

Title:

WHOLE-COLONY COUNTS OF COMU, BRCO, AND DCCO AT
SAMPLE COLONIES IN NORTHERN AND CENTRAL CALIFORNIA,
1996-2004

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

UNPUBLISHED REPORT, DEPT. OF WILDLIFE, HSU, ARCATA, CA;

USFWS, SFB NWR COMPLEX, NEWARK, CA. 40 PP.

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2006

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: NESTS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

CARTER, H.R., P.J. CAPITOLO, G.J. MCCHESENEY, W.R. MCIVER,
AND J.E. TAKEKAWA

Publication_Date: 2000

Title:

POPULATION MONITORING OF SEABIRDS IN CALIFORNIA:
COLONY/SUBCOLONY DATABASES FOR 1985-1995 SURVEYS OF
BREEDING COLONIES OF COMU, BRCO, DCCO

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

UNPUBLISHED FINAL REPORT, USGS WERC, DIXON, CA; HSU,
DEPT OF WILDLIFE, ARCATA, CA; USFWS, SFB NWRC, NEWARK,
CA. 71 PP.

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1985

Ending_Date: 1995

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: NESTS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: HARRIS, S.

Publication_Date: 2006

Title: NORTHWESTERN CALIFORNIA BIRDS

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: LIVING GOLD PRESS, KLAMATH RIVER, CA

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2006

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: NESTS INFORMATION

Source_Information:

Source_Citation:

*Citation_Information:**Originator:* LEVALLEY, R. (MAD RIVER BIOLOGISTS, ARCATA)*Publication_Date:* 2007*Title:*COASTAL RESOURCE DISTRIBUTION AND SEASONALITY IN
NORTHERN CALIFORNIA*Geospatial_Data_Presentation_Form:* EXPERT KNOWLEDGE*Other_Citation_Details:* UNPUBLISHED*Type_of_Source_Media:* PERSONAL COMMUNICATION*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2007*Source_Currentness_Reference:* DATE OF COMMUNICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* NESTS INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:*NOAA NATIONAL CENTERS FOR COASTAL OCEAN SCIENCE
(NCCOS) AND NATIONAL MARINE FISHERIES SERVICE (NMFS)*Publication_Date:* 2003*Title:* COLONIES*Geospatial_Data_Presentation_Form:* VECTOR DIGITAL DATA*Other_Citation_Details:*A BIOGEOGRAPHIC ASSESSMENT OFF NORTH/CENTRAL
CALIFORNIA: PHASE 1. SILVER SPRING, MD, CD-ROM.*Type_of_Source_Media:* CD-ROM*Source_Time_Period_of_Content:**Time_Period_Information:**Range_of_Dates/Times:**Beginning_Date:* 1989*Ending_Date:* 1991*Source_Currentness_Reference:* DATE OF SURVEY*Source_Citation_Abbreviation:* NONE*Source_Contribution:* NESTS INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:*NOAA NATIONAL CENTERS FOR COASTAL OCEAN SCIENCE
(NCCOS) AND NATIONAL MARINE FISHERIES SERVICE (NMFS)*Publication_Date:* 2003*Title:* COLONIES*Geospatial_Data_Presentation_Form:* VECTOR DIGITAL DATA*Other_Citation_Details:*A BIOGEOGRAPHIC ASSESSMENT OFF NORTH/CENTRAL
CALIFORNIA: PHASE 1. SILVER SPRING, MD, CD-ROM.*Type_of_Source_Media:* CD-ROM*Source_Time_Period_of_Content:**Time_Period_Information:*

*Range_of_Dates/Times:**Beginning_Date:* 1989*Ending_Date:* 1991*Source_Currentness_Reference:* DATE OF SURVEY*Source_Citation_Abbreviation:* NONE*Source_Contribution:* NESTS INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:*NOAA NATIONAL OCEAN SERVICE (NOS) OFFICE OF RESPONSE
AND RESTORATION (OR&R) HAZARDOUS MATERIALS RESPONSE
DIVISION*Publication_Date:* 2001*Title:*SENSITIVITY OF COASTAL ENVIRONMENTS AND WILDLIFE TO
SPILLED OIL: NORTHERN CALIFORNIA*Geospatial_Data_Presentation_Form:* VECTOR DIGITAL DATA*Other_Citation_Details:* SEATTLE, WASHINGTON*Source_Scale_Denominator:* 24,000*Type_of_Source_Media:* CD-ROM*Source_Time_Period_of_Content:**Time_Period_Information:**Range_of_Dates/Times:**Beginning_Date:* 1994*Ending_Date:* 2001*Source_Currentness_Reference:* DATE OF PUBLICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* NESTS INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* ROBERSON, D.*Publication_Date:* 2002*Title:* MONTEREY BIRDS*Geospatial_Data_Presentation_Form:* HARDCOPY TEXT*Other_Citation_Details:* MONTEREY PENINSULA AUDUBON SOCIETY,
CARMEL, CA*Type_of_Source_Media:* PAPER*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2005*Source_Currentness_Reference:* DATE OF PUBLICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* NESTS INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* ROLETTO, J. (NOAA, GFNMS)*Publication_Date:* 2005*Title:*

DISTRIBUTION AND SEASONALITY OF GFNMS SPECIES AND
SOC_ECON FEATURES

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: NESTS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. FISH AND WILDLIFE SERVICE (USFWS) PACIFIC
REGION

Publication_Date: 2005

Title: REGIONAL SEABIRD CONSERVATION PLAN, PACIFIC REGION

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

U.S. FISH AND WILDLIFE SERVICE, MIGRATORY BIRDS AND
HABITAT PROGRAMS, PORTLAND, OREGON

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: NESTS INFORMATION

Process_Step:

Process_Description:

Three main sources of data were used to depict nest distribution and seasonality for this data layer: 1) personal interviews with resource experts from U.S. Fish and Wildlife Service (USFWS); 2) unpublished seabird colony survey reports; and 3) digital data sets provided by NOAA.

The above digital and/or hardcopy sources were compiled by the project biologist to create the NESTS data layer. Depending on the type of source data, three general approaches are used for compiling a biology data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the maps. If necessary, edits to the NESTS data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200812

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Entity Point

Point_and_Vector_Object_Count: 127

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, NESTS) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Northern California atlas, the number is 207), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other

relational data tables are described below in detail. See the [Browse_Graphic](#) section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the [Detailed_Description](#) of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: NESTS.PAT

Entity_Type_Definition:

The NESTS.PAT table contains attribute information for the vector points in this data set representing bird nesting and roosting sites. Note that all attribute information is stored in a series of relational files, described below. See the [Browse_Graphic](#) section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (207), element number (5), and record number.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 2070500001

Range_Domain_Maximum: 2070500127

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000044

Range_Domain_Maximum: 207000247

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000001

Range_Domain_Maximum: 207001115

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (207), element number (5), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 2070100002

Range_Domain_Maximum: 2072200500

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000001

Range_Domain_Maximum: 207001115

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density values, and may contain counts of individuals for each species present at a particular nesting or wintering site, or a term that describes relative abundance of birds at a particular site. The field may contain counts of individuals (XX INDIV) or counts of nests (XX NESTS). If no concentration information was available from any source, the CONC field is populated with "-". Counts were derived from a variety of surveys, and may range in date (see the Lineage section).

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

*Attribute:**Attribute_Label:* S_SOURCE*Attribute_Definition:*

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: alcid

Enumerated_Domain_Value_Definition: Alcid

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: amphibian

Enumerated_Domain_Value_Definition: Amphibian

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve

Enumerated_Domain_Value_Definition: Bivalve

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: cephalopod

Enumerated_Domain_Value_Definition: Cephalopod

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crab

Enumerated_Domain_Value_Definition: Crab

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diadromous

Enumerated_Domain_Value_Definition: Diadromous fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diving

Enumerated_Domain_Value_Definition: Diving bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: dolphin

Enumerated_Domain_Value_Definition: Dolphin

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: echinoderm

Enumerated_Domain_Value_Definition: Echinoderm

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_nursery

Enumerated_Domain_Value_Definition: Estuarine nursery fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_resident

Enumerated_Domain_Value_Definition: Estuarine resident

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* freshwater*Enumerated_Domain_Value_Definition:* Freshwater fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* gastropod*Enumerated_Domain_Value_Definition:* Gastropod*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* gull_tern*Enumerated_Domain_Value_Definition:* Gull or tern*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* insect*Enumerated_Domain_Value_Definition:* Insect*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* kelp*Enumerated_Domain_Value_Definition:* Kelp*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* m_benthic*Enumerated_Domain_Value_Definition:* Marine benthic fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* m_pelagic*Enumerated_Domain_Value_Definition:* Marine pelagic fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* passerine*Enumerated_Domain_Value_Definition:* Passerine bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* pelagic*Enumerated_Domain_Value_Definition:* Pelagic bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* pinniped*Enumerated_Domain_Value_Definition:* Pinniped*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* plant

Enumerated_Domain_Value_Definition: Plant

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: raptor

Enumerated_Domain_Value_Definition: Raptor

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sav

Enumerated_Domain_Value_Definition: Submerged aquatic vegetation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sea otter

Enumerated_Domain_Value_Definition: Sea otter

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shorebird

Enumerated_Domain_Value_Definition: Shorebird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp

Enumerated_Domain_Value_Definition: Shrimps

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sm_mammal

Enumerated_Domain_Value_Definition: Small mammal

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: turtle

Enumerated_Domain_Value_Definition: Turtle

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: ungulate

Enumerated_Domain_Value_Definition: Ungulate

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wading

Enumerated_Domain_Value_Definition: Wading bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl

Enumerated_Domain_Value_Definition: Waterfowl

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* whale*Enumerated_Domain_Value_Definition:* Whale*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* NHP*Attribute_Definition:* Natural Heritage Program global ranking.*Attribute_Definition_Source:* Network of Natural Heritage Program*Attribute_Domain_Values:**Codeset_Domain:**Codeset_Name:* NHP Global Conservation Status Rank*Codeset_Source:* Natural Heritage Program*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:* Date of NHP listing.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* 0*Enumerated_Domain_Value_Definition:* Date unspecified*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SEASONAL*Entity_Type_Definition:*

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:*

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of

each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in June

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL

Attribute_Definition: July

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG

Attribute_Definition: August

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in September

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT

Attribute_Definition: October

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in October

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV

Attribute_Definition: November

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC

Attribute_Definition: December

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED3*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = interesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED4*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:*

*Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED5*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SOURCES*Entity_Type_Definition:*

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SOURCE_ID*Attribute_Definition:*

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* ORIGINATOR*Attribute_Definition:* Author or developer of source material or data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the [Browse_Graphic](#)

section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

*Attribute:**Attribute_Label:* STATE*Attribute_Definition:* Two-letter state abbreviation.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* COUNTRY*Attribute_Definition:* Three-letter country abbreviation.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* S*Attribute_Definition:* State threatened or endangered status.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E*Enumerated_Domain_Value_Definition:* Endangered on state list*Enumerated_Domain_Value_Definition_Source:* NOAA ESI Guidelines*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T*Enumerated_Domain_Value_Definition:* Threatened on state list*Enumerated_Domain_Value_Definition_Source:* NOAA ESI Guidelines*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* C*Enumerated_Domain_Value_Definition:* Species of Special Concern*Enumerated_Domain_Value_Definition_Source:* NOAA ESI Guidelines*Attribute:**Attribute_Label:* F*Attribute_Definition:* Federal threatened or endangered status.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E*Enumerated_Domain_Value_Definition:* Endangered on federal list*Enumerated_Domain_Value_Definition_Source:* NOAA ESI Guidelines*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T*Enumerated_Domain_Value_Definition:* Threatened on federal list*Enumerated_Domain_Value_Definition_Source:* NOAA ESI Guidelines*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* C*Enumerated_Domain_Value_Definition:* Species of Special Concern*Enumerated_Domain_Value_Definition_Source:* NOAA ESI Guidelines*Attribute:**Attribute_Label:* I

Attribute_Definition: International threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Northern California

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Access Personal Geodatabase, ARC export files, Shape files, and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200902

Metadata_Review_Date: 200902

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.21 on Thu Mar 19 19:48:04 2009

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: FISH (Fish Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Publication_Date: 200812

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: FISH (Fish Polygons)

Edition: Second

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Northern California

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous

Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Description:

Abstract:

This data set contains sensitive biological resource data for marine, estuarine, anadromous, and freshwater fish species in Northern California. Vector polygons in this data set represent fish distribution, concentration areas, nursery areas, and salmon/trout spawning runs. Species specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Northern California. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the FISHL (Fish Lines) data layer, part of the larger Northern California ESI database, for additional fish information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1972

Ending_Date: 2007

Currentness_Reference:

The biological data were compiled during 2007. The currentness dates for this data range from 1972 to 2007 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -124.45800

East_Bounding_Coordinate: -122.75000

North_Bounding_Coordinate: 37.97900

South_Bounding_Coordinate: 42.00000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Fish

*Place:**Place_Keyword_Thesaurus:* None*Place_Keyword:* Northern California*Access_Constraints:* None*Use_Constraints:*

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

*Browse_Graphic:**Browse_Graphic_File_Name:* [datafig.jpg](#)*Browse_Graphic_File_Description:*

Depicts the relationships between spatial data layers and attribute data tables for the Northern California ESI data.

Browse_Graphic_File_Type: JPEG*Data_Set_Credit:*

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003).

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in that data set: birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

*Data_Quality_Information:**Attribute_Accuracy:**Attribute_Accuracy_Report:*

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed

evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD or DVD, and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new IDs and RARNUMs or HUNUMs are also generated. The new IDs are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUMs are also modified to include the atlas number, so multiple atlases can be combined and RARNUMs remain unique. RARNUMs are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUMs are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge, digital data, and hardcopy documents. See also the FISHL (Fish Lines) data layer, part of the larger Northern California ESI database, for additional fish information. These data do not necessarily represent all fish occurrences in Northern California. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 2, Lingcod, *Ophiodon elongatus*; 3, Pacific sanddab, *Citharichthys sordidus*; 7, Pacific halibut, *Hippoglossus stenolepis*; 11, English sole, *Parophrys vetulus*; 12, Starry flounder, *Platichthys stellatus*; 15, Sand sole, *Psetichthys melanostictus*; 18, Plainfin midshipman, *Porichthys notatus*; 21, Pacific tomcod, *Microgadus proximus*; 26, Copper rockfish, *Sebastes caurinus*; 28, Yellowtail rockfish, *Sebastes flavidus*; 29, Black rockfish, *Sebastes melanops*; 30, Bocaccio, *Sebastes paucispinis*; 32, Canary rockfish (orange), *Sebastes pinniger*; 33, Chilipepper, *Sebastes goodei*; 38, Brown rockfish, *Sebastes auriculatus*; 40, Big skate, *Raja binoculata*; 41, Longnose skate, *Raja rhina*; 43, White sturgeon, *Acipenser transmontanus*; 44, Green sturgeon, *Acipenser medirostris*; 45, Coastal cutthroat trout, *Oncorhynchus clarkii clarkii*; 46, Kelp greenling, *Hexagrammos decagrammus*; 47, Rock greenling, *Hexagrammos lagocephalus*; 49, Buffalo sculpin, *Enophrys bison*; 51, Pacific staghorn sculpin, *Leptocottus armatus*; 52, Tidepool sculpin, *Oligocottus maculosus*; 53, Cabezon, *Scorpaenichthys marmoratus*; 54, Redtail surfperch, *Amphistichus rhodoterus*; 56, Shiner surfperch, *Cymatogaster aggregata*; 57, Striped surfperch, *Embiotoca lateralis*; 58, Walleye surfperch, *Hyperprosopon argenteum*; 59, Pile surfperch, *Rhacochilus vacca*; 60, White seaperch, *Phanerodon furcatus*; 61, Penpoint gunnel, *Apodichthys flavidus*; 62, Saddleback gunnel, *Pholis ornata*; 64, Quillback rockfish, *Sebastes maliger*; 66, Pacific herring, *Clupea pallasii pallasii*; 67, Northern anchovy, *Engraulis mordax*; 68, Chinook salmon, *Oncorhynchus tshawytscha*; 69, Coho salmon, *Oncorhynchus kisutch*; 72, Chum salmon, *Oncorhynchus keta*; 74, Steelhead, *Oncorhynchus mykiss*; 75, Surf smelt, *Hypomesus pretiosus*; 77, Eulachon, *Thaleichthys pacificus*; 79, White seabass, *Atractoscion nobilis*; 80, Pacific sand lance, *Ammodytes hexapterus*; 81, Spiny dogfish, *Squalus acanthias*; 83, Salmon, n/a; 87, American shad, *Alosa sapidissima*; 91, Threespine stickleback, *Gasterosteus aculeatus*; 104, Striped bass, *Morone saxatilis*; 106, California grunion, *Leuresthes tenuis*; 172, Longfin smelt, *Spirinchus thaleichthys*; 177, Leopard shark, *Triakis semifasciata*; 179, Largemouth bass, *Micropterus salmoides*; 192, Topsmelt, *Atherinops affinis*; 193, Jacksmelt, *Atherinopsis californiensis*; 195, Silver surfperch, *Hyperprosopon ellipticum*; 196, Blue rockfish, *Sebastes mystinus*; 197, Grass rockfish, *Sebastes rastrelliger*; 219, Pacific lamprey, *Lampetra tridentata*; 223, Rockfish, *Sebastes* spp.; 224, Surfperch, n/a; 225, California halibut, *Paralichthys californicus*; 226, Tidewater goby, *Eucyclogobius*

newberryi; 227, Prickly sculpin, Cottus asper; 228, Night smelt, Spirinchus starksi; 473, Bat ray, Myliobatis californica; 494, White croaker, Genyonemus lineatus; 567, Sculpin, Cottidae; 894, Barred surfperch, Amphistichus argenteus; 895, Rainbow seaperch, Hypsurus caryi; 899, Rubberlip surfperch, Rhacochilus toxotes; 992, Sixgill shark, Hexanchus griseus; 1014, Speckled sanddab, Citharichthys stigmaeus; 1029, Gobies, n/a; 1072, Vermilion rockfish, Sebastes miniatus; 1075, Black-and-yellow rockfish, Sebastes chrysomelas; 1077, China rockfish, Sebastes nebulosus; 1078, Gopher rockfish, Sebastes carnatus; 1083, Calico surfperch, Amphistichus koelzi; 1084, Monkeyface prickleback, Cebidichthys violaceus; 1086, Pacific sardine, Sardinops sagax; 1087, White shark, Carcharodon carcharias; 1110, Arrow goby, Clevelandia ios; 1111, Sandpaper skate, Bathyraja interrupta; 1112, California skate, Raja inornata; 1113, Bay pipefish, Syngnathus leptorhynchus; 1115, Bay goby, Lepidogobius lepidus; 1116, Sevengill shark, Notorynchus cepedianus; 1119, Gray smoothhound, Mustelus californicus; 1120, Brown smoothhound, Mustelus henlei; 1121, California roach, Hesperoleucus symmetricus; 1122, Coastrange sculpin, Cottus aleuticus; 1123, Silverspotted sculpin, Blepsias cirrhosus; 1124, Jack mackerel, Trachurus symmetricus; 1125, Ringtail snailfish, Liparis rutteri.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy," and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: ALLEN, S. (NATIONAL PARK SERVICE, POINT REYES)

Publication_Date: 2005

Title:

DISTRIBUTION AND SEASONALITY OF SPECIES AND SOC_ECON
FEATURES ON NPS LANDS

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: ASHTON, D.
Publication_Date: 2007
Title: SALMONID DISTRIBUTION AND SEASONALITY IN NORTHERN CALIFORNIA
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: BARNHART, R.A., M.J. BOYD, AND J.E. PEQUEGNAT
Publication_Date: 1992
Title: THE ECOLOGY OF HUMBOLDT BAY, CALIFORNIA: AN ESTUARINE PROFILE
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details:
 U.S. DEPARTMENT OF THE INTERIOR, FISH AND WILDLIFE SERVICE, BIOLOGICAL REPORT 1, WASHINGTON D.C.
Type_of_Source_Media: PAPER
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1992
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: BUSBY, M.S., R.A. BARNHART, P.P. PETROS
Publication_Date: 1988
Title:
 NATURAL RESOURCES OF THE MATTOLE RIVER ESTUARY, CALIFORNIA: NATURAL RESOURCES AND HABITAT INVENTORY SUMMARY REPORT
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details:
 BLM AGREEMENT NUMBER CA-950-CA6-018, CA COOPERATIVE FISHERY RESEARCH UNIT, HSU
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1988
Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator:
 BUSBY, WAINWRIGHT, BRYANT, LIERHEIMER, WAPLES,
 WAKNITZ, AND LAGOMARSINO
Publication_Date: 1996
Title:
 STATUS REVIEW OF WEST COAST STEELHEAD FROM
 WASHINGTON, IDAHO, OREGON, AND CALIFORNIA
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: U.S. DEP. COMMER., NOAA TECH. MEMO.
 NMFS-NWFSC-27, 261 P.
Type_of_Source_Media: PAPER
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1996
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: CANNATA, S.
Publication_Date: 2007
Title:
 DISTRIBUTION OF FISH AND INVERTS IN RIVERS AND ESTUARIES
 IN NORTHERN CALIFORNIA
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: CANNATA, S.
Publication_Date: 1998
Title:
 OBSERVATIONS OF STEELHEAD TROUT COHO SALMON AND
 WATER QUALITY OF THE NAVARRO RIVER ESTUARY/LAGOON
 MAY 1996 TO DEC. 1997
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL
Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 1998
 Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: CALIFORNIA DEPT. OF FISH & GAME (CDF&G)
 Publication_Date: 2007
 Title: KEY SPAWNING AREAS FOR PACIFIC HERRING
 Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
 Other_Citation_Details: UNPUBLISHED
 Type_of_Source_Media: EMAIL
 Source_Time_Period_of_Content:
 Time_Period_Information:
 Range_of_Dates/Times:
 Beginning_Date: 2001
 Ending_Date: 2007
 Source_Currentness_Reference: DATE OF SURVEY
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: CALIFORNIA DEPT. OF FISH & GAME (CDF&G)
 Publication_Date: 2001
 Title:
 CALIFORNIA'S LIVING MARINE RESOURCES: A STATUS REPORT -
 COASTAL CUTTHROAT TROUT
 Geospatial_Data_Presentation_Form: HARDCOPY TEXT
 Other_Citation_Details: CDF&G
 Type_of_Source_Media: ONLINE
 Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 2001
 Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: CALIFORNIA DEPT. OF FISH & GAME (CDF&G)
 Publication_Date: 2004
 Title: RECOVERY STRATEGY FOR CALIFORNIA COHO SALMON
 Geospatial_Data_Presentation_Form: HARDCOPY TEXT
 Other_Citation_Details: REPORT TO THE CALIFORNIA FISH AND GAME
 COMMISSION, 594 PP.

Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2004
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: CALIFORNIA DEPT. OF FISH & GAME (CDF&G)
Publication_Date: 2001
Title:
 CALIFORNIA'S MARINE LIVING RESOURCES: A STATUS REPORT -
 SANDDABS
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: CDF&G
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2001
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator:
 CALIFORNIA DEPT. OF FISH & GAME (CDF&G) BIOGEOGRAPHIC
 DATA BRANCH
Publication_Date: 2007
Title: CALIFORNIA NATURAL DIVERSITY DATABASE
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details:
<http://www.dfg.ca.gov/biogeodata/> (Contact the site webmaster if this
 URL is no longer active.)
Source_Scale_Denominator: VARIES
Type_of_Source_Media: CD-ROM
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: CDF&G MARINE REGION
Publication_Date: 2007

Title: CALIFORNIA MARINE SPORTFISH IDENTIFICATION

Geospatial_Data_Presentation_Form: WEBSITE

Other_Citation_Details:

<http://www.dfg.ca.gov/marine/msfindx0.asp> (Contact the site webmaster if this URL is no longer active.)

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CALIFORNIA DEPT. OF FISH & GAME (CDF&G) MARINE REGION

Publication_Date: 2007

Title: NEARSHORE, SHELF AND SLOPE ROCKFISH OF CALIFORNIA

Geospatial_Data_Presentation_Form: WEBSITE

Other_Citation_Details:

<http://www.dfg.ca.gov/marine/rockfish.asp> (Contact the site webmaster if this URL is no longer active.)

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CALIFORNIA DEPT. OF FISH & GAME (CDF&G) STAFF

Publication_Date: 2007

Title: MARINE SPORTFISH AND OTHER MARINE RESOURCES

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

CALIFORNIA DEPT. OF FISH & GAME (CDF&G), U.S. COAST
GUARD (USCG)*Publication_Date:* 2005*Title:*SAN FRANCISCO GEOGRAPHIC RESPONSE AREA 1 SONOMA AND
NORTH MARIN COAST*Geospatial_Data_Presentation_Form:* HARDCOPY TEXT*Other_Citation_Details:* ACP 2 SF BAY & DELTA - GRA 1*Type_of_Source_Media:* DISC*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2005*Source_Currentness_Reference:* DATE OF PUBLICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* FISH INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* COX, B. (CDF&G)*Publication_Date:* 2007*Title:*FISH, INVERTS, AND HABITATS IN SONOMA/MARIN COUNTY
STREAMS AND ESTUARIES*Geospatial_Data_Presentation_Form:* EXPERT KNOWLEDGE*Other_Citation_Details:* UNPUBLISHED*Type_of_Source_Media:* PERSONAL COMMUNICATION*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2007*Source_Currentness_Reference:* DATE OF COMMUNICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* FISH INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* DAYTON, J. (CDF&G)*Publication_Date:* 2007*Title:* FISH, WILDLIFE, AND HABITAT DISTRIBUTION IN NORTHERN
CALIFORNIA*Geospatial_Data_Presentation_Form:* EXPERT KNOWLEDGE*Other_Citation_Details:* UNPUBLISHED*Type_of_Source_Media:* PERSONAL COMMUNICATION*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2007*Source_Currentness_Reference:* DATE OF COMMUNICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* FISH INFORMATION*Source_Information:*

*Source_Citation:**Citation_Information:**Originator:* DILLON, J. (NMFS)*Publication_Date:* 2007*Title:* MARINE FISH DISTRIBUTION*Geospatial_Data_Presentation_Form:* EXPERT KNOWLEDGE*Other_Citation_Details:* UNPUBLISHED*Type_of_Source_Media:* PERSONAL COMMUNICATION*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2007*Source_Currentness_Reference:* DATE OF COMMUNICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* FISH INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* FREY, V. (CDF&G, EUREKA)*Publication_Date:* 2007*Title:*MARINE RESOURCE DISTRIBUTION AND SEASONALITY IN
NORTHERN CALIFORNIA*Geospatial_Data_Presentation_Form:* EXPERT KNOWLEDGE*Other_Citation_Details:* UNPUBLISHED*Type_of_Source_Media:* PERSONAL COMMUNICATION*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2007*Source_Currentness_Reference:* DATE OF COMMUNICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* FISH INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* HARRIS, JAY (CSP, EUREKA)*Publication_Date:* 2007*Title:* CALIFORNIA STATE PARK RESOURCES*Geospatial_Data_Presentation_Form:* EXPERT KNOWLEDGE*Other_Citation_Details:* UNPUBLISHED*Type_of_Source_Media:* PERSONAL COMMUNICATION*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2007*Source_Currentness_Reference:* DATE OF COMMUNICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* FISH INFORMATION*Source_Information:**Source_Citation:**Citation_Information:*

Originator: KOVACS, K.
Publication_Date: 2007
Title: WADING BIRD, RAPTOR, AND FISH DISTRIBUTION AND SEASONALITY
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: LEE, D.
Publication_Date: 1975
Title: NATURAL RESOURCES OF LAKE EARL AND THE SMITH RIVER DELTA
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: STATE OF CALIFORNIA DEPARTMENT OF FISH AND GAME, R-33
Type_of_Source_Media: PAPER
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1975
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: LEET, W.S., C.M. DEWEES, R. KLINGBEIL, E.J. LARSON
Publication_Date: 2001
Title: CALIFORNIA'S LIVING MARINE RESOURCES: A STATUS REPORT
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: CDF&G SG01-11, 593 PP.
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2001
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: LOVE, M.

Publication_Date: 1996

Title:

PROBABLY MORE THAN YOU WANT TO KNOW ABOUT THE
FISHES OF THE PACIFIC COAST

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: REALLY BIG PRESS, SANTA BARBARA, CA

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1996

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: MAAHS, M. AND S. CANNATA

Publication_Date: 1998

Title:

THE ALBION RIVER ESTUARY. ITS HISTORY, WATER QUALITY,
AND USE BY SALMONIDS AND OTHER FISH AND WILDLIFE
SPECIES.

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: CALIFORNIA DEPT. OF FISH & GAME (CDF&G),
UNPUBLISHED REPORT

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1998

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: MARTIN, K. (PEPPERDINE)

Publication_Date: 2006

Title: GRUNION DISTRIBUTION AND SEASONALITY

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2006

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

*Citation_Information:**Originator:*

MONTEREY BAY NATIONAL MARINE SANCTUARY (MBNMS),
 CDF&G OFFICE OF SPILL PREVENTION AND RESPONSE (OSPR),
 MONTEREY BAY SANCTUARY FOUNDATION (MBSF)

Publication_Date: 2006*Title:*

SENSITIVITY OF COASTAL ENVIRONMENTS TO SPILLED OIL:
 CENTRAL CALIFORNIA ATLAS

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA*Other_Citation_Details:* NOAA OR&R HAZMAT, SEATTLE, WASHINGTON*Source_Scale_Denominator:* VARIES*Type_of_Source_Media:* CD-ROM*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2006*Source_Currentness_Reference:* DATE OF PUBLICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* FISH INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* MELLO, J. (CDF&G, EUREKA)*Publication_Date:* 2007*Title:*

MARINE RESOURCE DISTRIBUTION AND SEASONALITY IN
 NORTHERN CALIFORNIA

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE*Other_Citation_Details:* UNPUBLISHED*Type_of_Source_Media:* PERSONAL COMMUNICATION*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2007*Source_Currentness_Reference:* DATE OF COMMUNICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* FISH INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* MILLER, D.J. AND R.N. LEA*Publication_Date:* 1972*Title:*

GUIDE TO THE COASTAL MARINE FISHES OF CALIFORNIA FISH
 BULLETIN NO. 157

Geospatial_Data_Presentation_Form: HARDCOPY TEXT*Other_Citation_Details:* CALIFORNIA DEPARTMENT OF FISH AND
 GAME, SACRAMENTO, 1972*Type_of_Source_Media:* PAPER*Source_Time_Period_of_Content:**Time_Period_Information:*

Single_Date/Time:

Calendar_Date: 1972

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: MONACO, M.E., R.L. EMMETT, D.M. NELSON, AND S.A. HINTON

Publication_Date: 1990

Title:

DISTRIBUTION AND ABUNDANCE OF FISHES AND INVERTEBRATES IN WEST COAST ESTUARIES, VOLUME I. DATA SUMMARIES.

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

ELMR REP. NO. 4. NOAA/NOS STRATEGIC ENVIRONMENTAL ASSESSMENTS DIVISION, SILVER SPRING, MD 232 P.

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1990

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

MYERS, KOPE, BRYANT, TEEL, LIERHEIMER, WAINWRIGHT, GRANT, WAKNITZ, NEELY, LINDLEY, AND WAPLES

Publication_Date: 1998

Title:

STATUS REVIEW OF CHINOOK SALMON FROM WASHINGTON, IDAHO, OREGON, AND CALIFORNIA

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: U.S. DEPT. COMMERCE, NOAA TECH. MEMO. NMFS-NWFSC-35, 443 P.

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1998

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NMFS (NOAA FISHERIES)

Publication_Date: 2005

Title: CCC_STEELHEAD_DISTRIBUTION_06_2005

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details:

<http://swr.nmfs.noaa.gov/salmon/layers/finalgis.htm> (Contact the site webmaster if this URL is no longer active.)

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NMFS (NOAA FISHERIES)

Publication_Date: 2005

Title: CC_CHINOOK_DISTRIBUTION_06_2005

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details:

<http://swr.nmfs.noaa.gov/salmon/layers/finalgis.htm> (Contact the site webmaster if this URL is no longer active.)

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NMFS HABITAT CONSERVATION DIVISION

Publication_Date: 1999

Title: CENTRAL CALIFORNIA COAST COHO SALMON ESU

Geospatial_Data_Presentation_Form: HARDCOPY MAP

Other_Citation_Details: NMFS, PORTLAND, OR

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1999

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: ODA, K. (CDF&G, BELMONT)

Publication_Date: 2005

Title:

DISTRIBUTION AND SEASONALITY OF FISH AND
INVERTEBRATES AND SOC_ECON FEATURES

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: ROBERTS, E. (CDF&G, EUREKA)

Publication_Date: 2007

Title: MARINE RESOURCE DISTRIBUTION AND SEASONALITY

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: SPENCE, B.C., G.A. LOMNICKY, R.M. HUGHES, AND R.P.
NOVITZKI

Publication_Date: 1996

Title: AN ECOSYSTEM APPROACH TO SALMONID CONSERVATION

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

TR-4501-96-6057. MANTECH ENVIRONMENTAL RESEARCH
SERVICES CORP. CORVALLIS, OR

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1996

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: THE GOLD RIDGE RESOURCE CONSERVATION DISTRICT
Publication_Date: 2007
Title: THE ESTERO AMERICANO WATERSHED MANAGEMENT PLAN
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: SWRCB CONTRACT NO. 03-138-250-1
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: U.S. DEPT. OF THE INTERIOR, FISH AND WILDLIFE SERVICE
Publication_Date: 1992
Title: THE ECOLOGY OF HUMBOLDT BAY, CALIFORNIA: AN ESTUARINE PROFILE
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details:
 U.S. DEPT. OF THE INTERIOR, FISH AND WILDLIFE SERVICE,
 WASHINGTON, D.C., BIOLOGICAL REPORT 1
Type_of_Source_Media: PAPER
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1992
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: U.S. FISH AND WILDLIFE SERVICE
Publication_Date: 2005
Title: RECOVERY PLAN FOR THE TIDEWATER GOBY
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: U.S. FISH AND WILDLIFE SERVICE, PORTLAND, OREGON. VI + 199 PP.
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2005
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:

Originator: USCG SECTOR SAN FRANCISCO

Publication_Date: 2005

Title:

2005 SECTOR SAN FRANCISCO-ACP 1 NORTH COAST: HUMBOLDT
BAY SECTION 9813

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: USCG SECTOR SAN FRANCISCO, OCTOBER 1,
2005

Source_Scale_Denominator: VARIES

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: USCG SECTOR SAN FRANCISCO

Publication_Date: 2005

Title:

2005 SECTOR SAN FRANCISCO-ACP 1 NORTH COAST: DEL NORTE
COUNTY SECTION 9811

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: USCG SECTOR SAN FRANCISCO, OCTOBER 1,
2005

Source_Scale_Denominator: VARIES

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: USCG SECTOR SAN FRANCISCO

Publication_Date: 2005

Title:

2005 SECTOR SAN FRANCISCO AREA ACP 1 NORTH COAST;
VOLUME 2: HUMBOLDT COUNTY COAST SECTION 9812

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: USCG SECTOR SAN FRANCISCO, OCTOBER 1,
2005

Source_Scale_Denominator: VARIES

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:
Calendar_Date: 2005
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: USCG SECTOR SAN FRANCISCO
Publication_Date: 2005
Title:
 2005 SECTOR SAN FRANCISCO AREA ACP 1 NORTH COAST;
 VOLUME 2: MENDOCINO COUNTY SECTION 9814
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: USCG SECTOR SAN FRANCISCO, OCTOBER 1,
 2005
Source_Scale_Denominator: VARIES
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2005
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: USFWS (ARCATA)
Publication_Date: 2007
Title: TIDEWATER GOBY LOCATIONS
Geospatial_Data_Presentation_Form: SPREADSHEET
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: EMAIL
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: WEITKAMP, WAINWRIGHT, BRYANT, MILNER, TEEL,
 KOPE, WAPLES
Publication_Date: 1995
Title:
 STATUS REVIEW OF COHO SALMON FROM WASHINGTON,
 OREGON, AND CALIFORNIA
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: U.S. DEPT. COMMERCE, NOAA TECH. MEMO.

NMFS-NWFSC-24, 258 P.

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1995

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Process_Step:

Process_Description:

Three main sources of data were used to depict fish distribution and seasonality for this data layer: 1) personal interviews with resource experts from the California Department of Fish & Game (CDF&G), NOAA National Marine Fisheries Service (NMFS), National Park Service (NPS), and California State Parks (CSP); 2) published and unpublished documents and maps; and 3) digital data provided by NMFS displaying distribution of steelhead and chinook salmon in rivers and streams, CDF&G digital data displaying coastal cutthroat trout, and USFWS tabular data for tidewater goby locations.

The above digital and/or hardcopy sources were compiled by the project biologist to create the FISH data layer. Depending on the type of source data, three general approaches are used for compiling a biology data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the maps. If necessary, edits to the FISH data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200812

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 6955

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 6954

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 7759

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 294542

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 7528

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, FISH) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Northern California atlas, the number is 207), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files

described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: FISH.PAT

Entity_Type_Definition:

The FISH.PAT table contains attribute information for the vector polygons in this data set representing fish distribution, concentration areas, nursery areas, and salmon/trout spawning runs. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (207), element number (2), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 2070200002

Range_Domain_Maximum: 2070206975

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000507

Range_Domain_Maximum: 207000717

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000001

Range_Domain_Maximum: 207001115

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (207), element number (2), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 2070100002

Range_Domain_Maximum: 2072200500

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT

data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000001

Range_Domain_Maximum: 207001115

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density values of a species at a particular location. No quantitative data were available for fish, so the concentration field may contain a descriptive term such as "HIGH" or "VERY HIGH". If no concentration information was available from any source, the CONC field is populated with "-".

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORRES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SUBELEMENT*Attribute_Definition:* Element subgroup delineating a logical grouping of species.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* alcid*Enumerated_Domain_Value_Definition:* Alcid*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* amphibian*Enumerated_Domain_Value_Definition:* Amphibian

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: bivalve
 Enumerated_Domain_Value_Definition: Bivalve
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: cephalopod
 Enumerated_Domain_Value_Definition: Cephalopod
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: crab
 Enumerated_Domain_Value_Definition: Crab
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: diadromous
 Enumerated_Domain_Value_Definition: Diadromous fish
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: diving
 Enumerated_Domain_Value_Definition: Diving bird
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: dolphin
 Enumerated_Domain_Value_Definition: Dolphin
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: echinoderm
 Enumerated_Domain_Value_Definition: Echinoderm
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: e_nursery
 Enumerated_Domain_Value_Definition: Estuarine nursery fish
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: e_resident
 Enumerated_Domain_Value_Definition: Estuarine resident
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: freshwater
 Enumerated_Domain_Value_Definition: Freshwater fish
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* gastropod*Enumerated_Domain_Value_Definition:* Gastropod*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* gull_tern*Enumerated_Domain_Value_Definition:* Gull or tern*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* insect*Enumerated_Domain_Value_Definition:* Insect*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* kelp*Enumerated_Domain_Value_Definition:* Kelp*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* m_benthic*Enumerated_Domain_Value_Definition:* Marine benthic fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* m_pelagic*Enumerated_Domain_Value_Definition:* Marine pelagic fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* passerine*Enumerated_Domain_Value_Definition:* Passerine bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* pelagic*Enumerated_Domain_Value_Definition:* Pelagic bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* pinniped*Enumerated_Domain_Value_Definition:* Pinniped*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* plant*Enumerated_Domain_Value_Definition:* Plant*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* raptor

Enumerated_Domain_Value_Definition: Raptor

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sav

Enumerated_Domain_Value_Definition: Submerged aquatic vegetation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sea otter

Enumerated_Domain_Value_Definition: Sea otter

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shorebird

Enumerated_Domain_Value_Definition: Shorebird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp

Enumerated_Domain_Value_Definition: Shrimps

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sm_mammal

Enumerated_Domain_Value_Definition: Small mammal

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: turtle

Enumerated_Domain_Value_Definition: Turtle

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: ungulate

Enumerated_Domain_Value_Definition: Ungulate

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wading

Enumerated_Domain_Value_Definition: Wading bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl

Enumerated_Domain_Value_Definition: Waterfowl

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: whale

Enumerated_Domain_Value_Definition: Whale

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* NHP*Attribute_Definition:* Natural Heritage Program global ranking.*Attribute_Definition_Source:* Network of Natural Heritage Program*Attribute_Domain_Values:**Codeset_Domain:**Codeset_Name:* NHP Global Conservation Status Rank*Codeset_Source:* Natural Heritage Program*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:* Date of NHP listing.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* 0*Enumerated_Domain_Value_Definition:* Date unspecified*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SEASONAL*Entity_Type_Definition:*

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in June

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL

Attribute_Definition: July

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG

Attribute_Definition: August

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in September

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT

Attribute_Definition: October

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in October

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV

Attribute_Definition: November

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC

Attribute_Definition: December

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in December*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BREED*Entity_Type_Definition:*

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* MONTH*Attribute_Definition:*

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* 12

*Attribute:**Attribute_Label:* BREED1*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED2*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* BREED3*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = interesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED4*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* BREED5*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SOURCES*Entity_Type_Definition:*

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SOURCE_ID*Attribute_Definition:*

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* ORIGINATOR*Attribute_Definition:* Author or developer of source material or data set.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Three-letter country abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I

Attribute_Definition: International threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table

to the BIORES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Northern California

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Access Personal Geodatabase, ARC export files, Shape files, and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200902

Metadata_Review_Date: 200902

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.21 on Thu Mar 19 19:51:45 2009

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: FISHL (Fish Lines)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Publication_Date: 200812

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: FISHL (Fish Lines)

Edition: Second

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Northern California

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast

Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Description:

Abstract:

This data set contains sensitive biological resource data for anadromous and threatened/endangered stream species in Northern California. Vector lines in this data set represent trout and salmon spawning runs and sensitive stream species. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Northern California. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the FISH (Fish Polygons) data layer, part of the larger Northern California ESI database, for additional fish information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1959

Ending_Date: 2007

Currentness_Reference:

The biological data were compiled during 2007. The currentness dates for the data range from 1959 to 2007 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -124.45800

East_Bounding_Coordinate: -122.75000

North_Bounding_Coordinate: 37.97900

South_Bounding_Coordinate: 42.00000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Fish

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Northern California

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Northern California ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003).

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in that data set: birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in ARC export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to

verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD or DVD, and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new IDs and RARNUMs or HUNUMs are also generated. The new IDs are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUMs are also modified to include the atlas number, so multiple atlases can be combined and RARNUMs remain unique. RARNUMs are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUMs are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge, digital data and hardcopy maps. See also the FISH (Fish Polygons) data layer, part of the larger Northern California ESI database, for additional fish information. These data do not necessarily represent all fish occurrences in Northern California. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 44, Green sturgeon, *Acipenser medirostris*; 45, Coastal cutthroat trout, *Oncorhynchus clarkii clarkii*; 68, Chinook salmon, *Oncorhynchus tshawytscha*; 69, Coho salmon, *Oncorhynchus kisutch*; 70, Pink salmon, *Oncorhynchus gorbuscha*; 74, Steelhead, *Oncorhynchus mykiss*; 226, Tidewater goby, *Eucyclogobius newberryi*.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy," and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: ASHTON, D.

Publication_Date: 2007

Title: SALMONID DISTRIBUTION AND SEASONALITY IN NORTHERN CALIFORNIA

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

*Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2007*Source_Currentness_Reference:* DATE OF COMMUNICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* FISHL INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:*BUSBY, WAINWRIGHT, BRYANT, LIERHEIMER, WAPLES,
WAKNITZ, AND LAGOMARSINO*Publication_Date:* 1996*Title:*STATUS REVIEW OF WEST COAST STEELHEAD FROM
WASHINGTON, IDAHO, OREGON, AND CALIFORNIA*Geospatial_Data_Presentation_Form:* HARDCOPY TEXT*Other_Citation_Details:* U.S. DEPT. COMMERCE, NOAA TECH. MEMO.
NMFS-NWFSC-27, 261 P.*Type_of_Source_Media:* PAPER*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 1996*Source_Currentness_Reference:* DATE OF PUBLICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* FISHL INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* CALIFORNIA DEPT. OF FISH & GAME (CDF&G)*Publication_Date:* 2001*Title:*CALIFORNIA'S LIVING MARINE RESOURCES: A STATUS REPORT -
COASTAL CUTTHROAT TROUT*Geospatial_Data_Presentation_Form:* HARDCOPY TEXT*Other_Citation_Details:* CDF&G*Type_of_Source_Media:* ONLINE*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2001*Source_Currentness_Reference:* DATE OF PUBLICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* FISHL INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* CALIFORNIA DEPT. OF FISH & GAME (CDF&G)*Publication_Date:* 2004*Title:* RECOVERY STRATEGY FOR CALIFORNIA COHO SALMON*Geospatial_Data_Presentation_Form:* HARDCOPY TEXT

Other_Citation_Details: REPORT TO THE CALIFORNIA FISH AND GAME COMMISSION, 594 PP.

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2004

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISHL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CDF&G BIOGEOGRAPHIC DATA BRANCH

Publication_Date: 2007

Title: CALIFORNIA NATURAL DIVERSITY DATABASE

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details:

<http://www.dfg.ca.gov/biogeodata/> (Contact the site webmaster if this URL is no longer active.)

Source_Scale_Denominator: VARIES

Type_of_Source_Media: CD-ROM

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISHL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: COX, B. (CDF&G)

Publication_Date: 2007

Title:

FISH, INVERTS, AND HABITATS IN SONOMA/MARIN COUNTY STREAMS AND ESTUARIES

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISHL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: DILLON, J. (NMFS)

Publication_Date: 2007

Title: MARINE FISH DISTRIBUTION
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISHL INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: MELLO, J. (CDF&G, EUREKA)
Publication_Date: 2007
Title:
 MARINE RESOURCE DISTRIBUTION AND SEASONALITY IN
 NORTHERN CALIFORNIA
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISHL INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator:
 MYERS, KOPE, BRYANT, TEEL, LIERHEIMER, WAINWRIGHT,
 GRANT, WAKNITZ, NEELY, LINDLEY, AND WAPLES
Publication_Date: 1998
Title:
 STATUS REVIEW OF CHINOOK SALMON FROM WASHINGTON,
 IDAHO, OREGON, AND CALIFORNIA
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: U.S. DEPT. COMMERCE, NOAA TECH. MEMO.
 NMFS-NWFSC-35, 443 P.
Type_of_Source_Media: PAPER
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1998
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISHL INFORMATION
Source_Information:
Source_Citation:

*Citation_Information:**Originator:* NMFS (NOAA FISHERIES)*Publication_Date:* 2005*Title:* CCC_STEELHEAD_DISTRIBUTION_06_2005*Geospatial_Data_Presentation_Form:* VECTOR DIGITAL DATA*Other_Citation_Details:*<http://swr.nmfs.noaa.gov/salmon/layers/finalgis.htm> (Contact the site webmaster if this URL is no longer active.)*Type_of_Source_Media:* ONLINE*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2005*Source_Currentness_Reference:* DATE OF PUBLICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* FISHL INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* NMFS (NOAA FISHERIES)*Publication_Date:* 2005*Title:* CC_CHINOOK_DISTRIBUTION_06_2005*Geospatial_Data_Presentation_Form:* VECTOR DIGITAL DATA*Other_Citation_Details:*<http://swr.nmfs.noaa.gov/salmon/layers/finalgis.htm> (Contact the site webmaster if this URL is no longer active.)*Type_of_Source_Media:* ONLINE*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2005*Source_Currentness_Reference:* DATE OF PUBLICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* FISHL INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* NMFS HABITAT CONSERVATION DIVISION*Publication_Date:* 1999*Title:* CENTRAL CALIFORNIA COAST COHO SALMON ESU*Geospatial_Data_Presentation_Form:* HARDCOPY MAP*Other_Citation_Details:* NMFS, PORTLAND, OR*Type_of_Source_Media:* ONLINE*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 1999*Source_Currentness_Reference:* DATE OF PUBLICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* FISHL INFORMATION*Source_Information:**Source_Citation:*

Citation_Information:

Originator: SPENCE, B.C., G.A. LOMNICKY, R.M. HUGHES, AND R.P. NOVITZKI

Publication_Date: 1996

Title: AN ECOSYSTEM APPROACH TO SALMONID CONSERVATION

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

TR-4501-96-6057. MANTECH ENVIRONMENTAL RESEARCH SERVICES CORP. CORVALLIS, OR

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1996

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISHL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. FISH AND WILDLIFE SERVICE

Publication_Date: 2005

Title: RECOVERY PLAN FOR THE TIDEWATER GOBY

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: U.S. FISH AND WILDLIFE SERVICE, PORTLAND, OREGON. VI + 199 PP.

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISHL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. GEOLOGICAL SURVEY (USGS)

Publication_Date: 1972

Title: SCANNED TOPOGRAPHIC MAPS

Geospatial_Data_Presentation_Form: HARDCOPY MAP

Other_Citation_Details:

<http://archive.casil.ucdavis.edu/casil/maps/drg>

[/7.5_minute_series_albers_nad83_trimmed/](http://archive.casil.ucdavis.edu/casil/maps/drg/7.5_minute_series_albers_nad83_trimmed/) (Contact the site webmaster

if this URL is no longer active.)

Source_Scale_Denominator: 24,000

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1959

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISHL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: USCG SECTOR SAN FRANCISCO

Publication_Date: 2005

Title:

2005 SECTOR SAN FRANCISCO AREA ACP 1 NORTH COAST;
VOLUME 2: MENDOCINO COUNTY SECTION 9814

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: USCG SECTOR SAN FRANCISCO, OCTOBER 1,
2005

Source_Scale_Denominator: VARIES

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISHL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: USCG SECTOR SAN FRANCISCO

Publication_Date: 2005

Title:

2005 SECTOR SAN FRANCISCO AREA ACP 1 NORTH COAST;
VOLUME 2: HUMBOLDT COUNTY COAST SECTION 9812

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: USCG SECTOR SAN FRANCISCO, OCTOBER 1,
2005

Source_Scale_Denominator: VARIES

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISHL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: USFWS (ARCATA)

Publication_Date: 2007

Title: TIDEWATER GOBY LOCATIONS

Geospatial_Data_Presentation_Form: SPREADSHEET

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

*Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2007*Source_Currentness_Reference:* DATE OF COMMUNICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* FISHL INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* WEITKAMP, WAINWRIGHT, BRYANT, MILNER, TEEL,
KOPE, WAPLES*Publication_Date:* 1995*Title:*STATUS REVIEW OF COHO SALMON FROM WASHINGTON,
OREGON, AND CALIFORNIA*Geospatial_Data_Presentation_Form:* HARDCOPY TEXT*Other_Citation_Details:* U.S. DEPT. COMMERCE, NOAA TECH. MEMO.
NMFS-NWFSC-24, 258 P.*Type_of_Source_Media:* PAPER*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 1995*Source_Currentness_Reference:* DATE OF PUBLICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* FISHL INFORMATION*Process_Step:**Process_Description:*

Three main sources of data were used to depict fish distribution and seasonality for this data layer: 1) personal interviews with resource experts from the California Department of Fish & Game (CDF&G) and NOAA National Marine Fisheries Service (NMFS); 2) published documents and maps; and 3) digital data provided by NMFS displaying distribution of steelhead and chinook salmon in rivers and streams, CDF&G digital data displaying coastal cutthroat trout, and USFWS tabular data for tidewater goby locations.

The above digital and/or hardcopy sources were compiled by the project biologist to create the FISHL data layer. Depending on the type of source data, three general approaches are used for compiling a biology data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the maps. If necessary, edits to the FISHL data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200812*Process_Contact:*

*Contact_Information:**Contact_Organization_Primary:**Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Person:* Jill Petersen*Contact_Address:**Address_Type:* Physical address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6944*Contact_Facsimile_Telephone:* (206) 526-6329*Contact_Electronic_Mail_Address:* Jill.Petersen@noaa.gov*Spatial_Data_Organization_Information:**Direct_Spatial_Reference_Method:* Vector*Point_and_Vector_Object_Information:**SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Complete chain*Point_and_Vector_Object_Count:* 500*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Link*Point_and_Vector_Object_Count:* 42781*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Node, planar graph*Point_and_Vector_Object_Count:* 716*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.0000001*Longitude_Resolution:* 0.0000001*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clark 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698*Entity_and_Attribute_Information:**Overview_Description:**Entity_and_Attribute_Overview:*

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, FISHL) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Northern California atlas, the number is 207), an element/layer specific number (BIRDS are layer 1,

FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: FISHL.AAT

Entity_Type_Definition:

The FISHL.AAT table contains attribute information for the vector lines in this data set representing trout and salmon spawning runs and sensitive stream species. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (207), element number (22; 20 because it is a line feature, plus 2, the element value for FISH), and record number.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

*Range_Domain:**Range_Domain_Minimum:* 2072200001*Range_Domain_Maximum:* 2072200500*Attribute:**Attribute_Label:* RARNUM*Attribute_Definition:*

An identifier that links directly to the BIORES table or the flat format BIOFILE table.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 207000516*Range_Domain_Maximum:* 207000629*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BIO_LUT*Entity_Type_Definition:*

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* RARNUM*Attribute_Definition:*

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 207000001*Range_Domain_Maximum:* 207001115*Attribute:**Attribute_Label:* ID*Attribute_Definition:*

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (207), element number (22; 20 because it is a line feature, plus 2, the element value for FISH), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 2070100002*Range_Domain_Maximum:* 2072200500*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BIORES*Entity_Type_Definition:*

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-

relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000001

Range_Domain_Maximum: 207001115

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density values of a species at a particular location. No quantitative data were available for fish, so the concentration field may contain a descriptive concentration term, such as "HIGH". If no concentration information was available from any source, the CONC field is populated with "-".

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: alcid
Enumerated_Domain_Value_Definition: Alcid
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: amphibian
Enumerated_Domain_Value_Definition: Amphibian
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: bivalve
Enumerated_Domain_Value_Definition: Bivalve
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: cephalopod
Enumerated_Domain_Value_Definition: Cephalopod
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: crab
Enumerated_Domain_Value_Definition: Crab
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: diadromous
Enumerated_Domain_Value_Definition: Diadromous fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: diving
Enumerated_Domain_Value_Definition: Diving bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: dolphin
Enumerated_Domain_Value_Definition: Dolphin
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: echinoderm
Enumerated_Domain_Value_Definition: Echinoderm
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: e_nursery
Enumerated_Domain_Value_Definition: Estuarine nursery fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: e_resident
Enumerated_Domain_Value_Definition: Estuarine resident

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: freshwater

Enumerated_Domain_Value_Definition: Freshwater fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gastropod

Enumerated_Domain_Value_Definition: Gastropod

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gull_tern

Enumerated_Domain_Value_Definition: Gull or tern

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: insect

Enumerated_Domain_Value_Definition: Insect

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: kelp

Enumerated_Domain_Value_Definition: Kelp

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_benthic

Enumerated_Domain_Value_Definition: Marine benthic fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_pelagic

Enumerated_Domain_Value_Definition: Marine pelagic fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: passerine

Enumerated_Domain_Value_Definition: Passerine bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: pelagic

Enumerated_Domain_Value_Definition: Pelagic bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: pinniped

Enumerated_Domain_Value_Definition: Pinniped

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* plant*Enumerated_Domain_Value_Definition:* Plant*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* raptor*Enumerated_Domain_Value_Definition:* Raptor*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* sav*Enumerated_Domain_Value_Definition:* Submerged aquatic vegetation*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* sea otter*Enumerated_Domain_Value_Definition:* Sea otter*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* shorebird*Enumerated_Domain_Value_Definition:* Shorebird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* shrimp*Enumerated_Domain_Value_Definition:* Shrimps*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* sm_mammal*Enumerated_Domain_Value_Definition:* Small mammal*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* turtle*Enumerated_Domain_Value_Definition:* Turtle*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* ungulate*Enumerated_Domain_Value_Definition:* Ungulate*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* wading*Enumerated_Domain_Value_Definition:* Wading bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* waterfowl

Enumerated_Domain_Value_Definition: Waterfowl

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: whale

Enumerated_Domain_Value_Definition: Whale

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking.

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank

Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Date unspecified

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in June

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL

Attribute_Definition: July

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG

Attribute_Definition: August

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in September

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT

Attribute_Definition: October

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in October

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV

Attribute_Definition: November

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC

Attribute_Definition: December

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Three-letter country abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

*Attribute:**Attribute_Label:* I*Attribute_Definition:* International threatened or endangered status.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E*Enumerated_Domain_Value_Definition:* Endangered on international list*Enumerated_Domain_Value_Definition_Source:* NOAA ESI Guidelines*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T*Enumerated_Domain_Value_Definition:* Threatened on international list*Enumerated_Domain_Value_Definition_Source:* NOAA ESI Guidelines*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* C*Enumerated_Domain_Value_Definition:* Species of Special Concern*Enumerated_Domain_Value_Definition_Source:* NOAA ESI Guidelines*Attribute:**Attribute_Label:* S_DATE*Attribute_Definition:*

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* F_DATE*Attribute_Definition:*

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* I_DATE*Attribute_Definition:*

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Northern California

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Access Personal Geodatabase, ARC export files, Shape files, and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

*Metadata_Reference_Information:**Metadata_Date:* 200902*Metadata_Review_Date:* 200902*Metadata_Contact:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* Jill Petersen*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Position:* GIS Manager*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6944*Contact_Facsimile_Telephone:* (206) 526-6329*Contact_Electronic_Mail_Address:* Jill.Petersen@noaa.gov*Metadata_Standard_Name:* Content Standards for Digital Geospatial Metadata*Metadata_Standard_Version:* FGDC-STD-001-1998

Generated by [mp](#) version 2.8.21 on Thu Mar 19 19:58:54 2009

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: INVERT (Invertebrate Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Publication_Date: 200812

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: INVERT (Invertebrate Polygons)

Edition: Second

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Northern California

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous

Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Description:

Abstract:

This data set contains sensitive biological resource data for marine, estuarine, freshwater, and terrestrial invertebrate species in Northern California. Vector polygons in this data set represent invertebrate distribution and concentration areas. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Northern California. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1990

Ending_Date: 2007

Currentness_Reference:

The biological data were compiled during 2007. The currentness dates for the data range from 1990 to 2007 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -124.45800

East_Bounding_Coordinate: -122.75000

North_Bounding_Coordinate: 37.97900

South_Bounding_Coordinate: 42.00000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Invertebrate

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Northern California

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Northern California ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003).

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in that data set: birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in ARC export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to

verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD or DVD, and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new IDs and RARNUMs or HUNUMs are also generated. The new IDs are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUMs are also modified to include the atlas number, so multiple atlases can be combined and RARNUMs remain unique. RARNUMs are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUMs are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge, available hardcopy documents, maps, and digital data on invertebrate distribution and concentration areas. These data do not necessarily represent all invertebrate occurrences in Northern California. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 1, California butterclam, *Saxidomus nuttallii*; 3, California bay shrimp, *Crangon franciscorum*; 5, Ocean pink shrimp, *Pandalus jordani*; 8, Spot prawn, *Pandalus platyceros*; 14, Dungeness crab, *Cancer magister*; 15, Lined shore crab, *Pachygrapsus crassipes*; 19, Bay mussel, *Mytilus edulis*; 20, California mussel, *Mytilus californianus*; 21, Washington butterclam, *Saxidomus gigantea*; 23, Horseneck gaper, *Tresus capax*; 24, Pacific gaper, *Tresus nuttallii*; 25, Softshell clam, *Mya arenaria*; 26, Manila clam, *Venerupis philippinarum*; 28, Pacific razor clam, *Siliqua patula*; 29, Pacific littleneck, *Protothaca staminea*; 32, Geoduck, *Panopea abrupta*; 37, California market squid, *Loligo opalescens*; 38, California native oyster, *Ostrea conchaphila*; 53, Red rock crab, *Cancer productus*; 57, Brown rock crab, *Cancer antennarius*; 61, Red abalone, *Haliotis rufescens*; 62, Black abalone, *Haliotis cracherodii*; 66, California jackknife clam, *Tagelus californianus*; 70, Purple shore crab, *Hemigrapsus nudus*; 79, Pacific oyster, *Crassostrea gigas*; 290, California freshwater shrimp, *Syncaris pacifica*; 294, San Bruno elfin butterfly, *Incisalia mossii bayensis*; 304, Green crab, *Carcinus maenas*; 354, Pacific sand crab, *Emerita analoga*; 447, Ghost shrimp, *Calianassa* sp.; 505, Monarch butterfly, *Danaus plexippus*; 510, Yellow shore crab, *Hemigrapsus oregonensis*; 526, Lewis's moonsnail, *Euspira lewisii*; 549, Myrtle's silverspot, *Speyeria zerene myrtleae*; 555, Globose dune beetle, *Coelus globosus*; 577, Mediterranean mussel, *Mytilus galloprovincialis*; 578, Oregon silverspot butterfly, *Speyeria zerene hippolyta*; 579, Behren's silverspot butterfly, *Speyeria zerene behrensii*; 580, Lotis blue butterfly, *Lycaeides argyrognomon lotis*; 581, Zebra leafslug, *Phyllaplysia taylori*; 582, Black tegula, *Tegula funebris*; 583, Brown tegula, *Tegula brunnea*; 1009, Sea urchins, n/a; 1015, Mussels, n/a; 1052, Cockles, n/a.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or

hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy," and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: ALLEN, S. (NATIONAL PARK SERVICE, POINT REYES)

Publication_Date: 2005

Title:

DISTRIBUTION AND SEASONALITY OF SPECIES AND SOC_ECON
FEATURES ON NPS LANDS

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: BARNHARDT, R.A., M.J. BOYD, AND J.E. PEQUEGNAT

Publication_Date: 1992

Title:

ESSENTIAL FISH HABITAT SPECIES IN HUMBOLDT BAY CA,
FROM THE ECOLOGY OF HUMBOLDT BAY: AN ESTUARINE
PROFILE

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: U.S. FISH AND WILDLIFE SERVICE BIOLOGICAL
REPORT 1. 121 PP.

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1992

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CANNATA, S.

Publication_Date: 2007

Title:

DISTRIBUTION OF FISH AND INVERTS IN RIVERS AND ESTUARIES

IN NORTHERN CALIFORNIA

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE*Other_Citation_Details*: UNPUBLISHED*Type_of_Source_Media*: PERSONAL COMMUNICATION*Source_Time_Period_of_Content*:*Time_Period_Information*:*Single_Date/Time*:*Calendar_Date*: 2007*Source_Currentness_Reference*: DATE OF COMMUNICATION*Source_Citation_Abbreviation*: NONE*Source_Contribution*: INVERT INFORMATION*Source_Information*:*Source_Citation*:*Citation_Information*:*Originator*: CDF&G*Publication_Date*: 2001*Title*:CALIFORNIA LIVING MARINE RESOURCES: A STATUS REPORT -
DUNGENESS CRAB*Geospatial_Data_Presentation_Form*: HARDCOPY TEXT*Other_Citation_Details*: CALIFORNIA DEPT. OF FISH & GAME (CDF&G)*Type_of_Source_Media*: PAPER*Source_Time_Period_of_Content*:*Time_Period_Information*:*Single_Date/Time*:*Calendar_Date*: 2001*Source_Currentness_Reference*: DATE OF PUBLICATION*Source_Citation_Abbreviation*: NONE*Source_Contribution*: INVERT INFORMATION*Source_Information*:*Source_Citation*:*Citation_Information*:*Originator*: CDF&G*Publication_Date*: 2007*Title*: PACIFIC LITTLENECK CLAM*Geospatial_Data_Presentation_Form*: HARDCOPY TEXT*Other_Citation_Details*: CALIFORNIA FINFISH AND SHELLFISH
IDENTIFICATION BOOK*Type_of_Source_Media*: ONLINE*Source_Time_Period_of_Content*:*Time_Period_Information*:*Single_Date/Time*:*Calendar_Date*: 2007*Source_Currentness_Reference*: DATE OF PUBLICATION*Source_Citation_Abbreviation*: NONE*Source_Contribution*: INVERT INFORMATION*Source_Information*:*Source_Citation*:*Citation_Information*:*Originator*: CDF&G*Publication_Date*: 2001*Title*:

CALIFORNIA'S LIVING MARINE RESOURCES: A STATUS REPORT -
CULTURED MUSSELS

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: CDF&G ONLINE

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2001

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CDF&G

Publication_Date: 2007

Title: AQUACULTURE LEASE

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CDF&G

Publication_Date: 2001

Title:

CALIFORNIA'S LIVING MARINE RESOURCES: A STATUS REPORT -
WASHINGTON CLAMS

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: CDF&G

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2001

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CDF&G

Publication_Date: 2001

Title: CALIFORNIA LIVING MARINE RESOURCES: A STATUS REPORT -

ABALONE

Geospatial_Data_Presentation_Form: HARDCOPY TEXT*Other_Citation_Details*: CDF&G*Type_of_Source_Media*: ONLINE*Source_Time_Period_of_Content*:*Time_Period_Information*:*Single_Date/Time*:*Calendar_Date*: 2001*Source_Currentness_Reference*: DATE OF PUBLICATION*Source_Citation_Abbreviation*: NONE*Source_Contribution*: INVERT INFORMATION*Source_Information*:*Source_Citation*:*Citation_Information*:*Originator*: CDF&G*Publication_Date*: 2001*Title*: PACIFIC RAZOR CLAM*Geospatial_Data_Presentation_Form*: HARDCOPY TEXT*Other_Citation_Details*:CALIFORNIA'S LIVING MARINE RESOURCES: A STATUS REPORT -
PACIFIC RAZOR CLAM*Type_of_Source_Media*: ONLINE*Source_Time_Period_of_Content*:*Time_Period_Information*:*Single_Date/Time*:*Calendar_Date*: 2001*Source_Currentness_Reference*: DATE OF PUBLICATION*Source_Citation_Abbreviation*: NONE*Source_Contribution*: INVERT INFORMATION*Source_Information*:*Source_Citation*:*Citation_Information*:*Originator*: CDF&G BIOGEOGRAPHIC DATA BRANCH*Publication_Date*: 2007*Title*: CALIFORNIA NATURAL DIVERSITY DATABASE*Geospatial_Data_Presentation_Form*: VECTOR DIGITAL DATA*Other_Citation_Details*:<http://www.dfg.ca.gov/biogeodata/> (Contact the site webmaster if this
URL is no longer active.)*Source_Scale_Denominator*: VARIES*Type_of_Source_Media*: CD-ROM*Source_Time_Period_of_Content*:*Time_Period_Information*:*Single_Date/Time*:*Calendar_Date*: 2007*Source_Currentness_Reference*: DATE OF PUBLICATION*Source_Citation_Abbreviation*: NONE*Source_Contribution*: INVERT INFORMATION*Source_Information*:*Source_Citation*:*Citation_Information*:*Originator*: CDF&G STAFF

Publication_Date: 2007
Title: MARINE SPORTFISH AND OTHER MARINE RESOURCES
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: INVERT INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: CDF&G, USCG
Publication_Date: 2005
Title:
SAN FRANCISCO GEOGRAPHIC RESPONSE AREA 1 SONOMA AND
NORTH MARIN COAST
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: ACP 2 SF BAY & DELTA - GRA 1
Type_of_Source_Media: DISC
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2005
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: INVERT INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: FREY, V. (CDF&G, EUREKA)
Publication_Date: 2007
Title:
MARINE RESOURCE DISTRIBUTION AND SEASONALITY IN
NORTHERN CALIFORNIA
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: INVERT INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: HARRIS, JAY (CSP, EUREKA)

Publication_Date: 2007
Title: CALIFORNIA STATE PARK RESOURCES
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: INVERT INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: HUMBOLDT BAY HARBOR RECREATION AND
CONSERVATION DISTRICT
Publication_Date: 2002
Title: ACTIVE PRODUCTION OYSTER BEDS
Geospatial_Data_Presentation_Form: HARDCOPY MAP
Other_Citation_Details: HUMBOLDT BAY HARBOR RECREATION AND
CONSERVATION DISTRICT
Type_of_Source_Media: PAPER
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2002
Source_Currentness_Reference: DATE OF SURVEY
Source_Citation_Abbreviation: NONE
Source_Contribution: INVERT INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: LEET, W.S., C.M. DEWEES, R. KLINGBEIL, E.J. LARSON
Publication_Date: 2001
Title: CALIFORNIA'S LIVING MARINE RESOURCES: A STATUS REPORT
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: CDF&G SG01-11, 593 PP.
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2001
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: INVERT INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: LEVALLEY, R. (MAD RIVER BIOLOGISTS, ARCATA)
Publication_Date: 2007
Title:

COASTAL RESOURCE DISTRIBUTION AND SEASONALITY IN
NORTHERN CALIFORNIA

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: MAAHS, M. AND S. CANNATA

Publication_Date: 1998

Title:

THE ALBION RIVER ESTUARY. ITS HISTORY, WATER QUALITY,
AND USE BY SALMONIDS AND OTHER FISH AND WILDLIFE
SPECIES.

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: CDF&G, UNPUBLISHED REPORT

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1998

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: MELLO, J. (CDF&G, EUREKA)

Publication_Date: 2007

Title:

MARINE RESOURCE DISTRIBUTION AND SEASONALITY IN
NORTHERN CALIFORNIA

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: MONACO, M.E., R.L. EMMETT, D.M. NELSON, AND S.A.
HINTON

Publication_Date: 1990

Title:

DISTRIBUTION AND ABUNDANCE OF FISHES AND
INVERTEBRATES IN WEST COAST ESTUARIES, VOLUME I. DATA
SUMMARIES.

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

ELMR REP. NO. 4. NOAA/NOS STRATEGIC ENVIRONMENTAL
ASSESSMENTS DIVISION, SILVER SPRING, MD 232 P.

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1990

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NOAA NOS OR&R HAZMAT

Publication_Date: 2001

Title:

SENSITIVITY OF COASTAL ENVIRONMENTS AND WILDLIFE TO
SPILLED OIL: NORTHERN CALIFORNIA

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: SEATTLE, WASHINGTON

Source_Scale_Denominator: 24,000

Type_of_Source_Media: CD-ROM

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1994

Ending_Date: 2001

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: ODA, K. (CDF&G, BELMONT)

Publication_Date: 2005

Title:

DISTRIBUTION AND SEASONALITY OF FISH AND
INVERTEBRATES AND SOC_ECON FEATURES

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: ROBERTS, E. (CDF&G, EUREKA)

Publication_Date: 2007

Title: MARINE RESOURCE DISTRIBUTION AND SEASONALITY

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: SAKAI, W. (SANTA MONICA COLLEGE)

Publication_Date: 2004

Title: ACCESSIBLE MONARCH OVERWINTERING COLONIES IN CALIFORNIA

Geospatial_Data_Presentation_Form: WEBSITE

Other_Citation_Details:

http://homepage.smc.edu/SAKAI_WALTER

[/MONARCH%20BUTTERFLY/MONARCH.HTM](http://homepage.smc.edu/SAKAI_WALTER/MONARCH%20BUTTERFLY/MONARCH.HTM) (Contact the site webmaster if this URL is no longer active.)

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2004

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: THE GOLD RIDGE RESOURCE CONSERVATION DISTRICT

Publication_Date: 2007

Title: THE ESTERO AMERICANO WATERSHED MANAGEMENT PLAN

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: SWRCB CONTRACT NO. 03-138-250-1

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. DEPT. OF THE INTERIOR, FISH AND WILDLIFE SERVICE

Publication_Date: 1992

Title: THE ECOLOGY OF HUMBOLDT BAY, CALIFORNIA: AN ESTUARINE PROFILE

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

U.S. DEPT. OF THE INTERIOR, FISH AND WILDLIFE SERVICE,
WASHINGTON, D.C., BIOLOGICAL REPORT 1

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1992

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: USCG SECTOR SAN FRANCISCO

Publication_Date: 2005

Title:

2005 SECTOR SAN FRANCISCO AREA ACP 1 NORTH COAST;
VOLUME 2: MENDOCINO COUNTY SECTION 9814

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: USCG SECTOR SAN FRANCISCO, OCTOBER 1,
2005

Source_Scale_Denominator: VARIES

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: USCG SECTOR SAN FRANCISCO

Publication_Date: 2005

Title:

2005 SECTOR SAN FRANCISCO AREA ACP 1 NORTH COAST;
VOLUME 2: HUMBOLDT COUNTY COAST SECTION 9812

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: USCG SECTOR SAN FRANCISCO, OCTOBER 1, 2005

Source_Scale_Denominator: VARIES

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: USFWS

Publication_Date: 1998

Title:

CALIFORNIA FRESHWATER SHRIMP (SYNCARIS PACIFICA HOLMES) RECOVERY PLAN

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: U.S. FISH AND WILDLIFE SERVICE, PORTLAND, OREGON, 94 PP.

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1998

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Process_Step:

Process_Description:

Three main sources of data were used to depict invert distribution and seasonality for this data layer: 1) personal interviews with resource experts from the California Department of Fish & Game (CDF&G), NOAA National Marine Fisheries Service (NMFS), National Park Service (NPS), and California State Parks (CSP); 2) published and unpublished documents and maps; and 3) CDF&G digital data displaying sensitive species occurrences.

The above digital and/or hardcopy sources were compiled by the project biologist to create the INVERT data layer. Depending on the type of source data, three general approaches are used for compiling a biology data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the maps. If necessary, edits to the INVERT data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are

created.

Process_Date: 200812

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 6987

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 6986

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 8201

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 348697

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 7991

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

*Overview_Description:**Entity_and_Attribute_Overview:*

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, INVERT) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Northern California atlas, the number is 207), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: INVERT.PAT

Entity_Type_Definition:

The INVERT.PAT table contains attribute information for the vector polygons in this data set representing invertebrate distribution and concentration areas. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (207), element number (7), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 2070700002

Range_Domain_Maximum: 2070707341

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000740

Range_Domain_Maximum: 207000834

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000001

Range_Domain_Maximum: 207001115

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (207), element number (7), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 2070100002*Range_Domain_Maximum:* 2072200500*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BIORES*Entity_Type_Definition:*

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* RARNUM*Attribute_Definition:*

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 207000001*Range_Domain_Maximum:* 207001115*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* CONC*Attribute_Definition:*

The field CONC refers to "concentration," abundance, or density values, and may contain counts of a species at a particular location. Descriptive terms such as "HIGH" were used to describe the relative abundance of particular invertebrate species at specific locations. In cases where no concentration information was available from any source, the field was populated with "-".

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* SEASON_ID*Attribute_Definition:*

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:*

*Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* G_SOURCE*Attribute_Definition:*

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* S_SOURCE*Attribute_Definition:*

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SPECIES*Entity_Type_Definition:*

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a

nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SUBELEMENT*Attribute_Definition:* Element subgroup delineating a logical grouping of species.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* alcid*Enumerated_Domain_Value_Definition:* Alcid*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* amphibian*Enumerated_Domain_Value_Definition:* Amphibian*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* bivalve*Enumerated_Domain_Value_Definition:* Bivalve*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* cephalopod*Enumerated_Domain_Value_Definition:* Cephalopod*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* crab*Enumerated_Domain_Value_Definition:* Crab*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* diadromous*Enumerated_Domain_Value_Definition:* Diadromous fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* diving*Enumerated_Domain_Value_Definition:* Diving bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* dolphin*Enumerated_Domain_Value_Definition:* Dolphin*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* echinoderm

Enumerated_Domain_Value_Definition: Echinoderm

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_nursery

Enumerated_Domain_Value_Definition: Estuarine nursery fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_resident

Enumerated_Domain_Value_Definition: Estuarine resident

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: freshwater

Enumerated_Domain_Value_Definition: Freshwater fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gastropod

Enumerated_Domain_Value_Definition: Gastropod

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gull_tern

Enumerated_Domain_Value_Definition: Gull or tern

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: insect

Enumerated_Domain_Value_Definition: Insect

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: kelp

Enumerated_Domain_Value_Definition: Kelp

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_benthic

Enumerated_Domain_Value_Definition: Marine benthic fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_pelagic

Enumerated_Domain_Value_Definition: Marine pelagic fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: passerine

Enumerated_Domain_Value_Definition: Passerine bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: pelagic

Enumerated_Domain_Value_Definition: Pelagic bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: pinniped

Enumerated_Domain_Value_Definition: Pinniped

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: plant

Enumerated_Domain_Value_Definition: Plant

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: raptor

Enumerated_Domain_Value_Definition: Raptor

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sav

Enumerated_Domain_Value_Definition: Submerged aquatic vegetation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sea otter

Enumerated_Domain_Value_Definition: Sea otter

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shorebird

Enumerated_Domain_Value_Definition: Shorebird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp

Enumerated_Domain_Value_Definition: Shrimps

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sm_mammal

Enumerated_Domain_Value_Definition: Small mammal

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: turtle

Enumerated_Domain_Value_Definition: Turtle

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: ungulate

Enumerated_Domain_Value_Definition: Ungulate

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wading

Enumerated_Domain_Value_Definition: Wading bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl

Enumerated_Domain_Value_Definition: Waterfowl

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: whale

Enumerated_Domain_Value_Definition: Whale

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking.

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank

Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Date unspecified

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters

are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1;
EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in June

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL

Attribute_Definition: July

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG

Attribute_Definition: August

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in September

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT

Attribute_Definition: October

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in October*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* NOV*Attribute_Definition:* November*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in November*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* DEC*Attribute_Definition:* December*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in December*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BREED*Entity_Type_Definition:*

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:*

*Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* MONTH*Attribute_Definition:*

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* 12*Attribute:**Attribute_Label:* BREED1*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED2*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = interesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

*Attribute:**Attribute_Label:* TIME_PERIOD*Attribute_Definition:*

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* STATUS*Entity_Type_Definition:*

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Three-letter country abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: T
 Enumerated_Domain_Value_Definition: Threatened on federal list
 Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: C
 Enumerated_Domain_Value_Definition: Species of Special Concern
 Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines
Attribute:
 Attribute_Label: I
 Attribute_Definition: International threatened or endangered status.
 Attribute_Definition_Source: Research Planning, Inc.
 Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: E
 Enumerated_Domain_Value_Definition: Endangered on international list
 Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines
 Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: T
 Enumerated_Domain_Value_Definition: Threatened on international list
 Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines
 Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: C
 Enumerated_Domain_Value_Definition: Species of Special Concern
 Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines
Attribute:
 Attribute_Label: S_DATE
 Attribute_Definition:
 Publication date of source material used to assign state status values for each species, if used.
 Attribute_Definition_Source: Research Planning, Inc.
 Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: YYYYMM
 Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute:
 Attribute_Label: F_DATE
 Attribute_Definition:
 Publication date of source material used to assign federal status values for each species, if used.
 Attribute_Definition_Source: Research Planning, Inc.
 Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: YYYYMM
 Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for

month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Northern California

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Access Personal Geodatabase, ARC export files, Shape files, and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

*Metadata_Reference_Information:**Metadata_Date:* 200902*Metadata_Review_Date:* 200902*Metadata_Contact:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* Jill Petersen*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Position:* GIS Manager*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6944*Contact_Facsimile_Telephone:* (206) 526-6329*Contact_Electronic_Mail_Address:* Jill.Petersen@noaa.gov*Metadata_Standard_Name:* Content Standards for Digital Geospatial Metadata*Metadata_Standard_Version:* FGDC-STD-001-1998

Generated by [mp](#) version 2.8.21 on Thu Mar 19 20:04:49 2009

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: REPTILES (Reptile and Amphibian Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Publication_Date: 200812

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: REPTILES (Reptile and Amphibian Polygons)

Edition: Second

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Northern California

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle,

Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Description:

Abstract:

This data set contains sensitive biological resource data for sea turtles and estuarine frogs and turtles in Northern California. Vector polygons in this data set represent reptile and amphibian distribution. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Northern California. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1994

Ending_Date: 2007

Currentness_Reference:

The biological data were compiled during 2007. The currentness dates for the data range from 1994 to 2007 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -124.45800

East_Bounding_Coordinate: -122.75000

North_Bounding_Coordinate: 37.97900

South_Bounding_Coordinate: 42.00000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Reptiles

Theme_Keyword: Amphibians

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Northern California

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Northern California ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003).

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in that data set: birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in ARC export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to

verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD or DVD, and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new IDs and RARNUMs or HUNUMs are also generated. The new IDs are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUMs are also modified to include the atlas number, so multiple atlases can be combined and RARNUMs remain unique. RARNUMs are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUMs are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge and digital data on reptile/amphibian distribution. These data do not necessarily represent all reptile and amphibian occurrences in Northern California. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 5, Leatherback sea turtle, Dermochelys coriacea; 54, California red-legged frog, Rana draytonii; 62, Northwestern pond turtle, Clemmys marmorata marmorata; 154, Northern red-legged frog, Rana aurora.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy," and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: BENSON, S. (NOAA)

Publication_Date: 2006

Title:

SEA TURTLE AND MARINE MAMMAL DISTRIBUTION AND
SEASONALITY IN CALIFORNIA

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2006
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: REPTILES INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator:
 BENSON, S.R., K.A. FORNEY, J.T. HARVEY, J.V. CARRETTA, AND
 P.H. DUTTON
Publication_Date: 2007
Title:
 ABUNDANCE, DISTRIBUTION, AND HABITAT OF LEATHERBACK
 TURTLES (DERMOCHELYS CORIACEA) OFF CALIFORNIA,
 1990-2003
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: FISH. BULL. 105:337-347.
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: REPTILES INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: CDF&G BIOGEOGRAPHIC DATA BRANCH
Publication_Date: 2007
Title: CALIFORNIA NATURAL DIVERSITY DATABASE
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details:
<http://www.dfg.ca.gov/biogeodata/> (Contact the site webmaster if this
 URL is no longer active.)
Source_Scale_Denominator: VARIES
Type_of_Source_Media: CD-ROM
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: REPTILES INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: CDF&G WILDLIFE BRANCH
Publication_Date: 1994

Title:

AMPHIBIAN AND REPTILE SPECIES OF SPECIAL CONCERN IN
CALIFORNIA, WESTERN POND TURTLE

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

<http://www.dfg.ca.gov/wildlife/species/ssc/amphibian-reptile.html>

(Contact the site webmaster if this URL is no longer active.)

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1994

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: REPTILES INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CDF&G. CALIFORNIA WILDLIFE TASK GROUP

Publication_Date: 2005

Title:

CALIFORNIA WILDLIFE HABITAT RELATIONSHIPS VERSION 8.1
PERSONAL COMPUTER PROGRAM

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: SACRAMENTO, CA

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: REPTILES INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: MBNMS, CDF&G OSPR, MBSF

Publication_Date: 2006

Title:

SENSITIVITY OF COASTAL ENVIRONMENTS TO SPILLED OIL:
CENTRAL CALIFORNIA ATLAS

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: NOAA OR&R HAZMAT, SEATTLE, WASHINGTON

Source_Scale_Denominator: VARIES

Type_of_Source_Media: CD-ROM

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2006

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: REPTILES INFORMATION

*Process_Step:**Process_Description:*

Three main sources of data were used to depict reptile/amphibian distribution and seasonality for this data layer: 1) personal interviews with resource experts from the National Oceanic and Atmospheric Administration (NOAA), 2) published reports, and 3) the California Natural Diversity Database (CNDDDB) provided by the California Dept. of Fish and Game (CDF&G).

The above digital and/or hardcopy sources were compiled by the project biologist to create the REPTILES data layer. Depending on the type of source data, three general approaches are used for compiling a biology data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the maps. If necessary, edits to the REPTILES data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200812

*Process_Contact:**Contact_Information:**Contact_Organization_Primary:*

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

*Point_and_Vector_Object_Information:**SDTS_Terms_Description:*

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 6588

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 6587

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 6833

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 193618

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 6812

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, REPTILES) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Northern California atlas, the number is 207), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned,

BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: REPTILES.PAT

Entity_Type_Definition:

The REPTILES.PAT table contains attribute information for the vector polygons in this data set representing reptile and amphibian distribution. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (207), element number (6), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 2070600114

Range_Domain_Maximum: 2070706503

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207001097

Range_Domain_Maximum: 207001104

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes

the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000001

Range_Domain_Maximum: 207001115

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (207), element number (6), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 2070100002

Range_Domain_Maximum: 2072200500

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000001

Range_Domain_Maximum: 207001115

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* CONC*Attribute_Definition:*

The field CONC refers to "concentration," abundance, or density values of a species at a particular location. No quantitative count data were available, so the field may contain descriptive terms such as "HIGH" or "VERY LOW". If no concentration information was available from any source, the CONC field is populated with "-".

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* SEASON_ID*Attribute_Definition:*

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* G_SOURCE*Attribute_Definition:*

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* S_SOURCE*Attribute_Definition:*

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SUBELEMENT*Attribute_Definition:* Element subgroup delineating a logical grouping of species.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* alcid*Enumerated_Domain_Value_Definition:* Alcid*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* amphibian*Enumerated_Domain_Value_Definition:* Amphibian*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* bivalve*Enumerated_Domain_Value_Definition:* Bivalve*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* cephalopod*Enumerated_Domain_Value_Definition:* Cephalopod*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* crab

Enumerated_Domain_Value_Definition: Crab

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diadromous

Enumerated_Domain_Value_Definition: Diadromous fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diving

Enumerated_Domain_Value_Definition: Diving bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: dolphin

Enumerated_Domain_Value_Definition: Dolphin

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: echinoderm

Enumerated_Domain_Value_Definition: Echinoderm

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_nursery

Enumerated_Domain_Value_Definition: Estuarine nursery fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_resident

Enumerated_Domain_Value_Definition: Estuarine resident

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: freshwater

Enumerated_Domain_Value_Definition: Freshwater fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gastropod

Enumerated_Domain_Value_Definition: Gastropod

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gull_tern

Enumerated_Domain_Value_Definition: Gull or tern

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: insect

Enumerated_Domain_Value_Definition: Insect

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* kelp*Enumerated_Domain_Value_Definition:* Kelp*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* m_benthic*Enumerated_Domain_Value_Definition:* Marine benthic fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* m_pelagic*Enumerated_Domain_Value_Definition:* Marine pelagic fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* passerine*Enumerated_Domain_Value_Definition:* Passerine bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* pelagic*Enumerated_Domain_Value_Definition:* Pelagic bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* pinniped*Enumerated_Domain_Value_Definition:* Pinniped*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* plant*Enumerated_Domain_Value_Definition:* Plant*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* raptor*Enumerated_Domain_Value_Definition:* Raptor*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* sav*Enumerated_Domain_Value_Definition:* Submerged aquatic vegetation*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* sea otter*Enumerated_Domain_Value_Definition:* Sea otter*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: shorebird

Enumerated_Domain_Value_Definition: Shorebird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp

Enumerated_Domain_Value_Definition: Shrimps

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sm_mammal

Enumerated_Domain_Value_Definition: Small mammal

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: turtle

Enumerated_Domain_Value_Definition: Turtle

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: ungulate

Enumerated_Domain_Value_Definition: Ungulate

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wading

Enumerated_Domain_Value_Definition: Wading bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl

Enumerated_Domain_Value_Definition: Waterfowl

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: whale

Enumerated_Domain_Value_Definition: Whale

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking.

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank

Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Date unspecified

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORRES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* SEASON_ID*Attribute_Definition:*

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* JAN*Attribute_Definition:* January*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in January*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* FEB*Attribute_Definition:* February*Attribute_Definition_Source:* Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in June

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL

Attribute_Definition: July

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG

Attribute_Definition: August

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in September

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT

Attribute_Definition: October

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in October

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV

Attribute_Definition: November

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC

Attribute_Definition: December

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORRES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Range_Domain:*

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED2*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED3*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = interstening; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED4*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED5*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:*

*Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SOURCES*Entity_Type_Definition:*

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SOURCE_ID*Attribute_Definition:*

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* ORIGINATOR*Attribute_Definition:* Author or developer of source material or data set.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:*

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* TITLE*Attribute_Definition:* Title of source material or data.*Attribute_Definition_Source:* Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Three-letter country abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I

Attribute_Definition: International threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

*Contact_Information:**Contact_Person_Primary:**Contact_Person:* John Kaperick*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6400*Contact_Facsimile_Telephone:* (206) 526-6329*Resource_Description:* ESI Atlas for Northern California*Distribution_Liability:*

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Access Personal Geodatabase, ARC export files, Shape files, and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

*Metadata_Reference_Information:**Metadata_Date:* 200902*Metadata_Review_Date:* 200902*Metadata_Contact:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* Jill Petersen*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Position:* GIS Manager*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6944*Contact_Facsimile_Telephone:* (206) 526-6329*Contact_Electronic_Mail_Address:* Jill.Petersen@noaa.gov*Metadata_Standard_Name:* Content Standards for Digital Geospatial Metadata*Metadata_Standard_Version:* FGDC-STD-001-1998

Generated by [mp](#) version 2.8.21 on Thu Mar 19 20:11:36 2009

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: M_MAMMAL (Marine Mammal Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Publication_Date: 200812

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: M_MAMMAL (Marine Mammal Polygons)

Edition: Second

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Northern California

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous

Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Description:

Abstract:

This data set contains sensitive biological resource data for seals, whales, dolphins, porpoises, sea otters, and sea lions in Northern California. Vector polygons in this data set represent marine mammal distribution, haul-out sites, and rookeries. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Northern California. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1998

Ending_Date: 2007

Currentness_Reference:

The biological data were compiled during 2007. The currentness dates for the data range from 1998 to 2007 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -124.45800

East_Bounding_Coordinate: -122.75000

North_Bounding_Coordinate: 37.97900

South_Bounding_Coordinate: 42.00000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Marine Mammal

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Northern California

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Northern California ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003).

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in that data set: birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in ARC export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to

verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD or DVD, and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new IDs and RARNUMs or HUNUMs are also generated. The new IDs are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUMs are also modified to include the atlas number, so multiple atlases can be combined and RARNUMs remain unique. RARNUMs are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUMs are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge, available hardcopy documents, survey data, maps, and digital data on marine mammal distribution, haul-out sites, and rookeries. These data do not necessarily represent all marine mammal occurrences in Northern California. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 1, Steller sea lion, *Eumetopias jubatus*; 2, Harbor seal, *Phoca vitulina*; 4, Killer whale, *Orcinus orca*; 6, Harbor porpoise, *Phocoena phocoena*; 7, Sea otter, *Enhydra lutris*; 11, Fin whale, *Balaenoptera physalus*; 12, Minke whale, *Balaenoptera acutorostrata*; 13, Humpback whale, *Megaptera novaeangliae*; 17, Bottlenose dolphin, *Tursiops truncatus*; 19, Short-finned pilot whale, *Globicephala macrorhynchus*; 22, California sea lion, *Zalophus californianus*; 24, Northern elephant seal, *Mirounga angustirostris*; 26, Gray whale, *Eschrichtius robustus*; 29, Blue whale, *Balaenoptera musculus*; 45, Pacific white-sided dolphin, *Lagenorhynchus obliquidens*; 46, Risso's dolphin, *Grampus griseus*; 47, Dall's porpoise, *Phocoenoides dalli dalli*; 60, Short-beaked saddleback dolphin, *Delphinus delphis*; 106, Long-beaked saddleback dolphin, *Delphinus capensis*; 107, North Pacific right whale, *Eubalaena japonica*; 1002, Seals, n/a; 1003, Pinnipeds, n/a; 1004, Sea lions, n/a.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy," and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: ALLEN, S. (NPS, POINT REYES)

Publication_Date: 2005

Title:

DISTRIBUTION AND SEASONALITY OF SPECIES AND SOC_ECON
FEATURES ON NPS LANDS

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: ANDERSON, D. (NPS, ORICK)

Publication_Date: 2007

Title: REDWOOD NATIONAL PARK RESOURCES

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: BENSON, S. (NOAA)

Publication_Date: 2006

Title:

SEA TURTLE AND MARINE MAMMAL DISTRIBUTION AND
SEASONALITY IN CALIFORNIA

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2006

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: BROWN, J.

Publication_Date: 2005

Title:
 HUMPBACK WHALE (EASTERN NORTH PACIFIC STOCK)
 MEGAPTERA NOVAEANGLIAE
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: DISC
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2005
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: M_MAMMAL INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: BROWN, J.
Publication_Date: 2005
Title:
 GRAY WHALE (EASTERN NORTHERN PACIFIC STOCK)
 ESCHRICHTIUS ROBUSTUS
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: DISC
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2005
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: M_MAMMAL INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: BROWN, J.
Publication_Date: 2005
Title: BLUE WHALE (EASTERN NORTH PACIFIC STOCK)
 BALAENOPTERA MUSCULUS
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: DISC
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2005
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: M_MAMMAL INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator:

CALIFORNIA STATE PARKS (CSP) NORTH COAST REDWOODS
DISTRICT (NCRD)

Publication_Date: 2005

Title:

MAPS OF SPECIAL STATUS SPECIES, REC ACTIVITIES, AND MGT
ISSUES AT CSP NCRD STATE PARKS

Geospatial_Data_Presentation_Form: HARDCOPY MAP

Other_Citation_Details: CSP NORTH COAST REDWOOD DISTRICT

Source_Scale_Denominator: 10,000-20,000

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CARETTA, FORNEY, MUTO, ET AL

Publication_Date: 2005

Title: U.S. PACIFIC MARINE MAMMAL STOCK ASSESSMENTS: 2005

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: U.S. DOC, NOAA, NMFS, NOAA-TM-
NMFS-SWFSC-375, 323 PP.

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CARRETTA, J.V., B.J. TAYLOR, AND S.J. CHIVERS

Publication_Date: 2000

Title:

ABUNDANCE AND DEPTH DISTRIBUTION OF HARBOR PORPOISE
IN NORTHERN CALIFORNIA DETERMINED FROM A 1995 SHIP
SURVEY

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: FISH. BULL. 99:29-39

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2000

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CALIFORNIA DEPT. OF FISH & GAME (CDF&G) STAFF

Publication_Date: 2007

Title: MARINE SPORTFISH AND OTHER MARINE RESOURCES

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CDF&G, USCG

Publication_Date: 2005

Title:

SAN FRANCISCO GEOGRAPHIC RESPONSE AREA 1 SONOMA AND
NORTH MARIN COAST

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: ACP 2 SF BAY & DELTA - GRA 1

Type_of_Source_Media: DISC

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: FORNEY, K. (NMFS, MOSS LANDING)

Publication_Date: 2006

Title:

MARINE MAMMAL DISTRIBUTION AND SEASONALITY IN
NORTHERN CALIFORNIA

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2006

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: HARRIS, JAY (CSP, EUREKA)

Publication_Date: 2007

Title: CALIFORNIA STATE PARK RESOURCES

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LEVALLEY, R. (MAD RIVER BIOLOGISTS, ARCATA)

Publication_Date: 2007

Title:

COASTAL RESOURCE DISTRIBUTION AND SEASONALITY IN
NORTHERN CALIFORNIA

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOWRY, M. (NMFS, LA JOLLA)

Publication_Date: 2007

Title:

PACIFIC HARBOR SEAL, CALIFORNIA SEA LION, AND STELLER
SEA LION HAUL OUT SITES IN NORTHERN CALIFORNIA

Geospatial_Data_Presentation_Form: SPREADSHEET

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1998

Ending_Date: 2005

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE
Source_Contribution: M_MAMMAL INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: LOWRY, M. (NMFS, LA JOLLA)
Publication_Date: 2006
Title: SEASONALITY FOR PINNIPEDS IN NORTHERN CALIFORNIA
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2006
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: M_MAMMAL INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: LOWRY, M. (NMFS, LA JOLLA)
Publication_Date: 2005
Title:
 CALIFORNIA AND STELLER SEA LION AND HARBOR SEAL
 HAUL-OUT LOCATIONS
Geospatial_Data_Presentation_Form: TABULAR DIGITAL DATA
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: EMAIL
Source_Time_Period_of_Content:
Time_Period_Information:
Range_of_Dates/Times:
Beginning_Date: 1998
Ending_Date: 2004
Source_Currentness_Reference: DATE OF SURVEY
Source_Citation_Abbreviation: NONE
Source_Contribution: M_MAMMAL INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: MELLO, J. (CDF&G, EUREKA)
Publication_Date: 2007
Title:
 MARINE RESOURCE DISTRIBUTION AND SEASONALITY IN
 NORTHERN CALIFORNIA
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: M_MAMMAL INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: NATIONAL MARINE FISHERIES SERVICE (NMFS)
Publication_Date: 2003
Title:
 MINKE WHALE (BALAENOPTERA ACUTOROSTRATA)
 CALIFORNIA/OREGON/WASHINGTON STOCK
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details:
<http://www.nmfs.noaa.gov/pr/sars/species.htm#largewhales> (Contact the site webmaster if this URL is no longer active.)
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2003
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: M_MAMMAL INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: NATIONAL MARINE FISHERIES SERVICE (NMFS)
Publication_Date: 2005
Title: SHORT-FINNED PILOT WHALE (GLOBICEPHALA MACRORHYNCHUS)
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details:
<http://www.nmfs.noaa.gov/pr/sars/species.htm#largewhales> (Contact the site webmaster if this URL is no longer active.)
Type_of_Source_Media: PAPER
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2005
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: M_MAMMAL INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: NATIONAL MARINE FISHERIES SERVICE (NMFS)
Publication_Date: 2005
Title:
 HUMPBACK WHALE (MEGAPTERA NOVAEANGLIAE): EASTERN NORTH PACIFIC STOCK
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details:

<http://www.nmfs.noaa.gov/pr/sars/species.htm#largewhales> (Contact the site webmaster if this URL is no longer active.)

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NATIONAL MARINE FISHERIES SERVICE (NMFS)

Publication_Date: 2005

Title: BLUE WHALE (BALAENOPTERA MUSCULUS): EASTERN NORTH PACIFIC STOCK

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

<http://www.nmfs.noaa.gov/pr/sars/species.htm#largewhales> (Contact the site webmaster if this URL is no longer active.)

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NATIONAL MARINE FISHERIES SERVICE (NMFS)

Publication_Date: 2003

Title:

KILLER WHALE (ORCINUS ORCA): EASTERN NORTH PACIFIC OFFSHORE STOCK

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

<http://www.nmfs.noaa.gov/pr/sars/species.htm> (Contact the site webmaster if this URL is no longer active.)

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NATIONAL MARINE FISHERIES SERVICE (NMFS)

Publication_Date: 2003

Title:

PACIFIC WHITE-SIDED DOLPHIN (LAGENORYNCHUS
OBLIQUIDENS): CALIFORNIA/OREGON/WASHINGTON,
NORTHERN AND SOUTHERN STOCKS

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

<http://www.nmfs.noaa.gov/pr/sars/species.htm#largewhales> (Contact the
site webmaster if this URL is no longer active.)

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NATIONAL OCEANIC AND ATMOSPHERIC
ADMINISTRATION (NOAA)

Publication_Date: 2003

Title:

RISSE'S DOLPHIN (GRAMPUS GRISEUS): CALIFORNIA/OREGON
/WASHINGTON STOCK

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

<http://www.nmfs.noaa.gov/pr/sars/species.htm#largewhales> (Contact the
site webmaster if this URL is no longer active.)

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NPS

Publication_Date: 2007

Title: REDWOOD NATIONAL PARK RESOURCES

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: M_MAMMAL INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: ROBERTS, E. (CDF&G, EUREKA)
Publication_Date: 2007
Title: MARINE RESOURCE DISTRIBUTION AND SEASONALITY
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: M_MAMMAL INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: TINKER, T (UCSC, LONG MARINE LAB)
Publication_Date: 2005
Title: SEA OTTER SPRING CENSUSES (2003, 2004, AND 2005)
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: EMAIL
Source_Time_Period_of_Content:
Time_Period_Information:
Range_of_Dates/Times:
Beginning_Date: 2003
Ending_Date: 2005
Source_Currentness_Reference: DATE OF SURVEY
Source_Citation_Abbreviation: NONE
Source_Contribution: M_MAMMAL INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: U.S. COAST GUARD (USCG) SECTOR SAN FRANCISCO
Publication_Date: 2005
Title:
 2005 SECTOR SAN FRANCISCO-ACP 1 NORTH COAST: DEL NORTE
 COUNTY SECTION 9811
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: USCG SECTOR SAN FRANCISCO, OCTOBER 1,
 2005
Source_Scale_Denominator: VARIES
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: USGS, NOAA, MLML

Publication_Date: 2006

Title: MARINE MAMMAL, SEABIRD, AND SEA TURTLE 'ZONES' AND HOT SPOTS

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2006

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Process_Step:

Process_Description:

Three main sources of data were used to depict marine mammal distribution and seasonality for this data layer: 1) personal interviews with resource experts from National Park Service (NPS), California Department of Fish & Game (CDF&G), NOAA National Marine Fisheries Service (NMFS), and Mad River Biologists; 2) numerous published reports and maps; and 3) survey data for seal and sea lion haul outs provided by NMFS.

The above digital and/or hardcopy sources were compiled by the project biologist to create the M_MAMMAL data layer. Depending on the type of source data, three general approaches are used for compiling a biology data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the maps. If necessary, edits to the M_MAMMAL data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200812

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 6811

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 6810

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 7311

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 263191

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 7113

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, M_MAMMAL) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Northern California atlas, the number is 207), an element/layer specific number (BIRDS are layer 1,

FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: M_MAMMAL.PAT

Entity_Type_Definition:

The M_MAMMAL.PAT table contains attribute information for the vector polygons in this data set representing marine mammal distribution, haul-out sites, and rookeries. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (207), element number (4), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 2070400002*Range_Domain_Maximum:* 2070406812*Attribute:**Attribute_Label:* RARNUM*Attribute_Definition:*

An identifier that links directly to the BIORES table or the flat format BIOFILE table.

RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 207000835*Range_Domain_Maximum:* 207041096*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BIO_LUT*Entity_Type_Definition:*

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* RARNUM*Attribute_Definition:*

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 207000001*Range_Domain_Maximum:* 207001115*Attribute:**Attribute_Label:* ID*Attribute_Definition:*

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (207), element number (4), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 2070100002*Range_Domain_Maximum:* 2072200500*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BIORES*Entity_Type_Definition:*

The data table BIORES contains both biological attribute data and items necessary for

linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000001

Range_Domain_Maximum: 207001115

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density values. The field may contain counts of individual marine mammals (XX INDIV) or a range of peak counts of individuals (XX-XX INDIV). If no quantitative count data were available, the field may contain descriptive terms such as "HIGH" or "RARE". If no concentration information was available from any source, the CONC field is populated with "-". Counts were derived from a variety of surveys, and may range in date.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: alcid

Enumerated_Domain_Value_Definition: Alcid

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: amphibian

Enumerated_Domain_Value_Definition: Amphibian

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve

Enumerated_Domain_Value_Definition: Bivalve

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: cephalopod

Enumerated_Domain_Value_Definition: Cephalopod

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crab

Enumerated_Domain_Value_Definition: Crab

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diadromous

Enumerated_Domain_Value_Definition: Diadromous fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diving

Enumerated_Domain_Value_Definition: Diving bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: dolphin

Enumerated_Domain_Value_Definition: Dolphin

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: echinoderm

Enumerated_Domain_Value_Definition: Echinoderm

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_nursery

Enumerated_Domain_Value_Definition: Estuarine nursery fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* e_resident*Enumerated_Domain_Value_Definition:* Estuarine resident*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* freshwater*Enumerated_Domain_Value_Definition:* Freshwater fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* gastropod*Enumerated_Domain_Value_Definition:* Gastropod*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* gull_tern*Enumerated_Domain_Value_Definition:* Gull or tern*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* insect*Enumerated_Domain_Value_Definition:* Insect*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* kelp*Enumerated_Domain_Value_Definition:* Kelp*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* m_benthic*Enumerated_Domain_Value_Definition:* Marine benthic fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* m_pelagic*Enumerated_Domain_Value_Definition:* Marine pelagic fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* passerine*Enumerated_Domain_Value_Definition:* Passerine bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* pelagic*Enumerated_Domain_Value_Definition:* Pelagic bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* pinniped

Enumerated_Domain_Value_Definition: Pinniped

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: plant

Enumerated_Domain_Value_Definition: Plant

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: raptor

Enumerated_Domain_Value_Definition: Raptor

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sav

Enumerated_Domain_Value_Definition: Submerged aquatic vegetation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sea otter

Enumerated_Domain_Value_Definition: Sea otter

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shorebird

Enumerated_Domain_Value_Definition: Shorebird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp

Enumerated_Domain_Value_Definition: Shrimps

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sm_mammal

Enumerated_Domain_Value_Definition: Small mammal

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: turtle

Enumerated_Domain_Value_Definition: Turtle

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: ungulate

Enumerated_Domain_Value_Definition: Ungulate

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wading

Enumerated_Domain_Value_Definition: Wading bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* waterfowl*Enumerated_Domain_Value_Definition:* Waterfowl*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* whale*Enumerated_Domain_Value_Definition:* Whale*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* NHP*Attribute_Definition:* Natural Heritage Program global ranking.*Attribute_Definition_Source:* Network of Natural Heritage Program*Attribute_Domain_Values:**Codeset_Domain:**Codeset_Name:* NHP Global Conservation Status Rank*Codeset_Source:* Natural Heritage Program*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:* Date of NHP listing.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* 0*Enumerated_Domain_Value_Definition:* Date unspecified*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SEASONAL*Entity_Type_Definition:*

The data table SEASONAL contains information on the seasonal presence of each

species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value: X**Enumerated_Domain_Value_Definition: Present in May**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute:**Attribute_Label: JUN**Attribute_Definition: June**Attribute_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: X**Enumerated_Domain_Value_Definition: Present in June**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute:**Attribute_Label: JUL**Attribute_Definition: July**Attribute_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: X**Enumerated_Domain_Value_Definition: Present in July**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute:**Attribute_Label: AUG**Attribute_Definition: August**Attribute_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: X**Enumerated_Domain_Value_Definition: Present in August**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute:**Attribute_Label: SEP**Attribute_Definition: September**Attribute_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: X**Enumerated_Domain_Value_Definition: Present in September**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute:**Attribute_Label: OCT**Attribute_Definition: October**Attribute_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: X**Enumerated_Domain_Value_Definition: Present in October**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute:**Attribute_Label: NOV**Attribute_Definition: November*

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC

Attribute_Definition: December

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* MONTH*Attribute_Definition:*

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* 12*Attribute:**Attribute_Label:* BREED1*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED2*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = interesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Detailed_Description:

*Entity_Type:**Entity_Type_Label:* STATUS*Entity_Type_Definition:*

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Three-letter country abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I

Attribute_Definition: International threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORRES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Distribution_Information:**Distributor:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* John Kaperick*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6400*Contact_Facsimile_Telephone:* (206) 526-6329*Resource_Description:* ESI Atlas for Northern California*Distribution_Liability:*

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Access Personal Geodatabase, ARC export files, Shape files, and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata

document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200902

Metadata_Review_Date: 200902

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.21 on Thu Mar 19 21:03:16 2009

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: T_MAMMAL (Terrestrial Mammal Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Publication_Date: 200812

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: T_MAMMAL (Terrestrial Mammal Polygons)

Edition: Second

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Northern California

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous

Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Description:

Abstract:

This data set contains sensitive biological resource data for small mammals and elk in Northern California. Vector polygons in this data set represent terrestrial mammal distribution. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Northern California. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1998

Ending_Date: 2007

Currentness_Reference:

The biological data were compiled during 2007. The currentness dates for the data range from 1998 to 2007 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -124.45800

East_Bounding_Coordinate: -122.75000

North_Bounding_Coordinate: 37.97900

South_Bounding_Coordinate: 42.00000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Terrestrial Mammal

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Northern California

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Northern California ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003).

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in that data set: birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in ARC export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to

verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD or DVD, and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new IDs and RARNUMs or HUNUMs are also generated. The new IDs are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUMs are also modified to include the atlas number, so multiple atlases can be combined and RARNUMs remain unique. RARNUMs are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUMs are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge, hardcopy reports, and digital data on terrestrial mammal distribution. These data do not necessarily represent all terrestrial mammal occurrences in Northern California. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 8, Northern river otter, *Lontra canadensis*; 35, Roosevelt elk, *Cervus elaphus roosevelti*; 36, Beaver, *Castor canadensis*; 37, Muskrat, *Ondatra zibethicus*; 261, Point Reyes jumping mouse, *Zapus trinotatus orarius*; 262, Point Arena mountain beaver, *Aplodontia rufa nigra*.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy," and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: ALLEN, S. (NATIONAL PARK SERVICE, POINT REYES)

Publication_Date: 2005

Title:

DISTRIBUTION AND SEASONALITY OF SPECIES AND SOC_ECON
FEATURES ON NPS LANDS

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2005
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: T_MAMMAL INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: CDF&G BIOGEOGRAPHIC DATA BRANCH
Publication_Date: 2007
Title: CALIFORNIA NATURAL DIVERSITY DATABASE
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details:
<http://www.dfg.ca.gov/biogeodata/> (Contact the site webmaster if this URL is no longer active.)
Source_Scale_Denominator: VARIES
Type_of_Source_Media: CD-ROM
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: T_MAMMAL INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: CDF&G HAB CONS DIV., WHDAB
Publication_Date: 2005
Title: CALIFORNIA NATURAL DIVERSITY DATABASE (CNDDDB)
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details:
CDF&G'S HABITAT CONSERVATION DIVISION, WILDLIFE AND HABITAT DATA ANALYSIS BRANCH, SACRAMENTO, CA
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2005
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: T_MAMMAL INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: CDF&G, USCG
Publication_Date: 2005
Title:
SAN FRANCISCO GEOGRAPHIC RESPONSE AREA 1 SONOMA AND

NORTH MARIN COAST

Geospatial_Data_Presentation_Form: HARDCOPY TEXT*Other_Citation_Details*: ACP 2 SF BAY & DELTA - GRA 1*Type_of_Source_Media*: DISC*Source_Time_Period_of_Content*:*Time_Period_Information*:*Single_Date/Time*:*Calendar_Date*: 2005*Source_Currentness_Reference*: DATE OF PUBLICATION*Source_Citation_Abbreviation*: NONE*Source_Contribution*: T_MAMMAL INFORMATION*Source_Information*:*Source_Citation*:*Citation_Information*:*Originator*: DAYTON, J. (CDF&G)*Publication_Date*: 2007*Title*: FISH, WILDLIFE, AND HABITAT DISTRIBUTION IN NORTHERN CALIFORNIA*Geospatial_Data_Presentation_Form*: EXPERT KNOWLEDGE*Other_Citation_Details*: UNPUBLISHED*Type_of_Source_Media*: PERSONAL COMMUNICATION*Source_Time_Period_of_Content*:*Time_Period_Information*:*Single_Date/Time*:*Calendar_Date*: 2007*Source_Currentness_Reference*: DATE OF COMMUNICATION*Source_Citation_Abbreviation*: NONE*Source_Contribution*: T_MAMMAL INFORMATION*Source_Information*:*Source_Citation*:*Citation_Information*:*Originator*: DEUEL, B. (CDF&G, REDDING)*Publication_Date*: 2007*Title*:

BIRD AND MAMMAL DISTRIBUTION AND SEASONALITY IN NORTHERN CALIFORNIA

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE*Other_Citation_Details*: UNPUBLISHED*Type_of_Source_Media*: PERSONAL COMMUNICATION*Source_Time_Period_of_Content*:*Time_Period_Information*:*Single_Date/Time*:*Calendar_Date*: 2007*Source_Currentness_Reference*: DATE OF COMMUNICATION*Source_Citation_Abbreviation*: NONE*Source_Contribution*: T_MAMMAL INFORMATION*Source_Information*:*Source_Citation*:*Citation_Information*:*Originator*: HARRIS, JAY (CSP, EUREKA)*Publication_Date*: 2007*Title*: CALIFORNIA STATE PARK RESOURCES

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: T_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: STEELE, D.T. AND L. LITMAN

Publication_Date: 1998

Title:

RECOVERY PLAN FOR THE POINT ARENA MOUNTAIN BEAVER
(APLODONTIA RUFA NIGRA)

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: REGION 1, USFWS, PORTLAND, OREGON

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1998

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: T_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: USCG SECTOR SAN FRANCISCO

Publication_Date: 2005

Title:

2005 SECTOR SAN FRANCISCO-ACP 1 NORTH COAST: HUMBOLDT
BAY SECTION 9813

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: USCG SECTOR SAN FRANCISCO, OCTOBER 1,
2005

Source_Scale_Denominator: VARIES

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: T_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: USCG SECTOR SAN FRANCISCO

Publication_Date: 2005

Title:

2005 SECTOR SAN FRANCISCO-ACP 1 NORTH COAST: DEL NORTE COUNTY SECTION 9811

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: USCG SECTOR SAN FRANCISCO, OCTOBER 1, 2005

Source_Scale_Denominator: VARIES

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: T_MAMMAL INFORMATION

Process_Step:

Process_Description:

Three main sources of data were used to depict terrestrial mammal distribution and seasonality for this data layer: 1) personal interviews with resource experts from California Department of Fish & Game (CDF&G), California State Parks (CSP), and National Park Service (NPS); 2) published reports; and 3) the California Natural Diversity Database (CNDDDB) provided by CDF&G.

The above digital and/or hardcopy sources were compiled by the project biologist to create the T_MAMMAL data layer. Depending on the type of source data, three general approaches are used for compiling a biology data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the maps. If necessary, edits to the T_MAMMAL data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200812

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 73

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 72

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 101

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 23357

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 97

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, T_MAMMAL) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Northern California atlas, the number is 207), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the

geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: T_MAMMAL.PAT

Entity_Type_Definition:

The T_MAMMAL.PAT table contains attribute information for the vector polygons in this data set representing terrestrial mammal distribution. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (207), element number (9), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 2070900002

Range_Domain_Maximum: 2070900070

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table.

RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207001105

Range_Domain_Maximum: 207001115

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000001

Range_Domain_Maximum: 207001115

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (207), element number (9), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 2070100002

Range_Domain_Maximum: 2072200500

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000001

Range_Domain_Maximum: 207001115

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density values. No concentration data were available for terrestrial mammals, so the CONC field is populated with "-".

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in

the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SPECIES*Entity_Type_Definition:*

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* NAME*Attribute_Definition:* Species common name for the entire ESI data set.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* GEN_SPEC*Attribute_Definition:* Species scientific name for the entire ESI data set.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:*

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: alcid

Enumerated_Domain_Value_Definition: Alcid

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: amphibian

Enumerated_Domain_Value_Definition: Amphibian

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve

Enumerated_Domain_Value_Definition: Bivalve

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: cephalopod

Enumerated_Domain_Value_Definition: Cephalopod

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crab

Enumerated_Domain_Value_Definition: Crab

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diadromous

Enumerated_Domain_Value_Definition: Diadromous fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diving

Enumerated_Domain_Value_Definition: Diving bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: dolphin

Enumerated_Domain_Value_Definition: Dolphin

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: echinoderm

Enumerated_Domain_Value_Definition: Echinoderm

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_nursery

Enumerated_Domain_Value_Definition: Estuarine nursery fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_resident

Enumerated_Domain_Value_Definition: Estuarine resident

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: freshwater

Enumerated_Domain_Value_Definition: Freshwater fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gastropod

Enumerated_Domain_Value_Definition: Gastropod

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gull_tern

Enumerated_Domain_Value_Definition: Gull or tern

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: insect

Enumerated_Domain_Value_Definition: Insect

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: kelp

Enumerated_Domain_Value_Definition: Kelp

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_benthic

Enumerated_Domain_Value_Definition: Marine benthic fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_pelagic

Enumerated_Domain_Value_Definition: Marine pelagic fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: passerine

Enumerated_Domain_Value_Definition: Passerine bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: pelagic

Enumerated_Domain_Value_Definition: Pelagic bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: pinniped

Enumerated_Domain_Value_Definition: Pinniped

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: plant

Enumerated_Domain_Value_Definition: Plant

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: raptor

Enumerated_Domain_Value_Definition: Raptor

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sav

Enumerated_Domain_Value_Definition: Submerged aquatic vegetation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sea otter

Enumerated_Domain_Value_Definition: Sea otter

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shorebird

Enumerated_Domain_Value_Definition: Shorebird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp

Enumerated_Domain_Value_Definition: Shrimps

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sm_mammal

Enumerated_Domain_Value_Definition: Small mammal

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: turtle

Enumerated_Domain_Value_Definition: Turtle

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: ungulate

Enumerated_Domain_Value_Definition: Ungulate

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wading

Enumerated_Domain_Value_Definition: Wading bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl

Enumerated_Domain_Value_Definition: Waterfowl

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: whale

Enumerated_Domain_Value_Definition: Whale

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking.

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank

Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Date unspecified

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* SEASON_ID*Attribute_Definition:*

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:*

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value: X**Enumerated_Domain_Value_Definition: Present in June**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute:**Attribute_Label: JUL**Attribute_Definition: July**Attribute_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: X**Enumerated_Domain_Value_Definition: Present in July**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute:**Attribute_Label: AUG**Attribute_Definition: August**Attribute_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: X**Enumerated_Domain_Value_Definition: Present in August**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute:**Attribute_Label: SEP**Attribute_Definition: September**Attribute_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: X**Enumerated_Domain_Value_Definition: Present in September**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute:**Attribute_Label: OCT**Attribute_Definition: October**Attribute_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: X**Enumerated_Domain_Value_Definition: Present in October**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute:**Attribute_Label: NOV**Attribute_Definition: November**Attribute_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: X**Enumerated_Domain_Value_Definition: Present in November**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute:**Attribute_Label: DEC**Attribute_Definition: December*

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

*Range_Domain_Maximum: 12**Attribute:**Attribute_Label: BREED1**Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

*Attribute_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: Y**Enumerated_Domain_Value_Definition: Life-history stage or activity present**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: N**Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: -**Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

*Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute:**Attribute_Label: BREED2**Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

*Attribute_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: Y**Enumerated_Domain_Value_Definition: Life-history stage or activity present**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: N**Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: -**Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Three-letter country abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I

Attribute_Definition: International threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORRES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Northern California

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Access Personal Geodatabase, ARC export files, Shape files, and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200902

Metadata_Review_Date: 200902

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.21 on Thu Mar 19 21:17:25 2009

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: HABITATS (Habitat Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Publication_Date: 200812

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Northern California: HABITATS (Habitat Polygons)

Edition: Second

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Northern California

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous

Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Description:

Abstract:

This data set contains sensitive biological resource data for kelp, eelgrass, and terrestrial plants in Northern California. Vector polygons in this data set represent eelgrass, kelp, and plant distribution. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Northern California. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1994

Ending_Date: 2007

Currentness_Reference:

The biological data were compiled during 2007. The currentness dates for the data range from 1994 to 2007 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -124.45800

East_Bounding_Coordinate: -122.75000

North_Bounding_Coordinate: 37.97900

South_Bounding_Coordinate: 42.00000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Habitats

Theme_Keyword: Plants

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Northern California

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Northern California ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division (formerly Hazardous Materials Response Division), Seattle, Washington and Assessment and Restoration Division, Silver Spring, Maryland; Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.; and Department of Fish and Game, Office of Spill Prevention and Response, Sacramento, California.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003).

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in that data set: birds.e00esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in ARC export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above *Attribute_Accuracy_Report*, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD or DVD, and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new IDs and RARNUMs or HUNUMs are also generated. The new IDs are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUMs are also modified to include the atlas number, so multiple atlases can be combined and RARNUMs remain unique. RARNUMs are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUMs are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge, maps, and digital data on eelgrass, kelp, and plant distribution. These data do not necessarily represent all habitats occurrences in Northern California. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 1, Eelgrass, *Zostera marina*; 9, Giant kelp, *Macrocystis pyrifera*; 774, Marsh pea, *Lathyrus palustris*; 860, Oregon Coast Indian paintbrush, *Castilleja affinis* ssp. *litoralis*; 861, Mendocino Coast Indian paintbrush, *Castilleja mendocinensis*; 862, Pink sand verbena, *Abronia umbellata* ssp. *breviflora*; 863, Beach pea, *Lathyrus japonicus*; 864, Sanddune phacelia, *Phacelia argentea*; 865, Dark-eyed gilia, *Gilia millefoliata*; 866, Pacific gilia, *Gilia capitata* ssp. *pacifica*; 867, Marsh violet, *Viola palustris*; 868, Langsdorf's violet, *Viola langsdorffii*; 1056, Kelp, n/a.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. See the *Lineage* and *Process_Description* sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy," and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: ALLEN, S. (NATIONAL PARK SERVICE, POINT REYES)

Publication_Date: 2005

Title:

DISTRIBUTION AND SEASONALITY OF SPECIES AND SOC_ECON
FEATURES ON NPS LANDS

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: HABITATS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: BROWN, D. (PRNS, POINT REYES STATION)

Publication_Date: 2007

Title: EELGRASS_TOMALES_2005

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: POINT REYES STATION, CA

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: HABITATS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

CALIFORNIA STATE PARKS (CSP) NORTH COAST REDWOODS
DISTRICT (NCRD)

Publication_Date: 2005

Title:

MAPS OF SPECIAL STATUS SPECIES, REC ACTIVITIES, AND MGT
ISSUES AT CSP NCRD STATE PARKS

Geospatial_Data_Presentation_Form: HARDCOPY MAP

Other_Citation_Details: CSP NORTH COAST REDWOOD DISTRICT

Source_Scale_Denominator: 10,000-20,000

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: HABITATS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CALIFORNIA DEPT. OF FISH AND GAME (CDF&G)

Publication_Date: 2004

Title: NORTH BAY BEDS
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: CDF&G, EUREKA, CA
Type_of_Source_Media: EMAIL
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2000
Source_Currentness_Reference: DATE OF SURVEY
Source_Citation_Abbreviation: NONE
Source_Contribution: HABITATS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: CDF&G
Publication_Date: 2007
Title: MID CHANNEL BEDS
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: CDF&G, EUREKA
Type_of_Source_Media: EMAIL
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2000
Source_Currentness_Reference: DATE OF SURVEY
Source_Citation_Abbreviation: NONE
Source_Contribution: HABITATS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: CDF&G
Publication_Date: 2007
Title: SOUTH BAY EELGRASS POLYGONS
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: CDF&G, EUREKA
Type_of_Source_Media: EMAIL
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2000
Source_Currentness_Reference: DATE OF SURVEY
Source_Citation_Abbreviation: NONE
Source_Contribution: HABITATS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: CDF&G
Publication_Date: 2006
Title:
 KELP 2005, 2004-KELP-ALL, 2003 TOTAL KELP SURVEY, 2002
 TOTAL KELP SURVEY
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: CDF&G, LOS ALAMITOS, CA
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Range_of_Dates/Times:
Beginning_Date: 2002
Ending_Date: 2005
Source_Currentness_Reference: DATE OF SURVEY
Source_Citation_Abbreviation: NONE
Source_Contribution: HABITATS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: COX, B. (CDF&G)
Publication_Date: 2007
Title:
 FISH, INVERTS, AND HABITATS IN SONOMA/MARIN COUNTY
 STREAMS AND ESTUARIES
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: HABITATS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: DAYTON, J. (CDF&G)
Publication_Date: 2007
Title: FISH, WILDLIFE, AND HABITAT DISTRIBUTION IN NORTHERN
 CALIFORNIA
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: HABITATS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: FREY, V. (CDF&G, EUREKA)
Publication_Date: 2007
Title:
 MARINE RESOURCE DISTRIBUTION AND SEASONALITY IN

NORTHERN CALIFORNIA

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE*Other_Citation_Details*: UNPUBLISHED*Type_of_Source_Media*: PERSONAL COMMUNICATION*Source_Time_Period_of_Content*:*Time_Period_Information*:*Single_Date/Time*:*Calendar_Date*: 2007*Source_Currentness_Reference*: DATE OF COMMUNICATION*Source_Citation_Abbreviation*: NONE*Source_Contribution*: HABITATS INFORMATION*Source_Information*:*Source_Citation*:*Citation_Information*:*Originator*: MELLO, J. (CDF&G, EUREKA)*Publication_Date*: 2007*Title*:MARINE RESOURCE DISTRIBUTION AND SEASONALITY IN
NORTHERN CALIFORNIA*Geospatial_Data_Presentation_Form*: EXPERT KNOWLEDGE*Other_Citation_Details*: UNPUBLISHED*Type_of_Source_Media*: PERSONAL COMMUNICATION*Source_Time_Period_of_Content*:*Time_Period_Information*:*Single_Date/Time*:*Calendar_Date*: 2007*Source_Currentness_Reference*: DATE OF COMMUNICATION*Source_Citation_Abbreviation*: NONE*Source_Contribution*: HABITATS INFORMATION*Source_Information*:*Source_Citation*:*Citation_Information*:*Originator*: RESEARCH PLANNING, INC.*Publication_Date*: 1994*Title*:SENSITIVITY OF COASTAL ENVIRONMENTS AND WILDLIFE TO
SPILLED OIL: CENTRAL CA*Geospatial_Data_Presentation_Form*: ATLAS*Other_Citation_Details*: CDF&G OSPR AND NOAA, 41 MAPS*Source_Scale_Denominator*: 46,500*Type_of_Source_Media*: PAPER*Source_Time_Period_of_Content*:*Time_Period_Information*:*Single_Date/Time*:*Calendar_Date*: 1994*Source_Currentness_Reference*: DATE OF PUBLICATION*Source_Citation_Abbreviation*: NONE*Source_Contribution*: HABITATS INFORMATION*Source_Information*:*Source_Citation*:*Citation_Information*:*Originator*:

ROLETTO, J. (NOAA, Gulf of the Farallones National Marine Sanctuary)

Publication_Date: 2005

Title:

DISTRIBUTION AND SEASONALITY OF GFNMS SPECIES AND
SOC_ECON FEATURES

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: HABITATS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: TERRALOGIC GIS, INC.

Publication_Date: 2005

Title:

ALTERNATIVE B.3 OF THE PACIFIC COAST GROUND FISH
ESSENTIAL FISH HABITAT (EFH) DRAFT EIS (CANOPY KELP
HAPC)

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: NORTHWEST MARINE FISHERIES SERVICE,
NORTHWEST REGION

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: HABITATS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: THE GOLD RIDGE RESOURCE CONSERVATION DISTRICT

Publication_Date: 2007

Title: THE ESTERO AMERICANO WATERSHED MANAGEMENT PLAN

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details: SWRCB CONTRACT NO. 03-138-250-1

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: HABITATS INFORMATION

Process_Step:

Process_Description:

Three main sources of data were used to depict habitat distribution and seasonality for this data layer: 1) personal interviews with resource experts from California Department of Fish & Game (CDF&G), National Park Service (NPS), and NOAA; 2) maps and reports provided by California State Parks (CSP) and other agencies; and 3) digital data sets provided by CDF&G, National Marine Fisheries Service (NMFS), and NPS.

The above digital and/or hardcopy sources were compiled by the project biologist to create the HABITATS data layer. Depending on the type of source data, three general approaches are used for compiling a biology data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the maps. If necessary, edits to the HABITATS data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200812

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 8370

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 8369

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 9322

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 1004281

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 9303

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, HABITATS) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Northern California atlas, the number is 207), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned,

BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: HABITATS.PAT

Entity_Type_Definition:

The HABITATS.PAT table contains attribute information for the vector polygons in this data set representing eelgrass, kelp, and plant distribution. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (207), element number (3), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 2070300002

Range_Domain_Maximum: 2070308370

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000718

Range_Domain_Maximum: 207000739

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes

the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000001

Range_Domain_Maximum: 207001115

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (207), element number (3), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 2070100002

Range_Domain_Maximum: 2072200500

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 207000001

Range_Domain_Maximum: 207001115

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* CONC*Attribute_Definition:*

The field CONC refers to "concentration," abundance, or density value of a habitat at a particular location. No quantitative or qualitative information on concentrations of eelgrass, kelp, or terrestrial plants were available, so this field is populated with "-".

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* SEASON_ID*Attribute_Definition:*

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* G_SOURCE*Attribute_Definition:*

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* S_SOURCE*Attribute_Definition:*

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:*

*Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Range_Domain:*

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SUBELEMENT*Attribute_Definition:* Element subgroup delineating a logical grouping of species.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* alcid*Enumerated_Domain_Value_Definition:* Alcid*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* amphibian*Enumerated_Domain_Value_Definition:* Amphibian*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* bivalve*Enumerated_Domain_Value_Definition:* Bivalve*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* cephalopod*Enumerated_Domain_Value_Definition:* Cephalopod*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* crab*Enumerated_Domain_Value_Definition:* Crab

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diadromous

Enumerated_Domain_Value_Definition: Diadromous fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diving

Enumerated_Domain_Value_Definition: Diving bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: dolphin

Enumerated_Domain_Value_Definition: Dolphin

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: echinoderm

Enumerated_Domain_Value_Definition: Echinoderm

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_nursery

Enumerated_Domain_Value_Definition: Estuarine nursery fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_resident

Enumerated_Domain_Value_Definition: Estuarine resident

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: freshwater

Enumerated_Domain_Value_Definition: Freshwater fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gastropod

Enumerated_Domain_Value_Definition: Gastropod

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gull_tern

Enumerated_Domain_Value_Definition: Gull or tern

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: insect

Enumerated_Domain_Value_Definition: Insect

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* kelp*Enumerated_Domain_Value_Definition:* Kelp*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* m_benthic*Enumerated_Domain_Value_Definition:* Marine benthic fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* m_pelagic*Enumerated_Domain_Value_Definition:* Marine pelagic fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* passerine*Enumerated_Domain_Value_Definition:* Passerine bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* pelagic*Enumerated_Domain_Value_Definition:* Pelagic bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* pinniped*Enumerated_Domain_Value_Definition:* Pinniped*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* plant*Enumerated_Domain_Value_Definition:* Plant*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* raptor*Enumerated_Domain_Value_Definition:* Raptor*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* sav*Enumerated_Domain_Value_Definition:* Submerged aquatic vegetation*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* sea otter*Enumerated_Domain_Value_Definition:* Sea otter*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* shorebird

Enumerated_Domain_Value_Definition: Shorebird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp

Enumerated_Domain_Value_Definition: Shrimps

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sm_mammal

Enumerated_Domain_Value_Definition: Small mammal

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: turtle

Enumerated_Domain_Value_Definition: Turtle

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: ungulate

Enumerated_Domain_Value_Definition: Ungulate

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wading

Enumerated_Domain_Value_Definition: Wading bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl

Enumerated_Domain_Value_Definition: Waterfowl

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: whale

Enumerated_Domain_Value_Definition: Whale

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking.

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank

Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Date unspecified

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value: X**Enumerated_Domain_Value_Definition: Present in February**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute:**Attribute_Label: MAR**Attribute_Definition: March**Attribute_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: X**Enumerated_Domain_Value_Definition: Present in March**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute:**Attribute_Label: APR**Attribute_Definition: April**Attribute_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: X**Enumerated_Domain_Value_Definition: Present in April**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute:**Attribute_Label: MAY**Attribute_Definition: May**Attribute_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: X**Enumerated_Domain_Value_Definition: Present in May**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute:**Attribute_Label: JUN**Attribute_Definition: June**Attribute_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: X**Enumerated_Domain_Value_Definition: Present in June**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute:**Attribute_Label: JUL**Attribute_Definition: July**Attribute_Definition_Source: Research Planning, Inc.**Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value: X**Enumerated_Domain_Value_Definition: Present in July**Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.**Attribute:**Attribute_Label: AUG**Attribute_Definition: August*

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in September

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT

Attribute_Definition: October

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in October

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV

Attribute_Definition: November

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC

Attribute_Definition: December

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED2*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED3*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:*

*Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED4*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED5*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Three-letter country abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: T
 Enumerated_Domain_Value_Definition: Threatened on state list
 Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: C
 Enumerated_Domain_Value_Definition: Species of Special Concern
 Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines
Attribute:
 Attribute_Label: F
 Attribute_Definition: Federal threatened or endangered status.
 Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: E
 Enumerated_Domain_Value_Definition: Endangered on federal list
 Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: T
 Enumerated_Domain_Value_Definition: Threatened on federal list
 Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: C
 Enumerated_Domain_Value_Definition: Species of Special Concern
 Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines
Attribute:
 Attribute_Label: I
 Attribute_Definition: International threatened or endangered status.
 Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: E
 Enumerated_Domain_Value_Definition: Endangered on international list
 Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: T
 Enumerated_Domain_Value_Definition: Threatened on international list
 Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: C
 Enumerated_Domain_Value_Definition: Species of Special Concern
 Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines
Attribute:
 Attribute_Label: S_DATE
 Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

*Contact_Person_Primary:**Contact_Person:* John Kaperick*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6400*Contact_Facsimile_Telephone:* (206) 526-6329*Resource_Description:* ESI Atlas for Northern California*Distribution_Liability:*

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:


Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Access Personal Geodatabase, ARC export files, Shape files, and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

*Metadata_Reference_Information:**Metadata_Date:* 200902*Metadata_Review_Date:* 200902*Metadata_Contact:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* Jill Petersen*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Position:* GIS Manager*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6944*Contact_Facsimile_Telephone:* (206) 526-6329*Contact_Electronic_Mail_Address:* Jill.Petersen@noaa.gov*Metadata_Standard_Name:* Content Standards for Digital Geospatial Metadata*Metadata_Standard_Version:* FGDC-STD-001-1998

Northern California ESI

Entity Relationship Diagram for the Relational Data Tables

Relationships between spatial data layers and relational data tables



Northern California ESI

Entity Relationship Diagram for the Desktop/Flat File Approach

Relationships between spatial data layers and desktop data tables

