

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: BIRDS (Bird Polygons)

Metadata also available as - [\[Parseable text\]](#) - [\[SGML\]](#) - [\[XML\]](#)

Metadata:

- [Identification_Information](#)
 - [Data_Quality_Information](#)
 - [Spatial_Data_Organization_Information](#)
 - [Spatial_Reference_Information](#)
 - [Entity_and_Attribute_Information](#)
 - [Distribution_Information](#)
 - [Metadata_Reference_Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington.

Publication_Date: 201405

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: BIRDS (Bird Polygons)

Edition: Second

Geospatial_Data_Presentation_Form: vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Lower Mississippi River

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

NOAA's Ocean Service, Office of Response and Restoration (OR&R), Emergency Response Division (ERD).

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and

Description:

Abstract:

This data set contains sensitive biological resource data for wading birds, shorebirds, waterfowl, raptors, diving birds, pelagic birds, passerine birds, gulls and terns for the Lower Mississippi River. Vector polygons in this data set represent bird nesting, migratory, wintering and general distribution. Species specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer. This data set comprises a portion of the ESI data for Lower Mississippi River. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the NESTS data layer, part of the larger Lower Mississippi River ESI database, for additional bird information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1997
Ending_Date: 2014

Currentness_Reference:

The data were compiled during 2014. The currentness dates for this data range from 1997 to 2014 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -91.70600
East_Bounding_Coordinate: -90.37500
North_Bounding_Coordinate: 31.02700
South_Bounding_Coordinate: 29.93600

Keywords:

Theme:

Theme_Keyword_Thesaurus: ISO 19115 Topic Category
Theme_Keyword: biota
Theme_Keyword: environment

Theme:

Theme_Keyword_Thesaurus: None
Theme_Keyword: Environmental Monitoring
Theme_Keyword: ESI
Theme_Keyword: Sensitivity maps
Theme_Keyword: Coastal resources
Theme_Keyword: Oil spill planning
Theme_Keyword: Coastal Zone Management
Theme_Keyword: Wildlife
Theme_Keyword: Bird

Place:

Place_Keyword_Thesaurus: None
Place_Keyword: Lower Mississippi River

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Management boundaries are not to be considered legal boundaries. Edges may have been altered for cartographic processes. Besides the above warnings, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Browse_Graphic:

Browse_Graphic_File_Name: datafig2.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and desktop data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington, and The Department of Homeland Security, United States Coast Guard Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(R) (version 10.2) and SQL SERVER(R) (version 2005). The hardware configuration is PC's

with Windows Operating System 7.

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in the data set: birds.e00, esil.e00, esip.e00, fish.e00, hydro.e00, index.e00, invert.e00, mgt.e00, nests.e00, reptiles.e00, rivermiles.e00, socecon.e00, and t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut.e00, biofile.e00, biores.e00, breed.e00, breed_dt.e00, seasonal.e00, soc_dat.e00, soc_lut.e00, sources.e00, species.e00, and status.e00.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary node, etc.), and SQL SERVER(R) to ARC/INFO(R) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resources at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge, published and unpublished reports, published literature, survey data, maps, and digital data on bird nesting, migratory, wintering and general distribution. See also the NESTS data layer, part of the larger Lower Mississippi River ESI database, for additional bird information. These data do not necessarily represent all bird occurrences in Lower Mississippi River. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 8, Double-crested cormorant, Phalacrocorax auritus; 16, Mallard, Anas platyrhynchos; 17, Northern pintail, Anas acuta; 18, Green-winged teal, Anas crecca; 20, Northern shoveler, Anas clypeata; 21, Canvasback, Aythya valisineria; 23, Lesser scaup, Aythya affinis; 34, American coot, Fulica americana; 58, Greater yellowlegs, Tringa melanoleuca; 59, Lesser yellowlegs, Tringa flavipes; 62, Least sandpiper, Calidris minutilla; 70, Killdeer, Charadrius vociferus; 76, Bald eagle, Haliaeetus leucocephalus; 77, Osprey, Pandion haliaetus; 87, Little blue heron, Egretta caerulea; 88, Great egret, Ardea alba; 89, Snowy egret, Egretta thula; 91, Glossy ibis, Plegadis falcinellus; 93, Cattle egret, Bubulcus ibis; 98, Laughing gull, Larus atricilla; 115, White ibis, Eudocimus albus; 116, Roseate

spoonbill, *Ajaia ajaja*; 132, Wood stork, *Mycteria americana*; 136, Caspian tern, *Hydroprogne caspia*; 138, Forster's tern, *Sterna forsteri*; 142, Black-necked stilt, *Himantopus mexicanus*; 149, White-faced ibis, *Plegadis chihi*; 162, Gadwall, *Anas strepera*; 169, American wigeon, *Anas americana*; 173, American white pelican, *Pelecanus erythrorhynchos*; 180, Ring-necked duck, *Aythya collaris*; 190, Blue-winged teal, *Anas discors*; 191, Wood duck, *Aix sponsa*; 198, Hooded merganser, *Lophodytes cucullatus*; 211, Mottled duck, *Anas fulvigula*; 266, Black-bellied whistling-duck, *Dendrocygna autumnalis*; 286, Dowitchers, *Limnodromus spp.*; 299, Scaup, *Aythya spp.*; 325, Neotropic cormorant, *Phalacrocorax brasiliensis*; 596, Purple martin, *Progne subis*; 737, Prothonotary warbler, *Protonotaria citrea*; 905, Interior least tern, *Sternula antillarum athalassos*; 907, Rusty blackbird, *Euphagus carolinus*; 1001, Gulls, n/a; 1002, Shorebirds, n/a; 1003, Waterfowl, n/a; 1004, Wading birds, n/a; 1005, Raptors, n/a; 1006, Diving birds, n/a; 1008, Terns, n/a; 1017, Sandpipers, n/a; 1018, Passerine birds, n/a; 1021, Ducks, n/a; 1037, Cormorants, *Phalacrocorax spp.*; 1040, Marsh birds, n/a.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator:

BARATARIA-TERREBONNE NATIONAL ESTUARY PROGRAM (BTNEP) -
RICHARD DEMAY

Publication_Date: 2008

Title: SEASONAL ABUNDANCE OF BIRDS IN SOUTHEAST LOUISIANA

Geospatial_Data_Presentation_Form: DOCUMENT

Publication_Information:

Publication_Place: THIBODAUX, LA

Publisher: BARATARIA-TERREBONNE NATIONAL ESTUARY PROGRAM

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2008

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LORENZ, N. (LOUISIANA NATURAL HERITAGE PROGRAM, LNHP)

Publication_Date: 2013

Title: LOUISIANA NESTING BIRD SEASONALITIES

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2013

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA AUDUBON - ERIK JOHNSON AND MELANIE DRISCOLL

Publication_Date: 2014

Title: BIRDS IN THE MISSISSIPPI RIVER ALLUVIAL VALLEY

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2014

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA AUDUBON - MELANIE DRISCOLL

Publication_Date: 2013

Title:

DISTRIBUTION AND ABUNDANCE OF BIRDS IN LOUISIANA
IMPORTANT BIRD AREAS

Geospatial_Data_Presentation_Form: SPREADSHEET

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2013

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

LOUISIANA DEPARTMENT OF WILDLIFE AND FISHERIES (LDWF) -
LARRY REYNOLDS

Publication_Date: 2013

Title: MIDWINTER WATERFOWL SURVEY

Geospatial_Data_Presentation_Form: TABULAR DIGITAL DATA

Other_Citation_Details:

UNPUBLISHED, DATA ANALYSIS PERFORMED BY MIKE BRASHER,
GULF COAST JOINT VENTURE

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1997

Ending_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

LOUISIANA DEPARTMENT OF WILDLIFE AND FISHERIES (LDWF) -
LARRY REYNOLDS (WATERFOWL SURVEY LEADER)

Publication_Date: 2013

Title: LOUISIANA WATERFOWL

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2013

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA NATURAL HERITAGE PROGRAM (LNHP)

Publication_Date: 2014

Title: BALD EAGLE DISTRIBUTION IN LOUISIANA

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2014

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA NATURAL HERITAGE PROGRAM (LNHP)

Publication_Date: 2014

Title: COLONIAL WATERBIRD NESTING AREAS IN LOUISIANA

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2014

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA NATURAL HERITAGE PROGRAM (LNHP)

Publication_Date: 2014

Title: INTERIOR LEAST TERN CRITICAL HABITAT, CREATED BY LNHP

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2014

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: MICHOT, TOMMY (UNIVERSITY OF LOUISIANA - LAFAYETTE)

Publication_Date: 2013

Title: AMERICAN WHITE PELICAN LOCATIONS

Geospatial_Data_Presentation_Form: SPREADSHEET

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1997

Ending_Date: 1998

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. FISH AND WILDLIFE SERVICE (USFWS) - PAUL HARTFIELD

Publication_Date: 2014

Title:

LOWER MISSISSIPPI RIVER RESOURCES - LEAST TERN AND PALLID STURGEON

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2014

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: eBird

Publication_Date: 2012

Title:

EBIRD: AN ONLINE DATABASE OF BIRD DISTRIBUTION AND ABUNDANCE (WEB APPLICATION)

Geospatial_Data_Presentation_Form: SPREADSHEET

Publication_Information:

Publication_Place: ITHACA, NY

Publisher: CORNELL LAB OF ORNITHOLOGY

Other_Citation_Details: Accessed: APRIL 1-3, 2014

Online_Linkage: <<http://www.ebird.org>>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2004

Ending_Date: 2013

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Process_Step:

Process_Description:

Three main sources of data were used to depict bird distribution and seasonality for this data layer: 1) interviews conducted via teleconference, phone, and email with resource experts from: Barataria-Terrebonne National Estuary Program (BTNEP), LDWF-Louisiana Natural Heritage Program (LNHP), Louisiana Audubon, U.S. Fish and Wildlife Service (USFWS); 2) reports, published literature, and books and; 3) survey data and vector digital data provided by: BTNEP, LDWF, LDWF-LNHP, Louisiana Audubon, eBird, and USFWS. Interior least tern - LNHP provided a polygon representing the distribution of interior least tern during the nesting season. Nesting waterbird colonies - LNHP provided a polygonal waterbird nesting colony dataset based on 2004-2011 nesting survey data. These data were delivered as 1-mile grid cells; if any nesting colonies fell within a grid cell, it is mapped as a nesting polygon. The tabular information includes generalized species groups (cormorants, wading birds) with aggregated counts per species group per grid, or group of connected grids. Wetland-associated waterfowl – Waterfowl density data in coastal marshes were provided by LDWF with analytical assistance from the Gulf Coast Joint Venture (GCJV). LDWF conducts aerial waterfowl surveys of coastal Louisiana using 27 systematically placed N-S transect lines in September, November, December, and January. Ducks are counted by habitat type (agricultural/swamp, fresh marsh, intermediate marsh, brackish marsh, and salt marsh) along

transects. LDWF and GCJV derived waterfowl densities by habitat types as defined by the habitat map of coastal LA (Sasser et al. 2008) The maximum density of each species in each habitat in each region, observed from 1997-2010, was mapped in the ESI using the habitat boundaries from Sasser et al. (2008). Of the habitats mapped, only fresh marsh occurs in the Lower Mississippi River ESI area of interest. Bald Eagles - LNHP provided a generalized polygon that represents bald eagle nesting habitat for the area of interest. Habitat-based polygons - Information from eBird and expert opinion from Louisiana Audubon was used to delineate the following areas and derive corresponding species lists and concentrations: Bonnet Carre and Morganza spillways, riverine sandbars, and river bend wetlands. Polygons were also delineated for the Mississippi river and outlying wetlands representing the upper reaches of the Maurepas swamp, Barataria-Terrebonne basin, and Atchafalaya basin. Species lists were derived from eBird survey data and adjusted based on expert knowledge provided by Louisiana Audubon. The LDWF-LNHP provided information for some of the federally and state listed species and species of conservation concern for display in the ESI atlas and accompanying digital data in 2014. The available LNHP data sets are to be used for oil spill response and spill response planning only. These data represent existing information known to the LNHP at the time of the request and should never be substituted for consultation with the LNHP.

The above digital and/or hardcopy sources were compiled by the project biologist to create the BIRDS data layer. Depending on the type of source data, three general approaches are used for compiling the data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The ESI, biology, and human-use data are compiled into the standard ESI digital data format. A second set of interviews with participating resource experts are conducted to review the compiled data. If necessary, edits to the BIRDS data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 201405

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector
Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains
Point_and_Vector_Object_Count: 516

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point
Point_and_Vector_Object_Count: 515

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain
Point_and_Vector_Object_Count: 1025

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link
Point_and_Vector_Object_Count: 105949

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph
Point_and_Vector_Object_Count: 728

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001
Longitude_Resolution: 0.0000001
Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983
Ellipsoid_Name: Geodetic Reference System 80
Semi-major_Axis: 6378137.000000
Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, BIRDS) is linked to the Biological Resources table (BIORES) using the unique ID and the

lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Lower Mississippi River atlas, the number is 233), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure. Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item. A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram describing relationships between attribute tables in the ESI data structure does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Entity_and_Attribute_Detail_Citation:

A complete description of entity types, attributes, and attribute values for ESI atlases can be found in the NOAA ESI Guidelines (http://response.restoration.noaa.gov/esi_guidelines).

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIRDS.PAT

Entity_Type_Definition:

The BIRDS.PAT table contains attribute information for the vector polygons in this data set representing bird nesting, migratory, wintering and general distribution. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (233), element number (1), and record

number. ID values of 9999 are holes in polygons and do not contain information.
Attribute_Definition_Source: NOAA
Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"
Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: RARNUM
Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table.
RARNUM values of 0 are holes in the polygons and do not contain information.

Attribute_Definition_Source: NOAA
Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"
Range_Domain_Maximum: "NEED TO ADD"

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT
Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: RARNUM
Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA
Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"
Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: ID
Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (233), element number (1), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to concentration, abundance, or density values, and may contain counts of individuals for each species present at a particular nesting or wintering site, or a term that describes relative abundance of birds at a particular site. The field may contain counts (XX BIRDS, XX INDIV, XX PAIRS, LESS THAN/UP TO XX BIRDS/INDIV PER KM) or abundances generalized to orders of magnitude (100s, 1,000s).

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and plants

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness Report for list of layer specific species.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a

nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name for the entire ESI data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name for the entire ESI data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and plants

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: alligator

Enumerated_Domain_Value_Definition: Alligator

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bear

Enumerated_Domain_Value_Definition: Bear

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve
Enumerated_Domain_Value_Definition: Bivalve
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crab
Enumerated_Domain_Value_Definition: Crab
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crayfish
Enumerated_Domain_Value_Definition: Crayfish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diadromous
Enumerated_Domain_Value_Definition: Diadromous fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diving
Enumerated_Domain_Value_Definition: Diving bird
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_nursery
Enumerated_Domain_Value_Definition: Estuarine nursery fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_resident
Enumerated_Domain_Value_Definition: Estuarine resident fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: freshwater
Enumerated_Domain_Value_Definition: Freshwater fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gull_tern
Enumerated_Domain_Value_Definition: Gull or tern
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: invert
Enumerated_Domain_Value_Definition: Invertebrate
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_pelagic
Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: passerine
Enumerated_Domain_Value_Definition: Passerine bird
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: raptor
Enumerated_Domain_Value_Definition: Raptor
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shorebird
Enumerated_Domain_Value_Definition: Shorebird
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp
Enumerated_Domain_Value_Definition: Shrimp
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: turtle
Enumerated_Domain_Value_Definition: Turtle
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wading
Enumerated_Domain_Value_Definition: Wading bird
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl
Enumerated_Domain_Value_Definition: Waterfowl
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: NHP
Attribute_Definition: Natural Heritage Program global ranking.
Attribute_Definition_Source: Network of Natural Heritage Program
Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank
Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB
Attribute_Definition: Date of NHP listing.
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM
Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0
Enumerated_Domain_Value_Definition: Date unspecified
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and plants

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in June

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: JUL

Attribute_Definition: July

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: AUG

Attribute_Definition: August

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in August
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SEP
Attribute_Definition: September
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in September
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: OCT
Attribute_Definition: October
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in October
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: NOV
Attribute_Definition: November
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in November
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: DEC
Attribute_Definition: December
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT
Enumerated_Domain_Value_Definition: Habitats and Plants
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT
Enumerated_Domain_Value_Definition: Invertebrates
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL
Enumerated_Domain_Value_Definition: Marine Mammals
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE
Enumerated_Domain_Value_Definition: Reptiles and Amphibians
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL
Enumerated_Domain_Value_Definition: Terrestrial Mammals
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Three-letter country abbreviation.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I

Attribute_Definition: International threatened or endangered status.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID and ESI_Source in the ESI and HYDRO data layers.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUB_PLACE

Attribute_Definition: Publication place.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLISHER

Attribute_Definition: Publisher.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ONLINE_LINK

Attribute_Definition: Online computer resource URL.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: Downloadable Data

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 201405

Metadata_Review_Date: 201405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.9.20 on Tue May 13 10:39:50 2014

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: ESIL (Environmental Sensitivity Index Shoreline Types - Lines)

Metadata also available as - [\[Parseable text\]](#) - [\[SGML\]](#) - [\[XML\]](#)

Metadata:

- [Identification_Information](#)
 - [Data_Quality_Information](#)
 - [Spatial_Data_Organization_Information](#)
 - [Spatial_Reference_Information](#)
 - [Entity_and_Attribute_Information](#)
 - [Distribution_Information](#)
 - [Metadata_Reference_Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington.

Publication_Date: 201405

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: ESIL (Environmental Sensitivity Index Shoreline Types - Lines)

Edition: Second

Geospatial_Data_Presentation_Form: vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Lower Mississippi River

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

NOAA's Ocean Service, Office of Response and Restoration (OR&R), Emergency Response Division (ERD).

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington.

Online Linkage: <<http://response.restoration.noaa.gov/esi>>

Description:

Abstract:

This data set contains vector lines representing the shoreline and coastal habitats of the Lower Mississippi River classified according to the Environmental Sensitivity Index (ESI) classification system. This data set comprises a portion of the ESI data for Lower Mississippi River. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the ESIP data layer, part of the larger Lower Mississippi River ESI database, for additional ESI information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1973

Ending_Date: 2014

Currentness_Reference:

The data were compiled during 2014. The currentness dates for this data range from 1973 to 2014 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -91.70600

East_Bounding_Coordinate: -90.37500

North_Bounding_Coordinate: 31.02700

South_Bounding_Coordinate: 29.93600

Keywords:

Theme:

Theme_Keyword_Thesaurus: ISO 19115 Topic Category

Theme_Keyword: biota

Theme_Keyword: environment

Theme:

Theme_Keyword_Thesaurus: None
Theme_Keyword: Environmental Monitoring
Theme_Keyword: ESI
Theme_Keyword: Sensitivity maps
Theme_Keyword: Coastal resources
Theme_Keyword: Oil spill planning
Theme_Keyword: Coastal Zone Management
Theme_Keyword: Wildlife

Place:

Place_Keyword_Thesaurus: None
Place_Keyword: Lower Mississippi River

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Management boundaries are not to be considered legal boundaries. Edges may have been altered for cartographic processes. Besides the above warnings, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Browse_Graphic:

Browse_Graphic_File_Name: datafig2.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and desktop data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington, and The Department of Homeland Security, United States Coast Guard Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(R) (version 10.2) and SQL SERVER(R) (version 2005). The hardware configuration is PC's with Windows Operating System 7.

The Spatial_Data_Organization Information section refers only to the source files in the ARC export

format. The following files are included in the data set: birds.e00, esil.e00, esip.e00, fish.e00, hydro.e00, index.e00, invert.e00, mgt.e00, nests.e00, reptiles.e00, rivermiles.e00, socecon.e00, and t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut.e00, biofile.e00, biores.e00, breed.e00, breed_dt.e00, seasonal.e00, soc_dat.e00, soc_lut.e00, sources.e00, species.e00, and status.e00.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary node, etc.), and SQL SERVER(R) to ARC/INFO(R) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent coastal shorelines and habitats classified according to the Environmental Sensitivity Index (ESI) classification system. See also the ESIP data layer, part of the larger Lower Mississippi River ESI database, for additional ESI information.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator:

DEPARTMENT OF COMMERCE(DOC), NOAA
(NOAA), NATIONAL OCEAN SERVICE(NOS), COASTAL SERVICES
CENTER(CSC)

Publication_Date: 2013

Title: C-CAP ZONE 37/46 AREA POST-KATRINA LAND COVER

Geospatial_Data_Presentation_Form: RASTER DIGITAL DATA
Publication_Information:

Publication_Place: CHARLESTON, SC

Publisher: NOAA'S OCEAN SERVICE, COASTAL SERVICE CENTER(CSC)

Other_Citation_Details:

THIS LAYER IS THE POST-HURRICANE KATRINA CLASSIFICATION BASED ON LANDSAT THEMATIC MAPPER IMAGERY. THE C-CAP ZONE 37/46 AREA POST-HURRICANE KATRINA PROGRAM LIST OF PRODUCTS INCLUDES THE CLASSIFICATION OF THE 2005 ERA LANDSAT 5 DATA AND CHANGE INFORMATION.

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2005

Ending_Date: 2006

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: ESIL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: GOOGLE EARTH

Publication_Date: 2013

Title: GOOGLE EARTH IMAGERY

Geospatial_Data_Presentation_Form: REMOTE-SENSING IMAGE

Other_Citation_Details:

GOOGLE EARTH IMAGERY SOURCES AND DATES USED: 2010 IMAGERY FROM NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, 2010 IMAGERY U.S. DEPARTMENT OF AGRICULTURE FARM SERVICE, AND 2013 DIGITAL GLOBE.

Online_Linkage: <<http://www.google.com/earth/>>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2010

Ending_Date: 2013

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: ESIL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: MICROSOFT BING MAPS

Publication_Date: 2013

Title: BING AERIAL IMAGERY AND BIRDS EYE VIEW

Geospatial_Data_Presentation_Form: REMOTE-SENSING IMAGE

Other_Citation_Details:

IMAGERY PRODUCED FOR MICROSOFT BING BY DIGITAL GLOBE,
PICTOMETRY INTERNATIONAL CORP, AND NOKIA.

Online_Linkage: <<http://www.bing.com/maps/>>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2011

Ending_Date: 2014

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: ESIL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S FISH AND WILDLIFE SERVICE (USFWS)

Publication_Date: 2010

Title: NATIONAL WETLANDS INVENTORY (NWI) - WETLANDS

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Publication_Information:

Publication_Place: WASHINGTON, D.C.

Publisher: U.S. FISH AND WILDLIFE SERVICE

Online_Linkage: <<http://www.fws.gov/wetlands/>>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1973

Ending_Date: 2010

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: ESIL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

U.S. GEOLOGICAL SURVEY (USGS) IN COOPERATION WITH U.S. ENVIRONMENTAL PROTECTION AGENCY (USEPA) USDA FOREST SERVICE. AND OTHER FEDERAL, STATE AND LOCAL partners.

Publication_Date: 2013

Title: HYDROGRAPHY. NATIONAL HYDROGRAPHY DATASET(NHD)

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Publication_Information:

Publication_Place: RESTON, VA

Publisher: US GEOLOGICAL SURVEY

Online_Linkage: <<http://nhd.usgs.gov/>>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2004

Ending_Date: 2013

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: ESIL INFORMATION

Process_Step:

Process_Description:

The intertidal shoreline habitats were classified based on the 2010-2011 Bing aerial imagery; and 2011-2013 Google Earth aerial imagery. Shoreline features of 10 meters or greater in length were classified. In addition, wetland polygon datasets originally created by the U.S. Fish and Wildlife Service (USFWS) National Wetlands Inventory (NWI) and the NOAA Coastal Change Analysis Program (C-CAP) regional land cover dataset were modified and updated to be used in conjunction with the ESI shoreline. Where necessary, multiple types were described for each shoreline segment. See the Lineage section for additional information on the type of source data for this data layer. The ESI, biology, and human-use data are

compiled into the standard ESI digital data format. A second set of interviews with participating resource experts are conducted to review the compiled data. If necessary, edits to the ESIL data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 201405

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 2207

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 45758

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 2217

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983
Ellipsoid_Name: Geodetic Reference System 80
Semi-major_Axis: 6378137.000000
Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, one relational attribute or data table, SOURCES, is used to store the source data information in the ESI data structure. The geographic data layer containing resource information (in this case, ESIL) is linked to the SOURCES table using the SOURCE_ID. The entity-relationship diagram describes relationships between attribute tables in the ESI data structure.

Entity_and_Attribute_Detail_Citation:

A complete description of entity types, attributes, and attribute values for ESI atlases can be found in the NOAA ESI Guidelines (http://response.restoration.noaa.gov/esi_guidelines).

Detailed_Description:

Entity_Type:

Entity_Type_Label: ESIL.AAT

Entity_Type_Definition:

The ESIL.AAT table contains attribute information for the vector lines representing linear shoreline features with ESI classification.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ESI

Attribute_Definition:

The item ESI contains values representing the ESI shoreline type. In many cases shorelines are ranked with multiple codes, such as "6B/3A" (listed landward to seaward from left to right).

The first code, "6B", is the most landward shoreline type and the second code, "3A", is the shoreline type closest to the water. Singular shoreline types are listed below. No multiple codes are listed, but all multiple codes included in the data set can be assembled from the codes described. The ESI rankings progress from low to high susceptibility to oil spills. To determine the sensitivity of a particular intertidal shoreline habitat, the following factors are integrated: 1) Shoreline type (substrate, grain size, tidal elevation, origin); 2) Exposure to wave and tidal energy; 3) Biological productivity and sensitivity; 4) Ease of cleanup.

Prediction of the behavior and persistence of oil in intertidal habitats is based on an understanding of the dynamics of the coastal environments, not just the substrate type and grain size. The intensity of energy expended upon a shoreline by wave action, tidal currents, and river currents directly affects the persistence of stranded oil. The need for shoreline cleanup activities is determined, in part, by the slowness of natural processes in removal of oil stranded on the shoreline. The potential for biological injury, and ease of cleanup of spilled oil are also important factors in the ESI ranking. Generally speaking, areas exposed to high levels of physical energy, such as wave action and tidal currents, and low biological activity rank

low on the scale, whereas sheltered areas with associated high biological activity have the highest ranking.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 1B

Enumerated_Domain_Value_Definition: Exposed, Solid Man-made Structures

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 3B

Enumerated_Domain_Value_Definition: Exposed, Eroding Banks in Unconsolidated Sediments

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 4

Enumerated_Domain_Value_Definition: Sandy Bars and Gently Sloping Banks

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 5

Enumerated_Domain_Value_Definition: Mixed Sand and Gravel Bars and Gently Sloping Banks

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 6A

Enumerated_Domain_Value_Definition: Gravel Bars and Gently Sloping Banks

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 6B

Enumerated_Domain_Value_Definition: Riprap

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 7

Enumerated_Domain_Value_Definition: Exposed Sand Flats

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 8A

Enumerated_Domain_Value_Definition: Sheltered Scarps in Clay or Mud

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 8B

Enumerated_Domain_Value_Definition: Sheltered, Solid Man-made Structures

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 8C

Enumerated_Domain_Value_Definition: Sheltered Riprap

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 8F

Enumerated_Domain_Value_Definition: Vegetated, Steeply Sloping Bluffs

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 9A

Enumerated_Domain_Value_Definition: Sheltered Sand/Mud Flats

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 9B

Enumerated_Domain_Value_Definition: Vegetated Low Banks

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 10B
Enumerated_Domain_Value_Definition: Freshwater Marshes
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 10C
Enumerated_Domain_Value_Definition: Swamps
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 10D
Enumerated_Domain_Value_Definition: Scrub-Shrub Wetlands
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: U
Enumerated_Domain_Value_Definition: Unranked
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: LINE
Attribute_Definition: Type of geographic feature.
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: S
Enumerated_Domain_Value_Definition: Shoreline
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SOURCE_ID
Attribute_Definition:
Source identifier that links to the SOURCES data table. This id indicates the source of a vector line segment.
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: ENVIR

Attribute_Definition: Type of regional environment.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Estuarine

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: R

Enumerated_Domain_Value_Definition: Riverine

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ESI_SOURCE

Attribute_Definition:

Source identifier that links to the SOURCES data table. This id indicates the source of the ESI classification of a line segment. Vector features that were not surveyed or do not qualify for an ESI classification have a value of -1.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID and ESI_Source in the ESI and HYDRO data layers.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUB_PLACE

Attribute_Definition: Publication place.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLISHER

Attribute_Definition: Publisher.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ONLINE_LINK

Attribute_Definition: Online computer resource URL.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: Downloadable Data

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 201405

Metadata_Review_Date: 201405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.9.20 on Tue May 13 10:39:58 2014

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: ESIP (Environmental Sensitivity Index Shoreline Types - Polygons)

Metadata also available as - [\[Parseable text\]](#) - [\[SGML\]](#) - [\[XML\]](#)

Metadata:

- [Identification_Information](#)
 - [Data_Quality_Information](#)
 - [Spatial_Data_Organization_Information](#)
 - [Spatial_Reference_Information](#)
 - [Entity_and_Attribute_Information](#)
 - [Distribution_Information](#)
 - [Metadata_Reference_Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington.

Publication_Date: 201405

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: ESIP (Environmental Sensitivity Index Shoreline Types - Polygons)

Edition: Second

Geospatial_Data_Presentation_Form: vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Lower Mississippi River

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

NOAA's Ocean Service, Office of Response and Restoration (OR&R), Emergency Response Division (ERD).

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington.

Online Linkage: <<http://response.restoration.noaa.gov/esi>>

Description:

Abstract:

This data set contains vector polygons representing the shoreline and coastal habitats of the Lower Mississippi River classified according to the Environmental Sensitivity Index (ESI) classification system. This data set comprises a portion of the ESI data for Lower Mississippi River. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the ESIL data layer, part of the larger Lower Mississippi River ESI database, for additional ESI information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1973

Ending_Date: 2014

Currentness_Reference:

The data were compiled during 2014. The currentness dates for this data range from 1973 to 2014 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -91.70600

East_Bounding_Coordinate: -90.37500

North_Bounding_Coordinate: 31.02700

South_Bounding_Coordinate: 29.93600

Keywords:

Theme:

Theme_Keyword_Thesaurus: ISO 19115 Topic Category

Theme_Keyword: biota

Theme_Keyword: environment

Theme:

Theme_Keyword_Thesaurus: None
Theme_Keyword: Environmental Monitoring
Theme_Keyword: ESI
Theme_Keyword: Sensitivity maps
Theme_Keyword: Coastal resources
Theme_Keyword: Oil spill planning
Theme_Keyword: Coastal Zone Management
Theme_Keyword: Wildlife

Place:

Place_Keyword_Thesaurus: None
Place_Keyword: Lower Mississippi River

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Management boundaries are not to be considered legal boundaries. Edges may have been altered for cartographic processes. Besides the above warnings, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Browse_Graphic:

Browse_Graphic_File_Name: datafig2.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and desktop data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington, and The Department of Homeland Security, United States Coast Guard Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(R) (version 10.2) and SQL SERVER(R) (version 2005). The hardware configuration is PC's with Windows Operating System 7.

The Spatial_Data_Organization Information section refers only to the source files in the ARC export

format. The following files are included in the data set: birds.e00, esil.e00, esip.e00, fish.e00, hydro.e00, index.e00, invert.e00, mgt.e00, nests.e00, reptiles.e00, rivermiles.e00, socecon.e00, and t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut.e00, biofile.e00, biores.e00, breed.e00, breed_dt.e00, seasonal.e00, soc_dat.e00, soc_lut.e00, sources.e00, species.e00, and status.e00.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary node, etc.), and SQL SERVER(R) to ARC/INFO(R) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent coastal shorelines and habitats classified according to the Environmental Sensitivity Index (ESI) classification system. See also the ESIL data layer, part of the larger Lower Mississippi River ESI database, for additional ESI information.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator:

DEPARTMENT OF COMMERCE(DOC), NOAA
(NOAA), NATIONAL OCEAN SERVICE(NOS), COASTAL SERVICES
CENTER(CSC)

Publication_Date: 2013

Title: C-CAP ZONE 37/46 AREA POST-KATRINA LAND COVER

Geospatial_Data_Presentation_Form: RASTER DIGITAL DATA
Publication_Information:

Publication_Place: CHARLESTON, SC

Publisher: NOAA'S OCEAN SERVICE, COASTAL SERVICE CENTER(CSC)

Other_Citation_Details:

THIS LAYER IS THE POST-HURRICANE KATRINA CLASSIFICATION BASED ON LANDSAT THEMATIC MAPPER IMAGERY. THE C-CAP ZONE 37/46 AREA POST-HURRICANE KATRINA PROGRAM LIST OF PRODUCTS INCLUDES THE CLASSIFICATION OF THE 2005 ERA LANDSAT 5 DATA AND CHANGE INFORMATION.

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2005

Ending_Date: 2006

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: ESIP INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: GOOGLE EARTH

Publication_Date: 2013

Title: GOOGLE EARTH IMAGERY

Geospatial_Data_Presentation_Form: REMOTE-SENSING IMAGE

Other_Citation_Details:

GOOGLE EARTH IMAGERY SOURCES AND DATES USED: 2010 IMAGERY FROM NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, 2010 IMAGERY U.S. DEPARTMENT OF AGRICULTURE FARM SERVICE, AND 2013 DIGITAL GLOBE.

Online_Linkage: <<http://www.google.com/earth/>>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2010

Ending_Date: 2013

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: ESIP INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: MICROSOFT BING MAPS

Publication_Date: 2013

Title: BING AERIAL IMAGERY AND BIRDS EYE VIEW

Geospatial_Data_Presentation_Form: REMOTE-SENSING IMAGE

Other_Citation_Details:

IMAGERY PRODUCED FOR MICROSOFT BING BY DIGITAL GLOBE,
PICTOMETRY INTERNATIONAL CORP, AND NOKIA.

Online_Linkage: <<http://www.bing.com/maps/>>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2011

Ending_Date: 2014

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: ESIP INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S FISH AND WILDLIFE SERVICE (USFWS)

Publication_Date: 2010

Title: NATIONAL WETLANDS INVENTORY (NWI) - WETLANDS

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Publication_Information:

Publication_Place: WASHINGTON, D.C.

Publisher: U.S. FISH AND WILDLIFE SERVICE

Online_Linkage: <<http://www.fws.gov/wetlands/>>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1973
Ending_Date: 2010

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: ESIP INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

U.S. GEOLOGICAL SURVEY (USGS) IN COOPERATION WITH U.S. ENVIRONMENTAL PROTECTION AGENCY (USEPA) USDA FOREST SERVICE. AND OTHER FEDERAL, STATE AND LOCAL partners.

Publication_Date: 2013

Title: HYDROGRAPHY. NATIONAL HYDROGRAPHY DATASET(NHD)

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Publication_Information:

Publication_Place: RESTON, VA

Publisher: US GEOLOGICAL SURVEY

Online_Linkage: <<http://nhd.usgs.gov/>>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2004
Ending_Date: 2013

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: ESIP INFORMATION

Process_Step:

Process_Description:

The Lower Mississippi River shoreline was derived from the integration of the National Oceanic and Atmospheric Administration (NOAA) Continually Updated Shoreline Product (CUSP) (2000-2013); the U.S. Fish and Wildlife Service (USFWS) National Wetlands Inventory (NWI) dataset (1973-2010); the U.S. Geological Survey (USGS) National Hydrography Dataset (NHD), the NOAA Coastal Change Analysis Program (C-CAP) regional land cover dataset, and manual digitization at 1:4,000 from 2010-2011 Bing aerial and 2011-2013 Google Earth aerial imagery. The most recent shoreline was utilized from these data sources. See the Lineage section for additional information on the type of source data for this

data layer. The ESI, biology, and human-use data are compiled into the standard ESI digital data format. A second set of interviews with participating resource experts are conducted to review the compiled data. If necessary, edits to the ESIP data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 201405

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 22351

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 22350

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 47280

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 519751

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 34313

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983

Ellipsoid_Name: Geodetic Reference System 80

Semi-major_Axis: 6378137.000000

Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, one relational attribute or data table, SOURCES, is used to store the source data information in the ESI data structure. The geographic data layer containing resource information (in this case, ESIP) is linked to the SOURCES table using the SOURCE_ID. The entity-relationship diagram describes relationships between attribute tables in the ESI data structure.

Entity_and_Attribute_Detail_Citation:

A complete description of entity types, attributes, and attribute values for ESI atlases can be found in the NOAA ESI Guidelines (http://response.restoration.noaa.gov/esi_guidelines).

Detailed_Description:

Entity_Type:

Entity_Type_Label: ESIP.PAT

Entity_Type_Definition:

The ESIP.PAT table contains attribute information for the vector polygons representing polygonal features with ESI classification.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ESI

Attribute_Definition: The item ESI contains values representing the ESI polygon type.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 7

Enumerated_Domain_Value_Definition: Exposed Sand Flats
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 9A
Enumerated_Domain_Value_Definition: Sheltered Sand/Mud Flats
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 10B
Enumerated_Domain_Value_Definition: Freshwater Marshes
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 10C
Enumerated_Domain_Value_Definition: Swamps
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 10D
Enumerated_Domain_Value_Definition: Scrub-Shrub Wetlands
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: WATER_CODE

Attribute_Definition: Specifies a polygon as either water or land.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: L
Enumerated_Domain_Value_Definition: Land
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: W
Enumerated_Domain_Value_Definition: Water
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ENVIR

Attribute_Definition: Type of regional environment.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: R

Enumerated_Domain_Value_Definition: Riverine

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ESI_SOURCE

Attribute_Definition:

Source identifier that links to the SOURCES data table. This id indicates the source of the ESI classification of a polygon. Vector features that were not surveyed or do not qualify for an ESI classification have a value of -1.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID and ESI_Source in the ESI and HYDRO data layers.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUB_PLACE

Attribute_Definition: Publication place.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLISHER

Attribute_Definition: Publisher.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ONLINE_LINK

Attribute_Definition: Online computer resource URL.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington
Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400
Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: Downloadable Data
Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 201405

Metadata_Review_Date: 201405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen
Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address
Address: 7600 Sand Point Way, N.E.
City: Seattle
State_or_Province: Washington
Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944
Contact_Facsimile_Telephone: (206) 526-6329
Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata
Metadata_Standard_Version: FGDC-STD-001-1998

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: FISH (Fish Polygons)

Metadata also available as - [\[Parseable text\]](#) - [\[SGML\]](#) - [\[XML\]](#)

Metadata:

- [Identification_Information](#)
 - [Data_Quality_Information](#)
 - [Spatial_Data_Organization_Information](#)
 - [Spatial_Reference_Information](#)
 - [Entity_and_Attribute_Information](#)
 - [Distribution_Information](#)
 - [Metadata_Reference_Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington.

Publication_Date: 201405

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: FISH (Fish Polygons)

Edition: Second

Geospatial_Data_Presentation_Form: vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Lower Mississippi River

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

NOAA's Ocean Service, Office of Response and Restoration (OR&R), Emergency Response Division (ERD).

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and

Restoration, Emergency Response Division, Seattle, Washington.
Online Linkage: <<http://response.restoration.noaa.gov/esi>>

Description:

Abstract:

This data set contains sensitive biological resource data for estuarine, anadromous and freshwater fish species in the Lower Mississippi River. Vector polygons in this data set represent fish distribution, concentration areas and spawning areas. Species specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer. This data set comprises a portion of the ESI data for Lower Mississippi River. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1997

Ending_Date: 2014

Currentness_Reference:

The data were compiled during 2014. The currentness dates for this data range from 1997 to 2014 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -91.70600

East_Bounding_Coordinate: -90.37500

North_Bounding_Coordinate: 31.02700

South_Bounding_Coordinate: 29.93600

Keywords:

Theme:

Theme_Keyword_Thesaurus: ISO 19115 Topic Category

Theme_Keyword: biota

Theme_Keyword: environment

Theme:

Theme_Keyword_Thesaurus: None
Theme_Keyword: Environmental Monitoring
Theme_Keyword: ESI
Theme_Keyword: Sensitivity maps
Theme_Keyword: Coastal resources
Theme_Keyword: Oil spill planning
Theme_Keyword: Coastal Zone Management
Theme_Keyword: Wildlife
Theme_Keyword: Fish

Place:

Place_Keyword_Thesaurus: None
Place_Keyword: Lower Mississippi River

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Management boundaries are not to be considered legal boundaries. Edges may have been altered for cartographic processes. Besides the above warnings, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Browse_Graphic:

Browse_Graphic_File_Name: datafig2.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and desktop data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington, and The Department of Homeland Security, United States Coast Guard Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(R) (version 10.2) and SQL SERVER(R) (version 2005). The hardware configuration is PC's with Windows Operating System 7.

The Spatial_Data_Organization Information section refers only to the source files in the ARC export

format. The following files are included in the data set: birds.e00, esil.e00, esip.e00, fish.e00, hydro.e00, index.e00, invert.e00, mgt.e00, nests.e00, reptiles.e00, rivermiles.e00, socecon.e00, and t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut.e00, biofile.e00, biores.e00, breed.e00, breed_dt.e00, seasonal.e00, soc_dat.e00, soc_lut.e00, sources.e00, species.e00, and status.e00.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary node, etc.), and SQL SERVER(R) to ARC/INFO(R) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resources at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge and digital data on fish distribution, concentration areas, and spawning areas in the Lower Mississippi River. These data do not necessarily represent all fish occurrences in Lower Mississippi River. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 76, Alligator gar, *Lepisosteus spatula*; 98, American eel, *Anguilla rostrata*; 104, Striped bass, *Morone saxatilis*; 107, Spotted seatrout, *Cynoscion nebulosus*; 109, Red drum, *Sciaenops ocellatus*; 111, Southern flounder, *Paralichthys lethostigma*; 116, Striped mullet, *Mugil cephalus*; 122, Black drum, *Pogonias cromis*; 143, Tarpon, *Megalops atlanticus*; 176, Yellow bullhead, *Ameiurus natalis*; 179, Largemouth bass, *Micropterus salmoides*; 190, White bass, *Morone chrysops*; 200, Blue catfish, *Ictalurus furcatus*; 201, Channel catfish, *Ictalurus punctatus*; 205, Freshwater drum, *Aplodinotus grunniens*; 213, Gulf menhaden, *Brevoortia patronus*; 217, Gafftopsail catfish, *Bagre marinus*; 218, Bowfin, *Amia calva*; 236, Crappie, *Pomoxis* spp.; 257, Flathead catfish, *Pylodictis olivaris*; 277, Paddlefish, *Polyodon spathula*; 281, Seatrout, *Cynoscion* sp.; 283, Killifish, *Fundulus* spp.; 317, Bull shark, *Carcharhinus leucas*; 319, Gulf sturgeon, *Acipenser oxyrinchus desotoi*; 379, Pipefish, *Syngnathus* spp.; 464, Longnose gar, *Lepisosteus osseus*; 472, Spotted gar, *Lepisosteus oculatus*; 598, Anchovies, *Anchoa* spp.; 647, Shovelnose sturgeon, *Scaphirhynchus platorynchus*; 1230,

Pallid sturgeon, Scaphirhynchus albus; 1231, Sunfish, Lepomis spp.; 1232, Buffalo, Ictiobus spp.; 1234, Croakers, n/a; 1235, Shad, Dorosoma spp.; 1240, Bluntnose shiner, Cyprinella camura; 1241, Channel darter, Percina copelandi; 1242, Rainbow darter, Etheostoma caeruleum.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: AULT, JERALD S. AND JIANGANG LUO

Publication_Date: 2012

Title: ATLANTIC TARPOON SATELLITE TAGGING PROGRAM 2011

Geospatial_Data_Presentation_Form: DOCUMENT

Publication_Information:

Publication_Place: MIAMI, FL

Publisher: UNIVERSITY OF MIAMI RSMAS, TARPOON & BONEFISH RESEARCH CENTER

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2011

Ending_Date: 2011

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA DEPARTMENT OF WILDLIFE AND FISHERIES (LDWF)

Publication_Date: 2012

Title:

LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY (LDEQ)

THOMPSON CREEK FISHERIES SAMPLING

Geospatial_Data_Presentation_Form: SPREADSHEET

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2012

Ending_Date: 2012

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA DEPARTMENT OF WILDLIFE AND FISHERIES (LDWF)

Publication_Date: 2013

Title:

DISTRIBUTION, SEASONALITY AND ABUNDANCE OF INLAND
FISHERIES RESOURCES

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2013

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA DEPARTMENT OF WILDLIFE AND FISHERIES (LDWF)

Publication_Date: 2013

Title:

DISTRIBUTION, SEASONALITY AND ABUNDANCE OF MARINE FISH
AND INVERTEBRATES IN COASTAL LOUISIANA

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2013

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA DEPARTMENT OF WILDLIFE AND FISHERIES (LDWF)

Publication_Date: 2013

Title: INLAND FISHERIES MONITORING DATA

Geospatial_Data_Presentation_Form: TABULAR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2000

Ending_Date: 2011

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA DEPARTMENT OF WILDLIFE AND FISHERIES (LDWF)

Publication_Date: 2013

Title: MARINE FISHERIES MONITORING DATABASE

Geospatial_Data_Presentation_Form: TABULAR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2003

Ending_Date: 2012

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA DEPARTMENT OF WILDLIFE AND FISHERIES (LDWF)

Publication_Date: 2014

Title:

DISTRIBUTION, ABUNDANCE AND SEASONALITY OF INLAND
FISHERIES RESOURCES

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2014

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

LOUISIANA DEPARTMENT OF WILDLIFE AND FISHERIES (LDWF),
DEPARTMENT OF INLAND FISHERIES

Publication_Date: 2014

Title:

ABUNDANCE AND DISTRIBUTION OF FISH BY WATERBODY IN
INLAND FISHERIES FOR THE LOWER MISSISSIPPI RIVER ESI

Geospatial_Data_Presentation_Form: TABULAR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2014

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NATIONAL MARINE FISHERIES SERVICE (NMFS)

Publication_Date: 2013

Title:

DISTRIBUTION, ABUNDANCE AND SEASONALITY OF SHARKS IN THE
COASTAL GULF OF MEXICO

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2013

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION (NOAA),
NATIONAL OCEAN SERVICE (NOS), OFFICE OF RESPONSE AND
RESTORATION (OR&R), EMERGENCY RESPONSE DIVISION (ERD)

Publication_Date: 2003

Title:

SENSITIVITY OF COASTAL ENVIRONMENTS AND WILDLIFE TO
SPILLED OIL: LOUISIANA: FISH

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Publication_Information:

Publication_Place: SEATTLE, WA

Publisher: NOAA

Other_Citation_Details: 7600 SAND POINT WAY, SEATTLE, WA 98115-6349

Online_Linkage: <<http://response.restoration.noaa.gov/esi>>

Source_Scale_Denominator: 24000

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: PATTILLO, M.E., T.E. CZALPA, D.M. NELSON, AND M.E. MONACO

Publication_Date: 1997

Title:

DISTRIBUTION AND ABUNDANCE OF FISHES AND INVERTEBRATES IN
GULF OF MEXICO ESTUARIES VOLUME II: SPECIES LIFE HISTORY
SUMMARIES

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Publication_Information:

Publication_Place: SILVER SPRING, MD

Publisher: NOAA/NOS STRATEGIC ENVIRONMENTAL ASSESSMENT
DIVISION

Other_Citation_Details: ELMR REP. NO. 11

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1997

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: ROGILIO, HOWARD E. ET. AL.

Publication_Date: 2007

Title:

GULF STURGEON MOVEMENTS IN THE PEARL RIVER DRAINAGE AND
THE MISSISSIPPI SOUND

Geospatial_Data_Presentation_Form: DOCUMENT

Publication_Information:

Publication_Place: FLORENCE, KY

Publisher: TAYLOR & FRANCIS

Other_Citation_Details: NORTH AMERICAN JOURNAL OF FISHERIES
MANAGEMENT, 27:1, 89-95

Online_Linkage: <http://dx.doi.org/10.1577/M05-170.1>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Process_Step:

Process_Description:

Sources of data used to depict fish distribution and seasonality for this data layer include Louisiana Department of Wildlife and Fisheries (LDWF) fishery independent monitoring data,

published information, and anecdotal information from resource experts at LDWF and the United States Fish and Wildlife Service (USFWS). Water bodies were grouped by LDWF into areas with similar species assemblages. A combination of fishery independent monitoring data and expert opinion was used to derive species concentration and seasonality information for each defined water body. Additional information on Gulf sturgeon was included based on published literature.

The above digital and/or hardcopy sources were compiled by the project biologist to create the FISH data layer. Depending on the type of source data, three general approaches are used for compiling the data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The ESI, biology, and human-use data are compiled into the standard ESI digital data format. A second set of interviews with participating resource experts are conducted to review the compiled data. If necessary, edits to the FISH data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 201405

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 312

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 311

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain
Point_and_Vector_Object_Count: 474

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link
Point_and_Vector_Object_Count: 98072

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph
Point_and_Vector_Object_Count: 467

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001
Longitude_Resolution: 0.0000001
Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983
Ellipsoid_Name: Geodetic Reference System 80
Semi-major_Axis: 6378137.000000
Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, FISH) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Lower Mississippi River atlas, the number is 233), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure. Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME,

GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item. A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram describing relationships between attribute tables in the ESI data structure does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Entity_and_Attribute_Detail_Citation:

A complete description of entity types, attributes, and attribute values for ESI atlases can be found in the NOAA ESI Guidelines (http://response.restoration.noaa.gov/esi_guidelines).

Detailed_Description:

Entity_Type:

Entity_Type_Label: FISH.PAT

Entity_Type_Definition:

The FISH.PAT table contains attribute information for the vector polygons in this data set representing fish distribution, concentration areas and spawning areas. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (233), element number (2), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table.

RARNUM values of 0 are holes in the polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (233), element number (2), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to concentration, abundance, or density values of a species at a particular location. Categorical concentrations used for fish include 'RARE', 'COMMON', 'ABUNDANT' or 'HIGHLY ABUNDANT', listed in order from lowest to highest abundance. Other descriptions are used in the CONC field for areas of high seasonal abundance or importance.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH
Enumerated_Domain_Value_Definition: Fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT
Enumerated_Domain_Value_Definition: Habitats and plants
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT
Enumerated_Domain_Value_Definition: Invertebrates
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL
Enumerated_Domain_Value_Definition: Marine mammals
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE
Enumerated_Domain_Value_Definition: Reptiles and Amphibians
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL
Enumerated_Domain_Value_Definition: Terrestrial mammals
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness Report for list of layer specific species.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name for the entire ESI data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name for the entire ESI data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and plants

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: alligator

Enumerated_Domain_Value_Definition: Alligator

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bear

Enumerated_Domain_Value_Definition: Bear

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve

Enumerated_Domain_Value_Definition: Bivalve

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crab

Enumerated_Domain_Value_Definition: Crab

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crayfish

Enumerated_Domain_Value_Definition: Crayfish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diadromous

Enumerated_Domain_Value_Definition: Diadromous fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diving

Enumerated_Domain_Value_Definition: Diving bird

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_nursery

Enumerated_Domain_Value_Definition: Estuarine nursery fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_resident

Enumerated_Domain_Value_Definition: Estuarine resident fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: freshwater

Enumerated_Domain_Value_Definition: Freshwater fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gull_tern

Enumerated_Domain_Value_Definition: Gull or tern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: invert

Enumerated_Domain_Value_Definition: Invertebrate

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_pelagic

Enumerated_Domain_Value_Definition: Marine pelagic fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: passerine

Enumerated_Domain_Value_Definition: Passerine bird

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: raptor

Enumerated_Domain_Value_Definition: Raptor

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shorebird

Enumerated_Domain_Value_Definition: Shorebird

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp

Enumerated_Domain_Value_Definition: Shrimp

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: turtle

Enumerated_Domain_Value_Definition: Turtle

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wading

Enumerated_Domain_Value_Definition: Wading bird

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl

Enumerated_Domain_Value_Definition: Waterfowl

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking.

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank

Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Date unspecified

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and plants

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in June

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: JUL

Attribute_Definition: July

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: AUG

Attribute_Definition: August

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in September
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: OCT
Attribute_Definition: October
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in October
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: NOV
Attribute_Definition: November
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in November
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: DEC
Attribute_Definition: December
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in December
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE_SEA
Attribute_Definition:
Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is

"M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL
Enumerated_Domain_Value_Definition: Marine Mammals
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE
Enumerated_Domain_Value_Definition: Reptiles and Amphibians
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL
Enumerated_Domain_Value_Definition: Terrestrial Mammals
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Three-letter country abbreviation.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: S

Enumerated_Domain_Value_Definition: Threatened due to similarity of appearance

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I

Attribute_Definition: International threatened or endangered status.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID and ESI_Source in the ESI and HYDRO data layers.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUB_PLACE

Attribute_Definition: Publication place.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLISHER

Attribute_Definition: Publisher.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ONLINE_LINK

Attribute_Definition: Online computer resource URL.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: Downloadable Data

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 201405

Metadata_Review_Date: 201405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.9.20 on Tue May 13 14:15:49 2014

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: HYDRO (Hydrography Lines and Polygons)

Metadata also available as - [\[Parseable text\]](#) - [\[SGML\]](#) - [\[XML\]](#)

Metadata:

- [Identification_Information](#)
 - [Data_Quality_Information](#)
 - [Spatial_Data_Organization_Information](#)
 - [Spatial_Reference_Information](#)
 - [Entity_and_Attribute_Information](#)
 - [Distribution_Information](#)
 - [Metadata_Reference_Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington.

Publication_Date: 201405

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: HYDRO (Hydrography Lines and Polygons)

Edition: Second

Geospatial_Data_Presentation_Form: vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Lower Mississippi River

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

NOAA's Ocean Service, Office of Response and Restoration (OR&R), Emergency Response Division (ERD).

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and

Restoration, Emergency Response Division, Seattle, Washington.
Online Linkage: <<http://response.restoration.noaa.gov/esi>>

Description:

Abstract:

This data set contains vector lines and polygons representing coastal hydrography used in the creation of the Environmental Sensitivity Index (ESI) for the Lower Mississippi River. This data set comprises a portion of the ESI data for Lower Mississippi River. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the ESIL & ESIP data layers, part of the larger Lower Mississippi River ESI database, for additional ESI information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1973

Ending_Date: 2014

Currentness_Reference:

The data were compiled during 2014. The currentness dates for this data range from 1973 to 2014 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -91.70600

East_Bounding_Coordinate: -90.37500

North_Bounding_Coordinate: 31.02700

South_Bounding_Coordinate: 29.93600

Keywords:

Theme:

Theme_Keyword_Thesaurus: ISO 19115 Topic Category

Theme_Keyword: biota

Theme_Keyword: environment

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: Environmental Monitoring
Theme_Keyword: ESI
Theme_Keyword: Sensitivity maps
Theme_Keyword: Coastal resources
Theme_Keyword: Oil spill planning
Theme_Keyword: Coastal Zone Management
Theme_Keyword: Wildlife
Theme_Keyword: Hydrography

Place:

Place_Keyword_Thesaurus: None
Place_Keyword: Lower Mississippi River

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Management boundaries are not to be considered legal boundaries. Edges may have been altered for cartographic processes. Besides the above warnings, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Browse_Graphic:

Browse_Graphic_File_Name: datafig2.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and desktop data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington, and The Department of Homeland Security, United States Coast Guard Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(R) (version 10.2) and SQL SERVER(R) (version 2005). The hardware configuration is PC's with Windows Operating System 7.

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in the data set: birds.e00, esil.e00, esip.e00, fish.e00, hydro.e00,

index.e00, invert.e00, mgt.e00, nests.e00, reptiles.e00, rivermiles.e00, socecon.e00, and t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut.e00, biofile.e00, biores.e00, breed.e00, breed_dt.e00, seasonal.e00, soc_dat.e00, soc_lut.e00, sources.e00, species.e00, and status.e00.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary node, etc.), and SQL SERVER(R) to ARC/INFO(R) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent linear and polygonal hydrography for Lower Mississippi River. See also the ESIL & ESIP data layers, part of the larger Lower Mississippi River ESI database, for additional ESI information.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

The hydrography data set was developed from pre-existing digital data and reflects the positional accuracy of these original data. The horizontal positional accuracy of the 1:24,000 USGS topographic quads should conform to National Map Accuracy Standards at scales of 1:24,000. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: GOOGLE EARTH

Publication Date: 2013

Title: GOOGLE EARTH IMAGERY

Geospatial Data Presentation Form: REMOTE-SENSING IMAGE

Other_Citation_Details:

GOOGLE EARTH IMAGERY SOURCES AND DATES USED: 2010 IMAGERY FROM NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, 2010 IMAGERY U.S. DEPARTMENT OF AGRICULTURE FARM SERVICE, AND 2013 DIGITAL GLOBE.

Online_Linkage: <<http://www.google.com/earth/>>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2010

Ending_Date: 2013

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: HYDRO INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: MICROSOFT BING MAPS

Publication_Date: 2013

Title: BING AERIAL IMAGERY AND BIRDS EYE VIEW

Geospatial_Data_Presentation_Form: REMOTE-SENSING IMAGE

Other_Citation_Details:

IMAGERY PRODUCED FOR MICROSOFT BING BY DIGITAL GLOBE, PICTOMETRY INTERNATIONAL CORP, AND NOKIA.

Online_Linkage: <<http://www.bing.com/maps/>>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2011

Ending_Date: 2014

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: HYDRO INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: RESEARCH PLANNING, INC.

Publication_Date: 2014

Title: INDEX

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Source_Scale_Denominator: 24000

Type_of_Source_Media: DIGITAL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2014

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: HYDRO INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S FISH AND WILDLIFE SERVICE (USFWS)

Publication_Date: 2010

Title: NATIONAL WETLANDS INVENTORY (NWI) - WETLANDS

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Publication_Information:

Publication_Place: WASHINGTON, D.C.

Publisher: U.S. FISH AND WILDLIFE SERVICE

Online_Linkage: <<http://www.fws.gov/wetlands/>>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1973

Ending_Date: 2010

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: HYDRO INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

U.S. GEOLOGICAL SURVEY (USGS) IN COOPERATION WITH U.S. ENVIRONMENTAL PROTECTION AGENCY (USEPA) USDA FOREST SERVICE. AND OTHER FEDERAL, STATE AND LOCAL partners.

Publication_Date: 2013

Title: HYDROGRAPHY. NATIONAL HYDROGRAPHY DATASET(NHD)

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Publication_Information:

Publication_Place: RESTON, VA

Publisher: US GEOLOGICAL SURVEY

Online_Linkage: <<http://nhd.usgs.gov/>>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2004

Ending_Date: 2013

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: HYDRO INFORMATION

Process_Step:

Process_Description:

The Lower Mississippi River shoreline was derived from the integration of the National Oceanic and Atmospheric Administration (NOAA) Continually Updated Shoreline Product (CUSP) (2000-2013); the U.S. Fish and Wildlife Service (FWS) National Wetlands Inventory (NWI) dataset (1973-2010); the U.S. Geological Survey (USGS) National Hydrography Dataset (NHD), the NOAA Coastal Change Analysis Program (C-CAP) regional land cover dataset, and manual digitization at 1:4,000 from 2010-2011 Bing aerial and 2011-2013 Google Earth aerial imagery. The most recent shoreline was utilized from these data sources. The above digital and/or hardcopy sources were compiled to create the HYDRO data layer. Depending on the type of source data, four general approaches are used for compiling the data layer: 1) hardcopy maps are digitized at their source scale; 2) digital data layers are evaluated and used "as is" or integrated with the other data sources; 3) overflight classifications are digitized from the scanned and registered hardcopy field maps; and/or 4) classifications are interpreted from oblique gps referenced photography or video taken during the overflights. After the initial shoreline classification, these data are edgematched and checked for logical consistency errors. Review maps are plotted at 1:24,000 scale for verification of polygonal and linear attributes. See the Lineage section for additional information on the type of source data for this data layer. The ESI, biology, and human-use data are compiled into the standard ESI digital data format. A second set of interviews with participating resource experts are

conducted to review the compiled data. If necessary, edits to the HYDRO data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 201405

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 3878

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 3877

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 9604

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 340187

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 9498

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983

Ellipsoid_Name: Geodetic Reference System 80

Semi-major_Axis: 6378137.000000

Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, one relational attribute or data table, SOURCES, is used to store the source data information in the ESI data structure. The geographic data layer containing resource information (in this case, HYDRO) is linked to the SOURCES table using the SOURCE_ID. The entity-relationship diagram describes relationships between attribute tables in the ESI data structure.

Entity_and_Attribute_Detail_Citation:

A complete description of entity types, attributes, and attribute values for ESI atlases can be found in the NOAA ESI Guidelines (http://response.restoration.noaa.gov/esi_guidelines).

Detailed_Description:

Entity_Type:

Entity_Type_Label: HYDRO.AAT

Entity_Type_Definition:

The HYDRO.AAT table contains attribute information for the vector lines representing linear hydrography features in the HYDRO data layer.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: LINE

Attribute_Definition: Type of geographic feature.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: H

Enumerated_Domain_Value_Definition: Hydrography

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: I

Enumerated_Domain_Value_Definition: Index

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: S

Enumerated_Domain_Value_Definition: Shoreline

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links to the SOURCES data table. This id indicates the source of a vector line segment.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Detailed_Description:

Entity_Type:

Entity_Type_Label: HYDRO.PAT

Entity_Type_Definition:

The HYDRO.PAT table contains attribute information for the vector polygons representing polygonal hydrography features in the HYDRO data layer.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: WATER_CODE

Attribute_Definition: Specifies a polygon as either water or land.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: L

Enumerated_Domain_Value_Definition: Land

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: W
Enumerated_Domain_Value_Definition: Water
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: ANNO.GEOG
Entity_Type_Definition:
The spatial data layer HYDRO contains label points representing annotation for geographic features.
Entity_Type_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: ANNO.HYDRO
Entity_Type_Definition:
The spatial data layer HYDRO contains label points representing annotation for water features.
Entity_Type_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: ANNO.SOC
Entity_Type_Definition:
The spatial data layer HYDRO contains label points representing annotation for socioeconomic features.
Entity_Type_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES
Entity_Type_Definition:
The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.
Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SOURCE_ID
Attribute_Definition:
Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID and ESI_Source in the ESI and HYDRO data layers.
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUB_PLACE

Attribute_Definition: Publication place.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLISHER

Attribute_Definition: Publisher.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ONLINE_LINK

Attribute_Definition: Online computer resource URL.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address
Address: 7600 Sand Point Way N.E.
City: Seattle
State_or_Province: Washington
Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400
Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: Downloadable Data

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 201405
Metadata_Review_Date: 201405
Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen
Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address
Address: 7600 Sand Point Way, N.E.
City: Seattle
State_or_Province: Washington
Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.9.20 on Tue May 13 10:39:40 2014

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: INDEX (Overlapping Polygons (REGIONS))

Metadata also available as - [\[Parseable text\]](#) - [\[SGML\]](#) - [\[XML\]](#)

Metadata:

- [Identification_Information](#)
 - [Data_Quality_Information](#)
 - [Spatial_Data_Organization_Information](#)
 - [Spatial_Reference_Information](#)
 - [Entity_and_Attribute_Information](#)
 - [Distribution_Information](#)
 - [Metadata_Reference_Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington.

Publication_Date: 201405

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: INDEX (Overlapping Polygons (REGIONS))

Edition: Second

Geospatial_Data_Presentation_Form: vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Lower Mississippi River

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

NOAA's Ocean Service, Office of Response and Restoration (OR&R), Emergency Response Division (ERD).

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and

Restoration, Emergency Response Division, Seattle, Washington.
Online Linkage: <<http://response.restoration.noaa.gov/esi>>

Description:

Abstract:

This data set contains vector polygons grouped into regions representing the boundaries of all hardcopy cartographic products produced as part of the Environmental Sensitivity Index (ESI) for Lower Mississippi River. This data set comprises a portion of the ESI data for Lower Mississippi River. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2014

Currentness_Reference:

The data were compiled during 2014. The currentness date for this data is 2014 and is documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -91.70600

East_Bounding_Coordinate: -90.37500

North_Bounding_Coordinate: 31.02700

South_Bounding_Coordinate: 29.93600

Keywords:

Theme:

Theme_Keyword_Thesaurus: ISO 19115 Topic Category

Theme_Keyword: biota

Theme_Keyword: environment

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: Environmental Monitoring

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps
Theme_Keyword: Coastal resources
Theme_Keyword: Oil spill planning
Theme_Keyword: Coastal Zone Management
Theme_Keyword: Wildlife

Place:

Place_Keyword_Thesaurus: None
Place_Keyword: Lower Mississippi River

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Management boundaries are not to be considered legal boundaries. Edges may have been altered for cartographic processes. Besides the above warnings, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Browse_Graphic:

Browse_Graphic_File_Name: datafig2.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and desktop data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington, and The Department of Homeland Security, United States Coast Guard Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(R) (version 10.2) and SQL SERVER(R) (version 2005). The hardware configuration is PC's with Windows Operating System 7.

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in the data set: birds.e00, esil.e00, esip.e00, fish.e00, hydro.e00, index.e00, invert.e00, mgt.e00, nests.e00, reptiles.e00, rivermiles.e00, socecon.e00, and t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut.e00, biofile.e00, biores.e00, breed.e00, breed_dt.e00, seasonal.e00, soc_dat.e00, soc_lut.e00, sources.e00,

species.e00, and status.e00.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary node, etc.), and SQL SERVER(R) to ARC/INFO(R) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent the boundaries of all hardcopy cartographic products and digital data extents produced as part of the Lower Mississippi River ESI atlas.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

The index polygons in this data layer were generated in ArcInfo by defining corner coordinates. Some small amount of positional error may be present along the arcs forming the boundaries of these polygons, particularly away from the polygon corners. Some boundaries may have been developed from pre-existing digital and hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: RESEARCH PLANNING, INC

Publication_Date: 2014

Title: INDEX

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Source_Scale_Denominator: 24000

Type_of_Source_Media: DIGITAL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2014

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: INDEX INFORMATION

Process_Step:

Process_Description:

Primarily, 1:24,000 polygons were used to provide boundaries for cartographic products. The polygons were tiled and arranged in a way as to best capture the shoreline product. In some cases these polygons overlapped due to scale versus features depicted. An index region was added to handle the overlap and aid in map production.

Process_Date: 201405

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 24

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point
Point_and_Vector_Object_Count: 23

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain
Point_and_Vector_Object_Count: 61

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link
Point_and_Vector_Object_Count: 94

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph
Point_and_Vector_Object_Count: 39

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001
Longitude_Resolution: 0.0000001
Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983
Ellipsoid_Name: Geodetic Reference System 80
Semi-major_Axis: 6378137.000000
Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, relational attribute or data tables are used to store information in the ESI data structure. The entity-relationship diagram describes relationships between attribute tables in the ESI data structure. This particular geographic data layer (INDEX) does not link to other ESI tables.

Entity_and_Attribute_Detail_Citation:

A complete description of entity types, attributes, and attribute values for ESI atlases can be found in the NOAA ESI Guidelines (http://response.restoration.noaa.gov/esi_guidelines).

Detailed_Description:

Entity_Type:

Entity_Type_Label: INDEX.PATINDEX

Entity_Type_Definition:

The INDEX.PATINDEX table contains attribute information for the vector polygons grouped into regions, representing the boundaries of the maps and digital data boundaries used in the creation of the ESI atlas.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: TILE-NAME

Attribute_Definition:

The TILE-NAME contains the map number according to the specified layout of the atlas.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 16

Attribute:

Attribute_Label: TOPO-NAME

Attribute_Definition:

USGS Topographic map name, short description of location, or atlas name.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition:

SCALE contains the value of the denominator of the scale at which the map is plotted in the final map product.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 24000

Enumerated_Domain_Value_Definition: Scale = 1:24,000

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MAPANGLE

Attribute_Definition:

MAPANGLE contains the value to rotate the final map product so that it is situated straight up and down.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: -1.2820
Range_Domain_Maximum: -0.6980
Attribute_Units_of_Measure: Degree

Attribute:

Attribute_Label: PAGESIZE

Attribute_Definition:

PAGESIZE contains the value of the width and height of the map in the final map product.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 11,17

Enumerated_Domain_Value_Definition: Page size= 11" by 17"

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: Downloadable Data

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA

115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 201405

Metadata_Review_Date: 201405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.9.20 on Tue May 13 10:39:41 2014

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: INVERT (Invertebrate Polygons)

Metadata also available as - [\[Parseable text\]](#) - [\[SGML\]](#) - [\[XML\]](#)

Metadata:

- [Identification_Information](#)
 - [Data_Quality_Information](#)
 - [Spatial_Data_Organization_Information](#)
 - [Spatial_Reference_Information](#)
 - [Entity_and_Attribute_Information](#)
 - [Distribution_Information](#)
 - [Metadata_Reference_Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington.

Publication_Date: 201405

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: INVERT (Invertebrate Polygons)

Edition: Second

Geospatial_Data_Presentation_Form: vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Lower Mississippi River

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

NOAA's Ocean Service, Office of Response and Restoration (OR&R), Emergency Response Division (ERD).

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and

Restoration, Emergency Response Division, Seattle, Washington.
Online Linkage: <<http://response.restoration.noaa.gov/esi>>

Description:

Abstract:

This data set contains sensitive biological resource data for estuarine and freshwater invertebrate species in the Lower Mississippi River. Vector polygons in this data set represent invertebrate distributions. Species specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer. This data set comprises a portion of the ESI data for Lower Mississippi River. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1985

Ending_Date: 2014

Currentness_Reference:

The data were compiled during 2014. The currentness dates for this data range from 1985 to 2014 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -91.70600

East_Bounding_Coordinate: -90.37500

North_Bounding_Coordinate: 31.02700

South_Bounding_Coordinate: 29.93600

Keywords:

Theme:

Theme_Keyword_Thesaurus: ISO 19115 Topic Category

Theme_Keyword: biota

Theme_Keyword: environment

Theme:

Theme_Keyword_Thesaurus: None
Theme_Keyword: Environmental Monitoring
Theme_Keyword: ESI
Theme_Keyword: Sensitivity maps
Theme_Keyword: Coastal resources
Theme_Keyword: Oil spill planning
Theme_Keyword: Coastal Zone Management
Theme_Keyword: Wildlife
Theme_Keyword: Invertebrate

Place:

Place_Keyword_Thesaurus: None
Place_Keyword: Lower Mississippi River

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Management boundaries are not to be considered legal boundaries. Edges may have been altered for cartographic processes. Besides the above warnings, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Browse_Graphic:

Browse_Graphic_File_Name: datafig2.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and desktop data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington, and The Department of Homeland Security, United States Coast Guard Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(R) (version 10.2) and SQL SERVER(R) (version 2005). The hardware configuration is PC's with Windows Operating System 7.

The Spatial_Data_Organization Information section refers only to the source files in the ARC export

format. The following files are included in the data set: birds.e00, esil.e00, esip.e00, fish.e00, hydro.e00, index.e00, invert.e00, mgt.e00, nests.e00, reptiles.e00, rivermiles.e00, socecon.e00, and t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut.e00, biofile.e00, biores.e00, breed.e00, breed_dt.e00, seasonal.e00, soc_dat.e00, soc_lut.e00, sources.e00, species.e00, and status.e00.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary node, etc.), and SQL SERVER(R) to ARC/INFO(R) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resources at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of survey data, published literature and expert knowledge on invertebrate distributions. These data do not necessarily represent all invertebrate occurrences in Lower Mississippi River. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 49, Blue crab, Callinectes sapidus; 50, White shrimp, Litopenaeus setiferus; 51, Brown shrimp, Farfantepenaeus aztecus; 82, Atlantic rangia, Rangia cuneata; 84, Red swamp crawfish, Procambarus clarkii; 408, River shrimp, Macrobrachium sp.; 642, Crayfish, n/a.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base

maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: BAUER, RAYMOND T. AND JAMES DELAHOUSSAYE

Publication_Date: 2008

Title:

LIFE HISTORY MIGRATIONS OF THE AMPHIDROMOUS RIVER SHRIMP
MACHROBRACHIUM OHIONE FROM A LARGE RIVER SYSTEM

Geospatial_Data_Presentation_Form: DOCUMENT

Other_Citation_Details: JOURNAL OF CRUSTACEAN BIOLOGY, 28(4):622-632

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2008

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA DEPARTMENT OF WILDLIFE AND FISHERIES (LDWF)

Publication_Date: 2013

Title:

DISTRIBUTION, SEASONALITY AND ABUNDANCE OF INLAND
FISHERIES RESOURCES

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2013

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA DEPARTMENT OF WILDLIFE AND FISHERIES (LDWF)

Publication_Date: 2013

Title: MARINE FISHERIES MONITORING DATABASE

Geospatial_Data_Presentation_Form: TABULAR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2003

Ending_Date: 2012

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA DEPARTMENT OF WILDLIFE AND FISHERIES (LDWF)

Publication_Date: 2014

Title:

DISTRIBUTION, ABUNDANCE AND SEASONALITY OF INLAND
FISHERIES RESOURCES

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2014

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION (NOAA),
CENTER FOR COASTAL MONITORING AND ASSESSMENT

Publication_Date: 2000

Title: NOAA'S ESTUARINE LIVING MARINE RESOURCES (ELMR) DATABASE

Geospatial_Data_Presentation_Form: TABULAR DIGITAL DATA

Publication_Information:

Publication_Place: SILVER SPRING, MD

Publisher:

NOAA's OCEAN SERVICE, NATIONAL CENTERS FOR COASTAL
AND OCEAN SCIENCE (NCCOS)

Online_Linkage: <<http://ccma.nos.noaa.gov/ecosystems/estuaries/elmr.aspx>>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1985

Ending_Date: 2000

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: OLIVIER, TYLER J. AND RAYMOND T. BAUER

Publication_Date: 2011

Title:

FEMALE DOWNSTREAM-HATCHING MIGRATION OF THE RIVER
SHRIMP MACROBRACHIUM OHIONE IN THE LOWER MISSISSIPPI

RIVER AND THE ATCHAFALAYA RIVER
Geospatial_Data_Presentation_Form: DOCUMENT
Publication_Information:

Publication_Place: SOUTH BEND, IN
Publisher: UNIVERSITY OF NOTRE DAME

Other_Citation_Details: THE AMERICAN MIDLAND NATURALIST, 166(2):379-393

Online_Linkage: <<http://dx.doi.org/10.1674/0003-0031-166.2.379>>

Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2011

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE
Source_Contribution: INVERT INFORMATION

Process_Step:

Process_Description:

Sources of data used to depict invert distribution and seasonality for this data layer include Louisiana Department of Wildlife and Fisheries (LDWF) fishery independent monitoring data, published information, and anecdotal information from resource experts from LDWF. Data for Lake Pontchartrain species was derived from LDWF's marine fisheries sampling data. River shrimp distributions were digitized based on published literature describing their movement in the Atchafalaya and Mississippi River. All other invertebrates mapped were based on expert knowledge.

The above digital and/or hardcopy sources were compiled by the project biologist to create the INVERT data layer. Depending on the type of source data, three general approaches are used for compiling the data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The ESI, biology, and human-use data are compiled into the standard ESI digital data format. A second set of interviews with participating resource experts are conducted to review the compiled data. If necessary, edits to the INVERT data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 201405

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address
Address: 7600 Sand Point Way, N.E.
City: Seattle
State_or_Province: Washington
Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944
Contact_Facsimile_Telephone: (206) 526-6329
Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector
Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains
Point_and_Vector_Object_Count: 60

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point
Point_and_Vector_Object_Count: 59

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain
Point_and_Vector_Object_Count: 148

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link
Point_and_Vector_Object_Count: 44999

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph
Point_and_Vector_Object_Count: 144

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001
Longitude_Resolution: 0.0000001
Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983
Ellipsoid_Name: Geodetic Reference System 80
Semi-major_Axis: 6378137.000000
Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, INVERT) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Lower Mississippi River atlas, the number is 233), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure. Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item. A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram describing relationships between attribute tables in the ESI data structure does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Entity_and_Attribute_Detail_Citation:

A complete description of entity types, attributes, and attribute values for ESI atlases can be found in the NOAA ESI Guidelines (http://response.restoration.noaa.gov/esi_guidelines).

Detailed_Description:

Entity_Type:

Entity_Type_Label: INVERT.PAT

Entity_Type_Definition:

The INVERT.PAT table contains attribute information for the vector polygons in this data set representing invertebrate distributions. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (233), element number (7), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in the polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (233), element number (7), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to concentration, abundance, or density values of a species at a particular location. Categorical concentrations used for fish include ‘RARE’, ‘COMMON’, ‘ABUNDANT’ or ‘HIGHLY ABUNDANT’, listed in order from lowest to highest abundance.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and plants

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness Report for list of layer specific species.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name for the entire ESI data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name for the entire ESI data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and plants

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: alligator
Enumerated_Domain_Value_Definition: Alligator
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bear
Enumerated_Domain_Value_Definition: Bear
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve
Enumerated_Domain_Value_Definition: Bivalve
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crab
Enumerated_Domain_Value_Definition: Crab
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crayfish
Enumerated_Domain_Value_Definition: Crayfish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diadromous
Enumerated_Domain_Value_Definition: Diadromous fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diving
Enumerated_Domain_Value_Definition: Diving bird
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_nursery
Enumerated_Domain_Value_Definition: Estuarine nursery fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_resident
Enumerated_Domain_Value_Definition: Estuarine resident fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: freshwater
Enumerated_Domain_Value_Definition: Freshwater fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gull_tern
Enumerated_Domain_Value_Definition: Gull or tern
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: invert
Enumerated_Domain_Value_Definition: Invertebrate
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_pelagic
Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: passerine
Enumerated_Domain_Value_Definition: Passerine bird
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: raptor
Enumerated_Domain_Value_Definition: Raptor
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shorebird
Enumerated_Domain_Value_Definition: Shorebird
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp
Enumerated_Domain_Value_Definition: Shrimp
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: turtle
Enumerated_Domain_Value_Definition: Turtle
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wading
Enumerated_Domain_Value_Definition: Wading bird
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl
Enumerated_Domain_Value_Definition: Waterfowl
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking.

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank
Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Date unspecified

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and plants

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in June

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: JUL

Attribute_Definition: July

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: AUG

Attribute_Definition: August

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in September

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: OCT

Attribute_Definition: October

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in October

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: NOV

Attribute_Definition: November

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in November
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: DEC
Attribute_Definition: December
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in December
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE_SEA
Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####
Enumerated_Domain_Value_Definition: Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED
Entity_Type_Definition: The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.
Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE_SEA
Attribute_Definition: Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH
Enumerated_Domain_Value_Definition: Fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT
Enumerated_Domain_Value_Definition: Habitats and Plants
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT
Enumerated_Domain_Value_Definition: Invertebrates
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL
Enumerated_Domain_Value_Definition: Marine Mammals
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE
Enumerated_Domain_Value_Definition: Reptiles and Amphibians
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL
Enumerated_Domain_Value_Definition: Terrestrial Mammals
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a

nationwide master ESI species list maintained at NOAA.
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE
Attribute_Definition: Two-letter state abbreviation.
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY
Attribute_Definition: Three-letter country abbreviation.
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S
Attribute_Definition: State threatened or endangered status.
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E
Enumerated_Domain_Value_Definition: Endangered on state list
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T
Enumerated_Domain_Value_Definition: Threatened on state list
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C
Enumerated_Domain_Value_Definition: Species of Special Concern
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I

Attribute_Definition: International threatened or endangered status.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID and ESI_Source in the ESI and HYDRO data layers.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUB_PLACE

Attribute_Definition: Publication place.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLISHER

Attribute_Definition: Publisher.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ONLINE_LINK

Attribute_Definition: Online computer resource URL.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: Downloadable Data

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product

are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 201405

Metadata_Review_Date: 201405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: MGT (Management Area Polygons)

Metadata also available as - [\[Parseable text\]](#) - [\[SGML\]](#) - [\[XML\]](#)

Metadata:

- [Identification_Information](#)
 - [Data_Quality_Information](#)
 - [Spatial_Data_Organization_Information](#)
 - [Spatial_Reference_Information](#)
 - [Entity_and_Attribute_Information](#)
 - [Distribution_Information](#)
 - [Metadata_Reference_Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington.

Publication_Date: 201405

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: MGT (Management Area Polygons)

Edition: Second

Geospatial_Data_Presentation_Form: vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Lower Mississippi River

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

NOAA's Ocean Service, Office of Response and Restoration (OR&R), Emergency Response Division (ERD).

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and

Description:

Abstract:

This data set contains human-use data detailing management areas, including designated critical habitats, National Wildlife Refuges, state wildlife management areas and reserves, and properties of The Nature Conservancy (TNC) for the Lower Mississippi River. Vector polygons in this data set represent management areas. Location specific type and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer. This data set comprises a portion of the ESI data for Lower Mississippi River. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the SOCECON data layer, part of the larger Lower Mississippi River ESI database, for additional human-use information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2011
Ending_Date: 2014

Currentness_Reference:

The data were compiled during 2014. The currentness dates for this data range from 2011 to 2014 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -91.70600
East_Bounding_Coordinate: -90.37500
North_Bounding_Coordinate: 31.02700
South_Bounding_Coordinate: 29.93600

Keywords:

Theme:

Theme_Keyword_Thesaurus: ISO 19115 Topic Category
Theme_Keyword: biota
Theme_Keyword: environment

Theme:

Theme_Keyword_Thesaurus: None
Theme_Keyword: Environmental Monitoring
Theme_Keyword: ESI
Theme_Keyword: Sensitivity maps
Theme_Keyword: Coastal resources
Theme_Keyword: Oil spill planning
Theme_Keyword: Coastal Zone Management
Theme_Keyword: Wildlife
Theme_Keyword: Management

Place:

Place_Keyword_Thesaurus: None
Place_Keyword: Lower Mississippi River

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Management boundaries are not to be considered legal boundaries. Edges may have been altered for cartographic processes. Besides the above warnings, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Browse_Graphic:

Browse_Graphic_File_Name: datafig2.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and desktop data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington, and The Department of Homeland Security, United States Coast Guard Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(R) (version 10.2) and SQL SERVER(R) (version 2005). The hardware configuration is PC's

with Windows Operating System 7.

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in the data set: birds.e00, esil.e00, esip.e00, fish.e00, hydro.e00, index.e00, invert.e00, mgt.e00, nests.e00, reptiles.e00, rivermiles.e00, socecon.e00, and t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut.e00, biofile.e00, biores.e00, breed.e00, breed_dt.e00, seasonal.e00, soc_dat.e00, soc_lut.e00, sources.e00, species.e00, and status.e00.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary node, etc.), and SQL SERVER(R) to ARC/INFO(R) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resources at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of digital boundaries for management areas. See also the SOCECON data layer, part of the larger Lower Mississippi River ESI database, for additional human-use information.

These data do not necessarily represent all management areas in the Lower Mississippi River.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the human-use data layers can come from expert interviews, hardcopy, or digital sources. Most of the spatial components of the human-use data layers are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. Some of the spatial components of the human-use data layers are compiled on hardcopy base maps with a scale of 1:24,000. See the Lineage and Process_Description

sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA DEPARTMENT OF WILDLIFE AND FISHERIES (LDWF)

Publication_Date: 2011

Title: WMA_REFUGE_LDWF_2011

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Publication_Information:

Publication_Place: BATON ROUGE, LA

Publisher: LOUISIANA DEPARTMENT OF WILDLIFE AND FISHERIES

Online_Linkage: <<http://www.wlf.louisiana.gov/>>

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2011

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: MGT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

LOUISIANA DEPARTMENT OF WILDLIFE AND FISHERIES (LDWF) -
STEVE SMITH

Publication_Date: 2014

Title: WILDLIFE MANAGEMENT AREAS OF LOUISIANA

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2014

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: MGT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: THE NATURE CONSERVANCY (TNC)

Publication_Date: 2014

Title: THE NATURE CONSERVANCY LANDS

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2014

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: MGT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. FISH AND WILDLIFE SERVICE (USFWS)

Publication_Date: 2012

Title: FINAL CRITICAL HABITAT POLYGONS

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Publication_Information:

Publication_Place: FORT COLLINS, CO

Publisher: UNITED STATES FISH AND WILDLIFE SERVICE (ECOS)

Online_Linkage: <<http://criticalhabitat.fws.gov/crithab/>>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2012

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: MGT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. FISH AND WILDLIFE SERVICE (USFWS)

Publication_Date: 2013

Title: USFWS ACQUIRED LANDS

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2013

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: MGT INFORMATION

Process_Step:

Process_Description:

Sources of data used to depict human-use resources in this data layer include digital datasets provided by the Louisiana Department of Wildlife and Fisheries (LDWF), U.S. Fish and Wildlife Service (USFWS), and the Nature Conservancy (TNC). Critical Habitat - Designated critical habitat was mapped for black bear. The data were downloaded from the USFWS Critical Habitat Portal. Management Areas - State Wildlife management areas and wildlife refuges were provided by LDWF and mapped as ESI type 'Management Area'. Nature Conservancy - Boundaries of TNC properties and easements were provided by TNC. Wildlife Refuge - Boundaries of National Wildlife Refuges were provided by the USFWS, Region 4. The above digital and/or hardcopy sources were compiled by the project biologist to create the MGT data layer. Depending on the type of source data, three general approaches are used for compiling the data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The ESI, biology, and human-use data are compiled into the standard ESI digital data format. A second set of interviews with participating resource experts are conducted to review the compiled

data. If necessary, edits to the MGT data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 201405

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 35

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 34

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 60

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 7025

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 44

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983

Ellipsoid_Name: Geodetic Reference System 80

Semi-major_Axis: 6378137.000000

Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, two relational attribute or data tables, SOC_DAT, and SOURCES, are used to store the complex socioeconomic data in the ESI data structure. The geographic data layer containing socioeconomic data resource information (in this case, MGT) is linked to the Socioeconomic Resources table (SOC_DAT) using the unique ID and the lookup table SOC_LUT, or it can be linked directly using HUNUM. HUNUM is a unique reference number concatenated with the atlas number (for Lower Mississippi River, the number is 233). ID is a unique combination of the atlas number (233), an element specific number (MGT = 11), and a unique record number. SOC_DAT and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Entity_and_Attribute_Detail_Citation:

A complete description of entity types, attributes, and attribute values for ESI atlases can be found in the NOAA ESI Guidelines (http://response.restoration.noaa.gov/esi_guidelines).

Detailed_Description:

Entity_Type:

Entity_Type_Label: MGT.PAT

Entity_Type_Definition:

The MGT.PAT table contains attribute information for the vector polygons representing critical habitats, National Wildlife Refuges, state wildlife managed areas and reserves, and properties of The Nature Conservancy (TNC). Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: TYPE

Attribute_Definition:

The human-use features depicted on the maps are those that could be impacted by an oil spill or could provide access for response operations.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: CH

Enumerated_Domain_Value_Definition: Designated Critical Habitat

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: MA

Enumerated_Domain_Value_Definition: Management Area

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: MR

Enumerated_Domain_Value_Definition:

Multiple Records - Signifies that multiple types overlap in the polygon

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: NC

Enumerated_Domain_Value_Definition: Nature Conservancy

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: WR

Enumerated_Domain_Value_Definition: Wildlife Refuge

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the human-use data layers to records in the SOC_LUT data table. ID is a concatenation of atlas number (233), element number (11), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"
Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links directly to the SOC_DAT table. HUNUM values of 0 are holes in the polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOC_LUT

Entity_Type_Definition:

The data table SOC_LUT is a lookup table that contains items necessary for linking vector objects in the human-use data layers with the SOC_DAT data table. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links records in the SOC_LUT data table to records in the SOC_DAT data table. HUNUM values of 0 are holes in the polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the human-use data layers to records in the SOC_LUT data table. ID is a concatenation of atlas number (233), element number (11), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"
Range_Domain_Maximum: "NEED TO ADD"

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOC_DAT

Entity_Type_Definition:

The data table SOC_DAT contains both human-use attribute data and items necessary for linking the human-use spatial data layers to the SOURCES data table. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links records in the SOC_DAT data table to records in the SOC_LUT data table. HUNUM values of 0 are holes in the polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: TYPE

Attribute_Definition:

The human-use features depicted on the maps are those that could be impacted by an oil spill or could provide access for response operations.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: AIRPORT

Enumerated_Domain_Value_Definition: Airport

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: ARCHAEOLOGICAL SITE

Enumerated_Domain_Value_Definition: Archaeological Site

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BOAT RAMP
Enumerated_Domain_Value_Definition: Boat Ramp
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: CRITICAL HABITAT
Enumerated_Domain_Value_Definition: Designated Critical Habitat
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FACILITY
Enumerated_Domain_Value_Definition: Facility
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FERRY
Enumerated_Domain_Value_Definition: Ferry
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HELIPORT
Enumerated_Domain_Value_Definition: Heliport
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: LOCK AND DAM
Enumerated_Domain_Value_Definition: Lock and Dam
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: MANAGEMENT AREA
Enumerated_Domain_Value_Definition: Management Area
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: MARINA
Enumerated_Domain_Value_Definition: Marina
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: NATURE CONSERVANCY
Enumerated_Domain_Value_Definition: Nature Conservancy
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: PORT
Enumerated_Domain_Value_Definition: Port
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: WATER INTAKE
Enumerated_Domain_Value_Definition: Water Intake
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: WILDLIFE REFUGE
Enumerated_Domain_Value_Definition: Wildlife Refuge
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: NAME
Attribute_Definition: The feature name.
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: CONTACT
Attribute_Definition: Contact person or entity.
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PHONE

Attribute_Definition: Contact telephone number.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the SOC_DAT data table to records in the SOURCES data table.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: A_SOURCE

Attribute_Definition:

Attribute source identifier that links records in the SOC_DAT data table to records in the SOURCES data table.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and

A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID and ESI_Source in the ESI and HYDRO data layers.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUB_PLACE

Attribute_Definition: Publication place.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLISHER

Attribute_Definition: Publisher.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ONLINE_LINK

Attribute_Definition: Online computer resource URL.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: Downloadable Data

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 201405

Metadata_Review_Date: 201405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.9.20 on Tue May 13 10:39:45 2014

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: NESTS (Nest Points)

Metadata also available as - [\[Parseable text\]](#) - [\[SGML\]](#) - [\[XML\]](#)

Metadata:

- [Identification_Information](#)
 - [Data_Quality_Information](#)
 - [Spatial_Data_Organization_Information](#)
 - [Spatial_Reference_Information](#)
 - [Entity_and_Attribute_Information](#)
 - [Distribution_Information](#)
 - [Metadata_Reference_Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington.

Publication_Date: 201405

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: NESTS (Nest Points)

Edition: Second

Geospatial_Data_Presentation_Form: vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Lower Mississippi River

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

NOAA's Ocean Service, Office of Response and Restoration (OR&R), Emergency Response Division (ERD).

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and

Restoration, Emergency Response Division, Seattle, Washington.
Online Linkage: <<http://response.restoration.noaa.gov/esi>>

Description:

Abstract:

This data set contains sensitive biological resource data for wading birds, diving birds, and terns in the Lower Mississippi River. Vector points in this data set represent bird nesting sites. Species specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer. This data set comprises a portion of the ESI data for Lower Mississippi River. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the BIRDS data layer, part of the larger Lower Mississippi River ESI database, for additional bird information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1990

Ending_Date: 2014

Currentness_Reference:

The data were compiled during 2014. The currentness dates for this data range from 1990 to 2014 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -91.70600

East_Bounding_Coordinate: -90.37500

North_Bounding_Coordinate: 31.02700

South_Bounding_Coordinate: 29.93600

Keywords:

Theme:

Theme_Keyword_Thesaurus: ISO 19115 Topic Category

Theme_Keyword: biota

Theme_Keyword: environment

Theme:

Theme_Keyword_Thesaurus: None
Theme_Keyword: Environmental Monitoring
Theme_Keyword: ESI
Theme_Keyword: Sensitivity maps
Theme_Keyword: Coastal resources
Theme_Keyword: Oil spill planning
Theme_Keyword: Coastal Zone Management
Theme_Keyword: Wildlife
Theme_Keyword: Nest
Theme_Keyword: Bird

Place:

Place_Keyword_Thesaurus: None
Place_Keyword: Lower Mississippi River

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Management boundaries are not to be considered legal boundaries. Edges may have been altered for cartographic processes. Besides the above warnings, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Browse_Graphic:

Browse_Graphic_File_Name: datafig2.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and desktop data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington, and The Department of Homeland Security, United States Coast Guard Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(R) (version 10.2) and SQL SERVER(R) (version 2005). The hardware configuration is PC's

with Windows Operating System 7.

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in the data set: birds.e00, esil.e00, esip.e00, fish.e00, hydro.e00, index.e00, invert.e00, mgt.e00, nests.e00, reptiles.e00, rivermiles.e00, socecon.e00, and t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut.e00, biofile.e00, biores.e00, breed.e00, breed_dt.e00, seasonal.e00, soc_dat.e00, soc_lut.e00, sources.e00, species.e00, and status.e00.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary node, etc.), and SQL SERVER(R) to ARC/INFO(R) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resources at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of digital data on bird nesting sites. See also the BIRDS data layer, part of the larger Lower Mississippi River ESI database, for additional bird information. These data do not necessarily represent all nest occurrences in Lower Mississippi River. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 54, Great blue heron, Ardea herodias; 87, Little blue heron, Egretta caerulea; 88, Great egret, Ardea alba; 89, Snowy egret, Egretta thula; 90, Black-crowned night-heron, Nycticorax nycticorax; 93, Cattle egret, Bubulcus ibis; 94, Tricolored heron, Egretta tricolor; 115, White ibis, Eudocimus albus; 116, Roseate spoonbill, Ajaja ajaja; 121, Anhinga, Anhinga anhinga; 617, White-faced or Glossy ibis, Plegadis spp.; 905, Interior least tern, Sternula antillarum athalassos.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator:

BARATARIA-TERREBONNE NATIONAL ESTUARY PROGRAM (BTNEP) -
RICHARD DEMAY

Publication_Date: 2006

Title: 2006 BTNEP SEABIRD AND WADING BIRD NESTING SURVEY

Geospatial_Data_Presentation_Form: SPREADSHEET

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2006

Ending_Date: 2006

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: NESTS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

BARATARIA-TERREBONNE NATIONAL ESTUARY PROGRAM (BTNEP) -
RICHARD DEMAY

Publication_Date: 2008

Title: SEASONAL ABUNDANCE OF BIRDS IN SOUTHEAST LOUISIANA

Geospatial_Data_Presentation_Form: DOCUMENT
Publication_Information:

Publication_Place: THIBODAUX, LA

Publisher: BARATARIA-TERREBONNE NATIONAL ESTUARY PROGRAM

Type_of_Source_Media: EMAIL
Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2008

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: NESTS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: MARTIN, R.P. AND G.D. LESTER

Publication_Date: 1990

Title:

ATLAS AND CENSUS OF WADING BIRD AND SEABIRD NESTING
COLONIES IN LOUISIANA, 1990

Geospatial_Data_Presentation_Form: DOCUMENT

Publication_Information:

Publication_Place: LOUISIANA

Publisher:

LOUISIANA DEPARTMENT OF WILDLIFE AND FISHERIES,
LOUISIANA NATURAL HERITAGE PROGRAM

Other_Citation_Details: SPECIAL PUBLICATION NO. 3

Type_of_Source_Media: EMAIL
Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1990

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: NESTS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. FISH AND WILDLIFE SERVICE (USFWS)

Publication_Date: 2014

Title: INTERIOR LEAST TERN NESTING COLONY

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2014

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: NESTS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. FISH AND WILDLIFE SERVICE (USFWS) - PAUL HARTFIELD

Publication_Date: 2014

Title:

LOWER MISSISSIPPI RIVER RESOURCES - LEAST TERN AND PALLID STURGEON

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2014

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: NESTS INFORMATION

Process_Step:

Process_Description:

Two main sources of data were used to depict nest distribution and seasonality for this data layer. U.S. Fish and Wildlife Service (USFWS) provided a point location of a historical nest site for Interior least tern. –In addition, Barataria-Terrebonne National Estuary Program (BTNEP) provided 2006 nesting survey data with geographic locations of nesting waterbird colonies.

The above digital and/or hardcopy sources were compiled by the project biologist to create the NESTS data layer. Depending on the type of source data, three general approaches are used for compiling the data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The ESI, biology, and human-use data are compiled into the standard ESI digital data format. A second set of interviews with participating resource experts are conducted to review the compiled data. If necessary, edits to the NESTS data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 201405

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 5

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001
Longitude_Resolution: 0.0000001
Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983
Ellipsoid_Name: Geodetic Reference System 80
Semi-major_Axis: 6378137.000000
Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, NESTS) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Lower Mississippi River atlas, the number is 233), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure. Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item. A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram describing relationships between attribute tables in the ESI data structure does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Entity_and_Attribute_Detail_Citation:

A complete description of entity types, attributes, and attribute values for ESI atlases can be found in the NOAA ESI Guidelines (http://response.restoration.noaa.gov/esi_guidelines).

Detailed_Description:

Entity_Type:

Entity_Type_Label: NESTS.PAT

Entity_Type_Definition:

The NESTS.PAT table contains attribute information for the vector points in this data set representing bird nesting sites. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (233), element number (5), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table.

RARNUM values of 0 are holes in the polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic

section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (233), element number (5), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

Concentrations represent a single count of breeding pairs per species for each site and were taken directly from Barataria-Terrebonne National Estuary Program (BTNEP) 2006 nesting survey data. The interior least tern nesting site was assigned a concentration of 'POTENTIAL' because nesting does not regularly occur at this site, and has not occurred at this site in several years.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD
Enumerated_Domain_Value_Definition: Birds
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH
Enumerated_Domain_Value_Definition: Fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT
Enumerated_Domain_Value_Definition: Habitats and plants
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT
Enumerated_Domain_Value_Definition: Invertebrates
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness Report for list of layer specific species.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name for the entire ESI data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name for the entire ESI data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and plants

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: alligator

Enumerated_Domain_Value_Definition: Alligator

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bear

Enumerated_Domain_Value_Definition: Bear

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve

Enumerated_Domain_Value_Definition: Bivalve

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crab

Enumerated_Domain_Value_Definition: Crab

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crayfish

Enumerated_Domain_Value_Definition: Crayfish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diadromous

Enumerated_Domain_Value_Definition: Diadromous fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diving

Enumerated_Domain_Value_Definition: Diving bird
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_nursery
Enumerated_Domain_Value_Definition: Estuarine nursery fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_resident
Enumerated_Domain_Value_Definition: Estuarine resident fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: freshwater
Enumerated_Domain_Value_Definition: Freshwater fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gull_tern
Enumerated_Domain_Value_Definition: Gull or tern
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: invert
Enumerated_Domain_Value_Definition: Invertebrate
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_pelagic
Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: passerine

Enumerated_Domain_Value_Definition: Passerine bird
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: raptor
Enumerated_Domain_Value_Definition: Raptor
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shorebird
Enumerated_Domain_Value_Definition: Shorebird
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp
Enumerated_Domain_Value_Definition: Shrimp
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: turtle
Enumerated_Domain_Value_Definition: Turtle
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wading
Enumerated_Domain_Value_Definition: Wading bird
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl
Enumerated_Domain_Value_Definition: Waterfowl
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking.

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank
Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Date unspecified

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables

in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and plants

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in June
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: JUL
Attribute_Definition: July
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in July
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: AUG
Attribute_Definition: August
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in August
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SEP
Attribute_Definition: September
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in September
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: OCT
Attribute_Definition: October
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in October
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: NOV

Attribute_Definition: November

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: DEC

Attribute_Definition: December

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or

T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Three-letter country abbreviation.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I

Attribute_Definition: International threatened or endangered status.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID and ESI_Source in the ESI and HYDRO data layers.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUB_PLACE

Attribute_Definition: Publication place.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLISHER

Attribute_Definition: Publisher.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ONLINE_LINK

Attribute_Definition: Online computer resource URL.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: Downloadable Data

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of

the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 201405

Metadata_Review_Date: 201405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: REPTILES (Reptile Polygons)

Metadata also available as - [\[Parseable text\]](#) - [\[SGML\]](#) - [\[XML\]](#)

Metadata:

- [Identification_Information](#)
 - [Data_Quality_Information](#)
 - [Spatial_Data_Organization_Information](#)
 - [Spatial_Reference_Information](#)
 - [Entity_and_Attribute_Information](#)
 - [Distribution_Information](#)
 - [Metadata_Reference_Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington.

Publication_Date: 201405

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: REPTILES (Reptile Polygons)

Edition: Second

Geospatial_Data_Presentation_Form: vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Lower Mississippi River

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

NOAA's Ocean Service, Office of Response and Restoration (OR&R), Emergency Response Division (ERD).

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and

Restoration, Emergency Response Division, Seattle, Washington.
Online Linkage: <<http://response.restoration.noaa.gov/esi>>

Description:

Abstract:

This data set contains sensitive biological resource data for riverine turtles and American alligator in the Lower Mississippi River. Vector polygons in this data set represent reptile distribution and nesting areas. Species specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer. This data set comprises a portion of the ESI data for Lower Mississippi River. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2008

Ending_Date: 2014

Currentness_Reference:

The data were compiled during 2014. The currentness dates for this data range from 2008 to 2014 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -91.70600

East_Bounding_Coordinate: -90.37500

North_Bounding_Coordinate: 31.02700

South_Bounding_Coordinate: 29.93600

Keywords:

Theme:

Theme_Keyword_Thesaurus: ISO 19115 Topic Category

Theme_Keyword: biota

Theme_Keyword: environment

Theme:

Theme_Keyword_Thesaurus: None
Theme_Keyword: Environmental Monitoring
Theme_Keyword: ESI
Theme_Keyword: Sensitivity maps
Theme_Keyword: Coastal resources
Theme_Keyword: Oil spill planning
Theme_Keyword: Coastal Zone Management
Theme_Keyword: Wildlife
Theme_Keyword: Reptile

Place:

Place_Keyword_Thesaurus: None
Place_Keyword: Lower Mississippi River

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Management boundaries are not to be considered legal boundaries. Edges may have been altered for cartographic processes. Besides the above warnings, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Browse_Graphic:

Browse_Graphic_File_Name: datafig2.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and desktop data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington, and The Department of Homeland Security, United States Coast Guard Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(R) (version 10.2) and SQL SERVER(R) (version 2005). The hardware configuration is PC's with Windows Operating System 7.

The Spatial_Data_Organization Information section refers only to the source files in the ARC export

format. The following files are included in the data set: birds.e00, esil.e00, esip.e00, fish.e00, hydro.e00, index.e00, invert.e00, mgt.e00, nests.e00, reptiles.e00, rivermiles.e00, socecon.e00, and t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut.e00, biofile.e00, biores.e00, breed.e00, breed_dt.e00, seasonal.e00, soc_dat.e00, soc_lut.e00, sources.e00, species.e00, and status.e00.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary node, etc.), and SQL SERVER(R) to ARC/INFO(R) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resources at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge, published documents, survey data, and digital data on reptile distribution and nesting areas. These data do not necessarily represent all reptile occurrences in Lower Mississippi River. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 3, American alligator, Alligator mississippiensis; 180, Alligator snapping turtle, Macrochelys temminckii; 214, Southern map turtle, Graptemys ouachitensis; 215, Smooth softshell, Apalone mutica.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base

maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator:

LOUISIANA DEPARTMENT OF WILDLIFE AND FISHERIES (LDWF),
COASTAL AND NONGAME RESOURCES DIVISION'S ALLIGATOR
PROGRAM

Publication_Date: 2012

Title: FIVE YEAR (2008-2012) AVERAGE ALLIGATOR NEST DENSITY

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2008

Ending_Date: 2012

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: REPTILES INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA NATURAL HERITAGE PROGRAM (LNHP)

Publication_Date: 2014

Title: RIVERINE TURTLE DISTRIBUTION

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2014

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: REPTILES INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NATURESERVE

Publication_Date: 2013

Title: NATURESERVE EXPLORER

Geospatial_Data_Presentation_Form: DOCUMENT

Publication_Information:

Publication_Place: ARLINGTON, VA

Publisher: NATURESERVE

Online_Linkage: <<http://www.natureserve.org/explorer/index.htm>>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2012

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: REPTILES INFORMATION

Process_Step:

Process_Description:

Two main sources of data were used to depict reptile distribution and seasonality for this data layer: 1) digital data provided by LDWF-Louisiana Natural Heritage Program (LNHP) depicting the distribution of riverine turtles and 2) digital survey data provided by LDWF depicting alligator nest densities. Riverine turtles - The distribution of the smooth softshell, Alligator snapping turtle and the Ouachita map turtle were provided by LNHP. Alligators - Estimated American alligator nest densities were provided by LDWF, based on 2008-2012 surveys. LDWF ranked habitat quality based on nest density, and areas considered to be ‘excellent’, ‘high’, or ‘medium’ quality habitat were included in the atlas. Alligators may be found in lower densities throughout the area of interest. The LDWF-LNHP provided information for some of the federally and state listed species and species of conservation concern for display in the ESI atlas and accompanying digital data in 2014. The available LNHP data sets are to be used for oil spill response and spill response planning only. These

data represent existing information known to the LNHP at the time of the request and should never be substituted for consultation with the LNHP.

The above digital and/or hardcopy sources were compiled by the project biologist to create the REPTILES data layer. Depending on the type of source data, three general approaches are used for compiling the data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The ESI, biology, and human-use data are compiled into the standard ESI digital data format. A second set of interviews with participating resource experts are conducted to review the compiled data. If necessary, edits to the REPTILES data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 201405

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration
Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address
Address: 7600 Sand Point Way, N.E.
City: Seattle
State_or_Province: Washington
Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains
Point_and_Vector_Object_Count: 23

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point
Point_and_Vector_Object_Count: 22

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 111

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link
Point_and_Vector_Object_Count: 47796

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph
Point_and_Vector_Object_Count: 110

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001
Longitude_Resolution: 0.0000001
Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983
Ellipsoid_Name: Geodetic Reference System 80
Semi-major_Axis: 6378137.000000
Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, REPTILES) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Lower Mississippi River atlas, the number is 233), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure. Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the

individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item. A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram describing relationships between attribute tables in the ESI data structure does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Entity_and_Attribute_Detail_Citation:

A complete description of entity types, attributes, and attribute values for ESI atlases can be found in the NOAA ESI Guidelines (http://response.restoration.noaa.gov/esi_guidelines).

Detailed_Description:

Entity_Type:

Entity_Type_Label: REPTILES.PAT

Entity_Type_Definition:

The REPTILES.PAT table contains attribute information for the vector polygons in this data set representing reptile distribution and nesting areas. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (233), element number (6), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in the polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"
Range_Domain_Maximum: "NEED TO ADD"

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"
Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (233), element number (6), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"
Range_Domain_Maximum: "NEED TO ADD"

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to concentration, abundance, or density values. Concentrations are reported as ranges (XX AC/NEST) for mapped alligator nesting areas.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD
Enumerated_Domain_Value_Definition: Birds
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH
Enumerated_Domain_Value_Definition: Fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and plants

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness Report for list of layer specific species.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name for the entire ESI data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name for the entire ESI data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and plants

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE
Enumerated_Domain_Value_Definition: Reptiles and Amphibians
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL
Enumerated_Domain_Value_Definition: Terrestrial Mammals
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SUBELEMENT
Attribute_Definition: Element subgroup delineating a logical grouping of species.
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: alligator
Enumerated_Domain_Value_Definition: Alligator
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bear
Enumerated_Domain_Value_Definition: Bear
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve
Enumerated_Domain_Value_Definition: Bivalve
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crab
Enumerated_Domain_Value_Definition: Crab
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crayfish
Enumerated_Domain_Value_Definition: Crayfish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diadromous

Enumerated_Domain_Value_Definition: Diadromous fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diving

Enumerated_Domain_Value_Definition: Diving bird

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_nursery

Enumerated_Domain_Value_Definition: Estuarine nursery fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_resident

Enumerated_Domain_Value_Definition: Estuarine resident fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: freshwater

Enumerated_Domain_Value_Definition: Freshwater fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gull_tern

Enumerated_Domain_Value_Definition: Gull or tern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: invert

Enumerated_Domain_Value_Definition: Invertebrate

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_pelagic

Enumerated_Domain_Value_Definition: Marine pelagic fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: passerine

Enumerated_Domain_Value_Definition: Passerine bird

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: raptor

Enumerated_Domain_Value_Definition: Raptor

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shorebird

Enumerated_Domain_Value_Definition: Shorebird

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp

Enumerated_Domain_Value_Definition: Shrimp

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: turtle

Enumerated_Domain_Value_Definition: Turtle

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wading

Enumerated_Domain_Value_Definition: Wading bird

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl

Enumerated_Domain_Value_Definition: Waterfowl

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking.

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank

Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Date unspecified

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE =

'B00001').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and plants

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL
Enumerated_Domain_Value_Definition: Marine Mammals
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE
Enumerated_Domain_Value_Definition: Reptiles and Amphibians
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL
Enumerated_Domain_Value_Definition: Terrestrial Mammals
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in January
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: FEB
Attribute_Definition: February
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in February
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MAR
Attribute_Definition: March
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in March
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: APR
Attribute_Definition: April
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in April
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MAY
Attribute_Definition: May
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in June

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: JUL

Attribute_Definition: July

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: AUG

Attribute_Definition: August

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in September

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: OCT

Attribute_Definition: October

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in October

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: NOV

Attribute_Definition: November

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: DEC

Attribute_Definition: December

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Three-letter country abbreviation.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E
Enumerated_Domain_Value_Definition: Endangered on state list
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T
Enumerated_Domain_Value_Definition: Threatened on state list
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C
Enumerated_Domain_Value_Definition: Species of Special Concern
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E
Enumerated_Domain_Value_Definition: Endangered on federal list
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T
Enumerated_Domain_Value_Definition: Threatened on federal list
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C
Enumerated_Domain_Value_Definition: Species of Special Concern
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I

Attribute_Definition: International threatened or endangered status.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species,

if used.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID and ESI_Source in the ESI and HYDRO data layers.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUB_PLACE

Attribute_Definition: Publication place.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLISHER

Attribute_Definition: Publisher.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ONLINE_LINK

Attribute_Definition: Online computer resource URL.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington
Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400
Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: Downloadable Data
Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 201405

Metadata_Review_Date: 201405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen
Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address
Address: 7600 Sand Point Way, N.E.
City: Seattle
State_or_Province: Washington
Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944
Contact_Facsimile_Telephone: (206) 526-6329
Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata
Metadata_Standard_Version: FGDC-STD-001-1998

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: RIVER MILES (River Mile Marker Points)

Metadata also available as - [\[Parseable text\]](#) - [\[SGML\]](#) - [\[XML\]](#)

Metadata:

- [Identification_Information](#)
 - [Data_Quality_Information](#)
 - [Spatial_Data_Organization_Information](#)
 - [Spatial_Reference_Information](#)
 - [Entity_and_Attribute_Information](#)
 - [Distribution_Information](#)
 - [Metadata_Reference_Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington.

Publication_Date: 201405

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: RIVER MILES (River Mile Marker Points)

Edition: Second

Geospatial_Data_Presentation_Form: vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Lower Mississippi River

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

NOAA's Ocean Service, Office of Response and Restoration (OR&R), Emergency Response Division (ERD).

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and

Restoration, Emergency Response Division, Seattle, Washington.
Online Linkage: <<http://response.restoration.noaa.gov/esi>>

Description:

Abstract:

This data set contains human-use resource data depicting sequential river mile marker positions of navigable inland waterways and the Gulf Intracoastal Waterway for the Lower Mississippi River. Vector points in this data set represent river mile marker positions. This data set comprises a portion of the ESI data for Lower Mississippi River. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2013

Currentness_Reference:

The data were compiled during 2014. The currentness date for this data is 2013 and is documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -91.70600

East_Bounding_Coordinate: -90.37500

North_Bounding_Coordinate: 31.02700

South_Bounding_Coordinate: 29.93600

Keywords:

Theme:

Theme_Keyword_Thesaurus: ISO 19115 Topic Category

Theme_Keyword: biota

Theme_Keyword: environment

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: Environmental Monitoring

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps
Theme_Keyword: Coastal resources
Theme_Keyword: Oil spill planning
Theme_Keyword: Coastal Zone Management
Theme_Keyword: Wildlife
Theme_Keyword: River miles

Place:

Place_Keyword_Thesaurus: None
Place_Keyword: Lower Mississippi River

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Management boundaries are not to be considered legal boundaries. Edges may have been altered for cartographic processes. Besides the above warnings, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Browse_Graphic:

Browse_Graphic_File_Name: datafig2.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and desktop data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington, and The Department of Homeland Security, United States Coast Guard Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(R) (version 10.2) and SQL SERVER(R) (version 2005). The hardware configuration is PC's with Windows Operating System 7.

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in the data set: birds.e00, esil.e00, esip.e00, fish.e00, hydro.e00, index.e00, invert.e00, mgt.e00, nests.e00, reptiles.e00, rivermiles.e00, socecon.e00, and t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut.e00,

biofile.e00, biores.e00, breed.e00, breed_dt.e00, seasonal.e00, soc_dat.e00, soc_lut.e00, sources.e00, species.e00, and status.e00.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary node, etc.), and SQL SERVER(R) to ARC/INFO(R) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent available digital data on river mile markers.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the human-use data layers can come from expert interviews, hardcopy, or digital sources. Most of the spatial components of the human-use data layers are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. Some of the spatial components of the human-use data layers are compiled on hardcopy base maps with a scale of 1:24,000. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator:

NAVIGATION DATA CENTER, UNITED STATES ARMY CORPS OF
ENGINEERS (USACE)

Publication_Date: 2013

Title: WATERWAY MILE MARKER DATABASE

Geospatial_Data_Presentation_Form: SPREADSHEET

Online_Linkage: <<http://www.navigationdatacenter.us/data/datamile.htm>>

Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2013
Ending_Date: 2013

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: RIVERMILES INFORMATION

Process_Step:

Process_Description:

The data used to depict river mile markers was derived from the U.S. Army Corps of Engineers (USACE) waterway mile marker database. Locations of river mile markers were provided as latitudinal and longitudinal coordinates that were projected and used "as is".

Process_Date: 201405

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration
Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address
Address: 7600 Sand Point Way, N.E.
City: Seattle
State_or_Province: Washington
Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector
Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point
Point_and_Vector_Object_Count: 1347

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983

Ellipsoid_Name: Geodetic Reference System 80

Semi-major_Axis: 6378137.000000

Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to this geographic data layer, a data table, SOURCES, is used to store information on where this dataset was obtained and who can be contacted for more information. See the Browse_Graphic section for a link to this entity-relationship diagram, which describes the relationship between this geographic data layer and its related data table.

Entity_and_Attribute_Detail_Citation:

A complete description of entity types, attributes, and attribute values for ESI atlases can be found in the NOAA ESI Guidelines (http://response.restoration.noaa.gov/esi_guidelines).

Detailed_Description:

Entity_Type:

Entity_Type_Label: RIVERMILES.PAT

Entity_Type_Definition:

The RIVERMILES.PAT table contains human-use resource data depicting sequential river mile marker positions of navigable inland waterways and the Gulf Intracoastal Waterway for the Lower Mississippi River.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MILE

Attribute_Definition:

The mile marker number showing the position of navigable inland waterways and the Gulf Intracoastal Waterway for the Lower Mississippi River.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"
Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: RIVER_NAME

Attribute_Definition:

The name of the waterway that is associated with a specific mile marker number showing the position of navigable inland waterways and the Gulf Intracoastal Waterway for the Lower Mississippi River.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in this data layer to records in the SOURCES data table.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: A_SOURCE

Attribute_Definition:

Attribute source identifier that links records in this data layer to records in the SOURCES data table.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in this data layer; G_SOURCE and A_SOURCE in the SOC_DAT data table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID and ESI_Source in the ESI and HYDRO data layers.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUB_PLACE

Attribute_Definition: Publication place.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLISHER

Attribute_Definition: Publisher.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ONLINE_LINK

Attribute_Definition: Online computer resource URL.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: Downloadable Data

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 201405

Metadata_Review_Date: 201405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.9.20 on Tue May 13 10:40:12 2014

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: SOCECON (Socioeconomic Resource Points)

Metadata also available as - [Parseable text](#) - [SGML](#) - [XML](#)

Metadata:

- [Identification_Information](#)
- [Data_Quality_Information](#)
- [Spatial_Data_Organization_Information](#)
- [Spatial_Reference_Information](#)
- [Entity_and_Attribute_Information](#)
- [Distribution_Information](#)
- [Metadata_Reference_Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington.

Publication_Date: 201405

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: SOCECON (Socioeconomic Resource Points)

Edition: Second

Geospatial_Data_Presentation_Form: vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Lower Mississippi River

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

NOAA's Ocean Service, Office of Response and Restoration (OR&R), Emergency Response Division (ERD).

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington.

Online_Linkage: <<http://response.restoration.noaa.gov/esi>>

Description:

Abstract:

This data set contains human-use resource data depicting the locations of airports, archaeological sites, boat ramps, commercial dock facilities, ferry terminals, heliports, locks and dams, major and minor ports, marinas, and water intakes for the Lower Mississippi River. Vector points in this data set represent human-use site locations. Location specific type and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer. This data set comprises a portion of the ESI data for Lower Mississippi River. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the MGT data layer, part of the larger Lower Mississippi River ESI database, for additional human-use information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2004

Ending_Date: 2014

Currentness_Reference:

The data were compiled during 2014. The currentness dates for this data range from 2004 to 2014 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -91.70600

East_Bounding_Coordinate: -90.37500

North_Bounding_Coordinate: 31.02700

South_Bounding_Coordinate: 29.93600

Keywords:

Theme:

Theme_Keyword_Thesaurus: ISO 19115 Topic Category

Theme_Keyword: biota

Theme_Keyword: environment

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: Environmental Monitoring

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Socioeconomic

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Lower Mississippi River

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Management boundaries are not to be considered legal boundaries. Edges may have been altered for cartographic processes. Besides the above warnings, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Browse_Graphic:

Browse_Graphic_File_Name: datafig2.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and desktop data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington, and The Department of Homeland Security, United States Coast Guard Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(R) (version 10.2) and SQL SERVER(R) (version 2005). The hardware configuration is PC's with Windows Operating System 7. The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in the data set: birds.e00, esil.e00, esip.e00, fish.e00, hydro.e00, index.e00, invert.e00, mgt.e00, nests.e00, reptiles.e00, rivermiles.e00, socecon.e00, and t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut.e00, biofile.e00, biore.s.e00, breed.e00, breed_dt.e00, seasonal.e00, soc_dat.e00, soc_lut.e00, sources.e00, species.e00, and status.e00.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary node, etc.), and SQL SERVER(R) to ARC/INFO(R) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resources at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge and available digital data on socioeconomic resources. See also the MGT data layer, part of the larger Lower Mississippi River ESI database, for additional human-use information. These data do not necessarily represent all human-use sites in Lower Mississippi River.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the human-use data layers can come from expert interviews, hardcopy, or digital sources. Most of the spatial components of the human-use data layers are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. Some of the spatial components of the human-use data layers are compiled on hardcopy base maps with a scale of 1:24,000. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator:

FEDERAL AVIATION ADMINISTRATION (FAA) AERONAUTICAL INFORMATION SERVICES, ATA-100

Publication_Date: 2011

Title: AIRPORTS

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Publication_Information:

Publication_Place: WASHINGTON, D.C.

Publisher:

RESEARCH AND INNOVATIVE TECHNOLOGY ADMINISTRATION'S BUREAU OF TRANSPORTATION STATISTICS (rita/bts)

Online_Linkage:

http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/publications/national_transportation_atlas_database/2011/index.html

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2011
Ending_Date: 2013

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: SOCECON INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: GOOGLE EARTH
Publication_Date: 2013
Title: GOOGLE EARTH IMAGERY
Geospatial_Data_Presentation_Form: REMOTE-SENSING IMAGE
Other_Citation_Details:
GOOGLE EARTH IMAGERY SOURCES AND DATES USED: 2010 IMAGERY FROM NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, 2010 IMAGERY U.S. DEPARTMENT OF AGRICULTURE FARM SERVICE, AND 2013 DIGITAL GLOBE.
Online_Linkage: <<http://www.google.com/earth/>>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2010
Ending_Date: 2013

Source_Currentness_Reference: DATE OF SURVEY

Source_Citation_Abbreviation: NONE

Source_Contribution: SOCECON INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:
LOUISIANA DEPARTMENT OF CULTURE, RECREATION AND TOURISM, OFFICE OF CULTURAL DEVELOPMENT, DIVISION OF ARCHAEOLOGY
Publication_Date: 2014
Title: PRESENCE OF ARCHAEOLOGICAL SITES BY 30 SECOND GRID CELLS
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2014

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: SOCECON INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA DEPARTMENT OF HEALTH AND HOSPITALS (DHH)

Publication_Date: 2012

Title: POTABLE WATER INTAKES

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2012

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: SOCECON INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT (LDOTD)

Publication_Date: 2006

Title: STATE MAINTAINED FERRIES OF LOUISIANA

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Publication_Information:

Publication_Place: BATON ROUGE, LA

Publisher: LOUISIANA DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT

Online_Linkage: <<http://atlas.lsu.edu/search/>>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2006

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: SOCECON INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

LOUISIANA DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT (LDOTD), OFFICE OF PLANNING
AND PROGRAMMING

Publication_Date: 2007

Title: DEEP DRAFT PORTS

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Publication_Information:

Publication_Place: BATON ROUGE, LA

Publisher: LOUISIANA OIL SPILL COORDINATOR'S OFFICE

Online_Linkage:

<http://logic.lsu.edu/data/losco/ports_shallow_draft_ldotd_2007.zip>

Type_of_Source_Media: DISC

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: SOCECON INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

LOUISIANA DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT (LDOTD), OFFICE OF PLANNING
AND PROGRAMMING

Publication_Date: 2007

Title: SHALLOW DRAFT PORTS

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Publication_Information:

Publication_Place: BATON ROUGE, LA

Publisher: LOUISIANA OIL SPILL COORDINATOR'S OFFICE

Online_Linkage:

http://lagic.lsu.edu/data/losco/ports_shallow_draft_ldotd_2007.zip

Type_of_Source_Media: DISC

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: SOCECON INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA OIL SPILL COORDINATORS OFFICE (LOSCO)

Publication_Date: 2004

Title: MARINAS

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Publication_Information:

Publication_Place: BATON ROUGE, LA

Publisher: LOUISIANA OIL SPILL COORDINATOR'S OFFICE

Online_Linkage: <http://lagic.lsu.edu/loscoweb>

Type_of_Source_Media: DISC

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2004

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE
Source_Contribution: SOCECON INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. ARMY CORPS OF ENGINEERS (USACE)
Publication_Date: 2012
Title: PORTS
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Publication_Information:

Publication_Place: WASHINGTON, D.C.

Publisher:

RESEARCH AND INNOVATIVE TECHNOLOGY ADMINISTRATION'S BUREAU OF TRANSPORTATION STATISTICS (rita/bts)

Online_Linkage: <http://www.bts.gov/programs/geographic_information_services/>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2012

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: SOCECON INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:
U.S. ARMY CORPS OF ENGINEERS (USACE), MISSISSIPPI VALLEY DIVISION
Publication_Date: 2007
Title:
2007 FLOOD CONTROL AND NAVIGATION MAPS: MISSISSIPPI RIVER, CAIRO ILLINOIS TO THE GULF OF MEXICO
Geospatial_Data_Presentation_Form: ATLAS
Publication_Information:

Publication_Place: VICKSBURG, MS

Publisher: US ARMY CORPS OF ENGINEERS

Online_Linkage: <<http://www.mvd.usace.army.mil>>

Source_Scale_Denominator: 40000

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: SOCECON INFORMATION

Process_Step:

Process_Description:

Sources of data used to depict human-use resources in this data layer include digital datasets provided by the Federal Aviation

Administration (FAA), U.S. Army Corps of Engineers (USACE), Louisiana Department of Transportation and Development (LDOTD), Louisiana Oil Spill Coordinator's Office (LOSCO), Louisiana Department of Culture, Recreation and Tourism (LCRT), and the Louisiana Department of Health and Hospitals (LDHH). Airport / Heliport - Information on the locations of airports and heliports was downloaded from the National Transportation Atlas Databases maintained by the FAA. Archaeological Site - Presence of archaeological sites within a 30-second grid cell were provided by LCRT. Point locations depicted in the database mark the center of a grid cell containing an archaeological site, and may or may not coincide with the actual location of the site. Boat Ramps and Marinas - Locations of boat ramps and marinas were provided by LOSCO. Marinas were defined as any facility with fuel or a store. All other points were mapped as boat ramps. Additional boat ramps were digitized based on USACE navigation maps of the Mississippi River. Ports and commercial docks were mapped as facilities in the database. Shallow and deep draft port locations were obtained from LDOTD and locations of waterfront commercial and industrial facilities with docks were downloaded from the National Transportation Atlas Database. Ferry - Locations of ferry crossings were provided by LDOTD. Ferry landings are shown as points. The actual routes are not depicted. Lock and Dam - Locations of locks and dams were downloaded from the National Transportation Atlas Database. These data were compiled by the USACE. Water Intake - Locations of drinking water intakes were provided by the LDHH. Additional locations were digitized from the USACE 2007 navigation atlas. For locations digitized based on USACE 2007 atlas, Google Earth was used to guide the digitization.

The above digital and/or hardcopy sources were compiled by the project biologist to create the SOCECON data layer. Depending on the type of source data, three general approaches are used for compiling the data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The ESI, biology, and human-use data are compiled into the standard ESI digital data format. A second set of interviews with participating resource experts are conducted to review the compiled data. If necessary, edits to the SOCECON data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 201405

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 1348

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983

Ellipsoid_Name: Geodetic Reference System 80

Semi-major_Axis: 6378137.000000

Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, two relational attribute or data tables, SOC_DAT, and SOURCES, are used to store the complex socioeconomic data in the ESI data structure. The geographic data layer containing socioeconomic data resource information (in this case, SOCECON) is linked to the Socioeconomic Resources table (SOC_DAT) using the unique ID and the lookup table SOC_LUT, or it can be linked directly using HUNUM. HUNUM is a unique reference number concatenated with the atlas number (for Lower Mississippi River, the number is 233). ID is a unique combination of the atlas number (233), an element specific number (SOCECON = 10), and a unique record number. SOC_DAT and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Entity_and_Attribute_Detail_Citation:

A complete description of entity types, attributes, and attribute values for ESI atlases can be found in the NOAA ESI Guidelines (http://response.restoration.noaa.gov/esi_guidelines).

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOCECON.PAT

Entity_Type_Definition:

The SOCECON.PAT table contains attribute information for the vector points representing airports, archaeological sites, boat ramps, commercial dock facilities, ferry terminals, heliports, locks and dams, major and minor ports, marinas, and water intakes. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: TYPE

Attribute_Definition:

The human-use features depicted on the maps are those that could be impacted by an oil spill or could provide access for response operations.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: A

Enumerated_Domain_Value_Definition: Airport

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: AS

Enumerated_Domain_Value_Definition: Archaeological Site

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BR

Enumerated_Domain_Value_Definition: Boat Ramp

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: F

Enumerated_Domain_Value_Definition: Ferry

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: F3

Enumerated_Domain_Value_Definition: Facility
Enumerated_Domain_Value_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HP
Enumerated_Domain_Value_Definition: Heliport
Enumerated_Domain_Value_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: LD
Enumerated_Domain_Value_Definition: Lock and Dam
Enumerated_Domain_Value_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M
Enumerated_Domain_Value_Definition: Marina
Enumerated_Domain_Value_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: PT
Enumerated_Domain_Value_Definition: Port
Enumerated_Domain_Value_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: WI
Enumerated_Domain_Value_Definition: Water Intake
Enumerated_Domain_Value_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the human-use data layers to records in the SOC_LUT data table. ID is a concatenation of atlas number (233), element number (10), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"
Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links directly to the SOC_DAT table. HUNUM values of 0 are holes in the polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"
Range_Domain_Maximum: "NEED TO ADD"

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOC_LUT

Entity_Type_Definition:

The data table SOC_LUT is a lookup table that contains items necessary for linking vector objects in the human-use data layers with the SOC_DAT data table. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links records in the SOC_LUT data table to records in the SOC_DAT data table. HUNUM values of 0 are holes in the polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the human-use data layers to records in the SOC_LUT data table. ID is a concatenation of atlas number (233), element number (10), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOC_DAT

Entity_Type_Definition:

The data table SOC_DAT contains both human-use attribute data and items necessary for linking the human-use spatial data layers to the SOURCES data table. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links records in the SOC_DAT data table to records in the SOC_LUT data table. HUNUM values of 0 are holes in the polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: TYPE

Attribute_Definition:

The human-use features depicted on the maps are those that could be impacted by an oil spill or could provide access for response operations.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: AIRPORT

Enumerated_Domain_Value_Definition: Airport

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: ARCHAEOLOGICAL SITE
Enumerated_Domain_Value_Definition: Archaeological Site
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BOAT RAMP
Enumerated_Domain_Value_Definition: Boat Ramp
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: CRITICAL HABITAT
Enumerated_Domain_Value_Definition: Designated Critical Habitat
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FACILITY
Enumerated_Domain_Value_Definition: Facility
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FERRY
Enumerated_Domain_Value_Definition: Ferry
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HELIPORT
Enumerated_Domain_Value_Definition: Heliport
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: LOCK AND DAM
Enumerated_Domain_Value_Definition: Lock and Dam
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: MANAGEMENT AREA
Enumerated_Domain_Value_Definition: Management Area
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: MARINA
Enumerated_Domain_Value_Definition: Marina
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: NATURE CONSERVANCY
Enumerated_Domain_Value_Definition: Nature Conservancy
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: PORT
Enumerated_Domain_Value_Definition: Port
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: WATER INTAKE
Enumerated_Domain_Value_Definition: Water Intake
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: WILDLIFE REFUGE
Enumerated_Domain_Value_Definition: Wildlife Refuge
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: NAME
Attribute_Definition: The feature name.
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: CONTACT
Attribute_Definition: Contact person or entity.
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PHONE
Attribute_Definition: Contact telephone number.
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character
Enumerated_Domain_Value_Definition: Free text
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: G_SOURCE
Attribute_Definition:
Geographic source identifier that links records in the SOC_DAT data table to records in the SOURCES data table.
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: A_SOURCE

Attribute_Definition:

Attribute source identifier that links records in the SOC_DAT data table to records in the SOURCES data table.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID and ESI_Source in the ESI and HYDRO data layers.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUB_PLACE

Attribute_Definition: Publication place.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLISHER

Attribute_Definition: Publisher.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ONLINE_LINK

Attribute_Definition: Online computer resource URL.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington
Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400
Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: Downloadable Data

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 201405

Metadata_Review_Date: 201405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen
Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address
Address: 7600 Sand Point Way, N.E.
City: Seattle
State_or_Province: Washington
Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.9.20 on Tue May 13 10:39:57 2014

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: T_MAMMAL (Terrestrial Mammal Polygons)

Metadata also available as - [\[Parseable text\]](#) - [\[SGML\]](#) - [\[XML\]](#)

Metadata:

- [Identification_Information](#)
 - [Data_Quality_Information](#)
 - [Spatial_Data_Organization_Information](#)
 - [Spatial_Reference_Information](#)
 - [Entity_and_Attribute_Information](#)
 - [Distribution_Information](#)
 - [Metadata_Reference_Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington.

Publication_Date: 201405

Title:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: Lower Mississippi River: T_MAMMAL (Terrestrial Mammal Polygons)

Edition: Second

Geospatial_Data_Presentation_Form: vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Lower Mississippi River

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

NOAA's Ocean Service, Office of Response and Restoration (OR&R), Emergency Response Division (ERD).

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and

Description:

Abstract:

This data set contains sensitive biological resource data for the Louisiana black bear for the Lower Mississippi River. Vector polygons in this data set represent Louisiana black bear distribution. Species specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer. This data set comprises a portion of the ESI data for Lower Mississippi River. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2012

Ending_Date: 2014

Currentness_Reference:

The data were compiled during 2014. The currentness dates for this data range from 2012 to 2014 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -91.70600

East_Bounding_Coordinate: -90.37500

North_Bounding_Coordinate: 31.02700

South_Bounding_Coordinate: 29.93600

Keywords:

Theme:

Theme_Keyword_Thesaurus: ISO 19115 Topic Category

Theme_Keyword: biota

Theme_Keyword: environment

Theme:

Theme_Keyword_Thesaurus: None
Theme_Keyword: Environmental Monitoring
Theme_Keyword: ESI
Theme_Keyword: Sensitivity maps
Theme_Keyword: Coastal resources
Theme_Keyword: Oil spill planning
Theme_Keyword: Coastal Zone Management
Theme_Keyword: Wildlife
Theme_Keyword: Terrestrial Mammal

Place:

Place_Keyword_Thesaurus: None
Place_Keyword: Lower Mississippi River

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Management boundaries are not to be considered legal boundaries. Edges may have been altered for cartographic processes. Besides the above warnings, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Browse_Graphic:

Browse_Graphic_File_Name: datafig2.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and desktop data tables for the Lower Mississippi River ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), Office of Response and Restoration (OR&R), Emergency Response Division (ERD), Seattle, Washington, and The Department of Homeland Security, United States Coast Guard Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(R) (version 10.2) and SQL SERVER(R) (version 2005). The hardware configuration is PC's with Windows Operating System 7.

The Spatial_Data_Organization Information section refers only to the source files in the ARC export

format. The following files are included in the data set: birds.e00, esil.e00, esip.e00, fish.e00, hydro.e00, index.e00, invert.e00, mgt.e00, nests.e00, reptiles.e00, rivermiles.e00, socecon.e00, and t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut.e00, biofile.e00, biores.e00, breed.e00, breed_dt.e00, seasonal.e00, soc_dat.e00, soc_lut.e00, sources.e00, species.e00, and status.e00.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary node, etc.), and SQL SERVER(R) to ARC/INFO(R) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resources at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of digital data on Louisiana black bear distribution. These data do not necessarily represent all terrestrial mammal occurrences in Lower Mississippi River. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 102, Louisiana black bear, Ursus americanus luteolus.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of

these original data. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: LOUISIANA NATURAL HERITAGE PROGRAM (LNHP)

Publication_Date: 2014

Title: LOUISIANA BLACK BEAR DISTRIBUTION

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2014

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: T_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NATURESERVE

Publication_Date: 2013

Title: NATURESERVE EXPLORER

Geospatial_Data_Presentation_Form: DOCUMENT

Publication_Information:

Publication_Place: ARLINGTON, VA

Publisher: NATURESERVE

Online_Linkage: <<http://www.natureserve.org/explorer/index.htm>>

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2012

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: T_MAMMAL INFORMATION

Process_Step:

Process_Description:

Polygons representing the distribution of Louisiana black bears were provided by Louisiana Natural Heritage Program (LNHP). The LDWF-LNHP provided information for some of the federally and state listed species and species of conservation concern for display in the ESI atlas and accompanying digital data in 2014. The available LNHP data sets are to be used for oil spill response and spill response planning only. These data represent existing information known to the LNHP at the time of the request and should never be substituted for consultation with the LNHP.

The above digital and/or hardcopy sources were compiled by the project biologist to create the T_MAMMAL data layer. Depending on the type of source data, three general approaches are used for compiling the data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The ESI, biology, and human-use data are compiled into the standard ESI digital data format. A second set of interviews with participating resource experts are conducted to review the compiled data. If necessary, edits to the T_MAMMAL data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 201405

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector
Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains
Point_and_Vector_Object_Count: 3

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point
Point_and_Vector_Object_Count: 2

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain
Point_and_Vector_Object_Count: 8

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link
Point_and_Vector_Object_Count: 3358

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph
Point_and_Vector_Object_Count: 8

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001
Longitude_Resolution: 0.0000001
Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983
Ellipsoid_Name: Geodetic Reference System 80
Semi-major_Axis: 6378137.000000
Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this

case, T_MAMMAL) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Lower Mississippi River atlas, the number is 233), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure. Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item. A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram describing relationships between attribute tables in the ESI data structure does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Entity_and_Attribute_Detail_Citation:

A complete description of entity types, attributes, and attribute values for ESI atlases can be found in the NOAA ESI Guidelines (http://response.restoration.noaa.gov/esi_guidelines).

Detailed_Description:

Entity_Type:

Entity_Type_Label: T_MAMMAL.PAT

Entity_Type_Definition:

The T_MAMMAL.PAT table contains attribute information for the vector polygons in this data set representing Louisiana black bear distribution. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT

data table. ID is a concatenation of atlas number (233), element number (9), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table.

RARNUM values of 0 are holes in the polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"

Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (233), element number (9), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"
Range_Domain_Maximum: "NEED TO ADD"

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: "NEED TO ADD"
Range_Domain_Maximum: "NEED TO ADD"

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration", abundance, or density values. No concentration data was provided, so the field is blank.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and plants

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness Report for list of layer specific species.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name for the entire ESI data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name for the entire ESI data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and plants

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: alligator

Enumerated_Domain_Value_Definition: Alligator

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bear

Enumerated_Domain_Value_Definition: Bear

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve

Enumerated_Domain_Value_Definition: Bivalve
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crab
Enumerated_Domain_Value_Definition: Crab
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crayfish
Enumerated_Domain_Value_Definition: Crayfish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diadromous
Enumerated_Domain_Value_Definition: Diadromous fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diving
Enumerated_Domain_Value_Definition: Diving bird
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_nursery
Enumerated_Domain_Value_Definition: Estuarine nursery fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_resident
Enumerated_Domain_Value_Definition: Estuarine resident fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: freshwater

Enumerated_Domain_Value_Definition: Freshwater fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gull_tern
Enumerated_Domain_Value_Definition: Gull or tern
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: invert
Enumerated_Domain_Value_Definition: Invertebrate
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_pelagic
Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: passerine
Enumerated_Domain_Value_Definition: Passerine bird
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: raptor
Enumerated_Domain_Value_Definition: Raptor
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shorebird
Enumerated_Domain_Value_Definition: Shorebird
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp

Enumerated_Domain_Value_Definition: Shrimp
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: turtle
Enumerated_Domain_Value_Definition: Turtle
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wading
Enumerated_Domain_Value_Definition: Wading bird
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl
Enumerated_Domain_Value_Definition: Waterfowl
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: NHP
Attribute_Definition: Natural Heritage Program global ranking.
Attribute_Definition_Source: Network of Natural Heritage Program
Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank
Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB
Attribute_Definition: Date of NHP listing.
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM
Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0
Enumerated_Domain_Value_Definition: Date unspecified
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and plants

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in June

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: JUL

Attribute_Definition: July

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: AUG

Attribute_Definition: August

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in August
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SEP
Attribute_Definition: September
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in September
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: OCT
Attribute_Definition: October
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in October
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: NOV
Attribute_Definition: November
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in November
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: DEC
Attribute_Definition: December
Attribute_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT
Enumerated_Domain_Value_Definition: Habitats and Plants
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT
Enumerated_Domain_Value_Definition: Invertebrates
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL
Enumerated_Domain_Value_Definition: Marine Mammals
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE
Enumerated_Domain_Value_Definition: Reptiles and Amphibians
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL
Enumerated_Domain_Value_Definition: Terrestrial Mammals
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Three-letter country abbreviation.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I

Attribute_Definition: International threatened or endangered status.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID and ESI_Source in the ESI and HYDRO data layers.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUB_PLACE

Attribute_Definition: Publication place.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLISHER

Attribute_Definition: Publisher.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ONLINE_LINK

Attribute_Definition: Online computer resource URL.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: Downloadable Data

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 201405

Metadata_Review_Date: 201405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov


Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.9.20 on Tue May 13 10:39:52 2014

Lower Mississippi River ESI Entity Relationship Diagram

May 2014



*Stand-alone dataset