

Bristol Bay, Alaska Subarea ESI: HYDRO (Hydrography Lines and Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Publication_Date: 200405

Title:

Bristol Bay, Alaska Subarea ESI: HYDRO (Hydrography Lines and Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Bristol Bay

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Description:

Abstract:

This data set contains vector lines and polygons representing coastal hydrography used in the creation of the Environmental Sensitivity Index (ESI) for the Bristol Bay Subarea. The Subarea includes marine and coastal areas of Bristol Bay and part of the southern Alaska

Peninsula. (This area extends from directly south of Goodnews Bay to slightly north of Port Seniavan along the Bristol Bay side of the Alaska Peninsula, as well as the Pacific Ocean side of the Alaska Peninsula from Cape Providence to Kupreanof Peninsula.) The HYDRO data layer contains all annotation used in producing the atlas. The annotation features are categorized into three subclasses in order to simplify the mapping and quality control procedures: GEOG or geographic features, SOC or socioeconomic features, and HYDRO or water features.

This data set comprises a portion of the ESI for the Bristol Bay Subarea. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2003

Ending_Date: 2004

Currentness_Reference:

The data were compiled during 2003. The currentness dates for these data range from 1981 to 2003 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -162.333

East_Bounding_Coordinate: -156.000

North_Bounding_Coordinate: 59.083

South_Bounding_Coordinate: 55.500

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Hydrography

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Bristol Bay

Place_Keyword: Alaska

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Bristol Bay Subarea ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: bioindex.e00, birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, m_mampt.e00, mgt.e00, nests.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent linear and polygonal hydrography for the Bristol Bay Subarea.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

The hydrography data set was developed from pre-existing digital sources and reflects the positional accuracy of these original data. The horizontal positional accuracy of the 1:63,360 U.S. Geological Survey (USGS) topographic quads should conform to National Map Accuracy Standards at scales of 1:63,360. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. Geological Survey

Publication_Date: Unknown

Title: Digital Raster Graphs

Geospatial_Data_Presentation_Form: Map

Publication_Information:

Publication_Place: Denver, CO or Reston, VA

Publisher: U.S. Geological Survey

Source_Scale_Denominator: 63360

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: Varies

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Hydrology information

Source_Information:

Source_Citation:

Citation_Information:

Originator: Research Planning, Inc.

Publication_Date: Unpublished material

Title: ESI Overflight

Geospatial_Data_Presentation_Form: Hardcopy Map

Source_Scale_Denominator: 63360

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1981

Source_Currentness_Reference: Date of overflight

Source_Citation_Abbreviation: None

Source_Contribution: Hydrology Classification

Source_Information:

Source_Citation:

Citation_Information:

Originator: Research Planning, Inc.

Publication_Date: Unpublished material

Title: ESI Overflight

Geospatial_Data_Presentation_Form: Hardcopy Map

Source_Scale_Denominator: 63360

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1985

Source_Currentness_Reference: Date of overflight

Source_Citation_Abbreviation: None

Source_Contribution: Hydrology Classification

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. Geological Survey

Publication_Date: 1999

Title: DLG Hydrography

Geospatial_Data_Presentation_Form: Vector Digital Data

Source_Scale_Denominator: 63360

Type_of_Source_Media: Online

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1950

Ending_Date: 1997

Source_Currentness_Reference: Ground condition

Source_Citation_Abbreviation: None

Source_Contribution: Hydrology Classification

Source_Information:

Source_Citation:

Citation_Information:

Originator: Alaska Department of Natural Resources

Publication_Date: 1998

Title: Alaska Coastline 1 to 63,360

Geospatial_Data_Presentation_Form: Vector Digital Data

Source_Scale_Denominator: 63360

Type_of_Source_Media: CD-Rom

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1997

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Hydrology Classification

Process_Step:

Process_Description:

The Bristol Bay shoreline was derived primarily from digital coastline data from the U.S. Geological Survey (DLG dataset), Alaska Department of Natural Resources, and Research Planning, Inc. (RPI) 1981 Bristol Bay, Alaska overflights. In some cases, gross shoreline changes or additional hydrography polygons were sketched during overflights for Bristol Bay, Alaska (Goodnews Bay to slightly north of Port Seniavan) originally mapped from 24 July to 28 August 1981 during the fieldwork for the previous Bristol Bay ESI maps. The shoreline of the southern coast of the Alaska Peninsula (from Cape Providence to Kupreanof Peninsula) was originally mapped from 27 July to 26 August 1985 during the fieldwork for the previous Southern Alaska Peninsula ESI maps. Overflight changes were digitized from the scanned and registered hardcopy field maps. Also, additional hydrographic features were digitized directly from USGS Digital Raster Graphs (DRG). After the initial shoreline classification, these data were edgematched and checked for logical consistency errors. Review maps were plotted at 1:63,360 scale for verification of polygonal and linear attributes.

Process_Date: 200403

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of rings

Point_and_Vector_Object_Count: 25361

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 25361

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 43728

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 943156

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Label Point

Point_and_Vector_Object_Count: 0

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 40323

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: HYDRO.AAT

Entity_Type_Definition:

The HYDRO.AAT table contains attribute information for the vector lines representing linear hydrography features in the HYDRO data layer.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: LINE

Attribute_Definition: Type of geographic feature.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Extent of Digital Data

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: H

Enumerated_Domain_Value_Definition: Hydrography

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: I

Enumerated_Domain_Value_Definition: Index
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Enumerated_Domain:
Enumerated_Domain_Value: S
Enumerated_Domain_Value_Definition: Shoreline
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID
Attribute_Definition: Data source of the ESI lines
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: 1
Enumerated_Domain_Value_Definition: Digital line graph (USGS)
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Enumerated_Domain:
Enumerated_Domain_Value: 6
Enumerated_Domain_Value_Definition: Digital data (DNR)
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Enumerated_Domain:
Enumerated_Domain_Value: 7
Enumerated_Domain_Value_Definition: Digital Index (Research Planning, Inc.)
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Enumerated_Domain:
Enumerated_Domain_Value: 9
Enumerated_Domain_Value_Definition: Digitized from Bristol Bay ESI maps (1981)
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: HYDRO.PAT
Entity_Type_Definition:
The HYDRO.PAT table contains attribute information for the vector polygons representing polygonal hydrography features in the HYDRO data layer.
Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: WATER_CODE
Attribute_Definition: Specifies a polygon as either water or land
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: L
Enumerated_Domain_Value_Definition: Land
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Enumerated_Domain:
Enumerated_Domain_Value: W
Enumerated_Domain_Value_Definition: Water
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: ANNO.GEOG
Entity_Type_Definition:
The spatial data layer HYDRO contains label points representing annotation for geographic features.
Entity_Type_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: ANNO.HYDRO
Entity_Type_Definition:

The spatial data layer HYDRO contains label points representing annotation for water features.

Entity_Type_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: ANNO.SOC

Entity_Type_Definition:

The spatial data layer HYDRO contains label points representing annotation for socioeconomic features.

Entity_Type_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Bristol Bay Subarea

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200405

Metadata_Review_Date: 200405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Fri May 21 13:37:25 2004

Bristol Bay, Alaska Subarea ESI: ESI (Environmental Sensitivity Index Shoreline Types - Lines and Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Publication_Date: 200405

Title:

Bristol Bay, Alaska Subarea ESI: ESI (Environmental Sensitivity Index Shoreline Types - Lines and Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Bristol Bay

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Description:

Abstract:

This data set contains vector lines and polygons representing the shoreline and coastal habitats of the Bristol Bay Subarea, classified according to the Environmental Sensitivity Index (ESI) classification system. The Subarea includes marine and coastal areas of Bristol Bay and part of the southern Alaska Peninsula. (This area extends from directly south of Goodnews Bay to slightly north of Port Seniavan along the Bristol Bay side of the Alaska Peninsula, as well as the Pacific Ocean side of the Alaska Peninsula from Cape Providence to Kupreanof Peninsula.) This data set comprises a portion of the ESI for the Bristol Bay Subarea. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2003

Ending_Date: 2004

Currentness_Reference:

The data were compiled during 2003. The currentness dates for these data range from 1981 to 1998 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -162.333

East_Bounding_Coordinate: -156.000

North_Bounding_Coordinate: 59.083

South_Bounding_Coordinate: 55.500

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Bristol Bay

Place_Keyword: Alaska

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Bristol Bay Subarea ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: bioindex.e00, birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, m_mampt.e00, mgt.e00, nests.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent coastal shorelines and habitats classified according to the Environmental Sensitivity Index (ESI) classification system.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

The ESI data set was developed from pre-existing digital sources and reflects the positional accuracy of these original data. The horizontal positional accuracy of the 1:63,360 USGS topographic quads should conform to National Map Accuracy Standards at scales of 1:63,360. The minimum mapping unit (MMU) of the actual shoreline classification segments is estimated at 50 meters when mapping is conducted using 1:24,000 hardcopy fieldmaps. Field verification has shown that the absolute positional accuracy of breaks between shoreline ESI types with a 95-percent error bound is approximately 58 meters. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: Research Planning, Inc.

Publication_Date: Unpublished material

Title: ESI Overflight

Geospatial_Data_Presentation_Form: Hardcopy Map

Source_Scale_Denominator: 63360

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1981

Source_Currentness_Reference: Date of overflight

Source_Citation_Abbreviation: None

Source_Contribution: Shoreline Classification

Source_Information:

Source_Citation:

Citation_Information:

Originator: Research Planning, Inc.

Publication_Date: Unpublished material

Title: ESI Overflight

Geospatial_Data_Presentation_Form: Hardcopy Map

Source_Scale_Denominator: 63360

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1985

Source_Currentness_Reference: Date of overflight

Source_Citation_Abbreviation: None

Source_Contribution: Shoreline Classification

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. Geological Survey (USGS)

Publication_Date: 1999

Title: Digital Line Graphs (DLG) Hydrography

Geospatial_Data_Presentation_Form: Vector Digital Data

Source_Scale_Denominator: 63360

Type_of_Source_Media: Online

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1950

Ending_Date: 1997

Source_Currentness_Reference: Ground condition

Source_Citation_Abbreviation: None

Source_Contribution: Shoreline Classification

Source_Information:

Source_Citation:

Citation_Information:

Originator: Alaska Department of Natural Resources

Publication_Date: 1998

Title: Alaska Coastline 1 to 63,360

Geospatial_Data_Presentation_Form: Vector Digital Data

Source_Scale_Denominator: 63360

Type_of_Source_Media: CD-Rom

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1997

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Shoreline Classification

Process_Step:

Process_Description:

Overflights for Bristol Bay, Alaska (Goodnews Bay to slightly north of Port Seniavan) were originally mapped from 24 July to 28 August 1981 during the fieldwork for the previous Bristol Bay ESI maps. The shoreline of the southern coast of the Alaska Peninsula (from Cape Providence to Kupreanof Peninsula) was originally mapped from 27 July to 26 August 1985 during the fieldwork for the previous Southern Alaska Peninsula ESI maps. The overflights were conducted using fixed-wing aircraft operated by the U.S. Civil Air Patrol, flying at altitudes of 400-600 feet and slow air speeds. All flights were planned to maximize time on site during the 2.5 hours preceding and the 2.5 hours following peak low tide. During this work, the shoreline depicted on current 1:63,360-scale USGS topographic maps was annotated with the ESI ranking of observed intertidal shoreline habitats. Where appropriate, revisions to the existing shoreline were made and where necessary, multiple habitats were described for each shoreline segment.

Process_Date: 200403

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of rings

Point_and_Vector_Object_Count: 1158

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 1158

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 6124

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 562336

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 5714

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: ESI.AAT

Entity_Type_Definition:

The ESI.AAT table contains attribute information for the vector lines representing linear shoreline features with ESI classification.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ESI

Attribute_Definition:

The item ESI contains values representing the ESI shoreline type. In many cases shorelines are ranked with multiple codes, such as "6B/3A" (listed landward to seaward from left to right). The first code, "6B", is the most landward shoreline type and the second code, "3A", is the shoreline type closest to the water. Singular shoreline types are listed below. No multiple codes are listed, but all multiple codes included in the data set can be assembled from the codes described. The ESI rankings progress from low to high susceptibility to oil spills. To determine the sensitivity of a particular intertidal shoreline habitat, the following factors are integrated: (1) Shoreline type (substrate, grain size, tidal elevation, origin); (2) Exposure to wave and tidal energy; (3) Biological productivity and sensitivity; (4) Ease of cleanup. Prediction of the behavior and persistence of oil in intertidal habitats is based on an understanding of the dynamics of the coastal environments, not just the substrate type and grain size. The intensity of energy expended upon a shoreline by wave action, tidal currents, and river currents directly affects the persistence of stranded oil. The need for shoreline cleanup activities is determined, in part, by the slowness of natural processes in removal of oil stranded on the shoreline. The potential for biological injury, and ease of cleanup of spilled oil are also important factors in the ESI ranking. Generally speaking, areas exposed to high levels of physical energy, such as wave action and tidal currents, and low biological activity rank low on the scale, whereas sheltered areas with associated high biological activity have the highest ranking.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 1A

Enumerated_Domain_Value_Definition: Exposed Rocky Shores

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 2A

Enumerated_Domain_Value_Definition: Exposed, Wave-cut Platforms in Bedrock, Mud, or Clay

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 3A

Enumerated_Domain_Value_Definition: Fine- to Medium-grained Sand

Beaches

- Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
 - Enumerated_Domain_Value:* 4
 - Enumerated_Domain_Value_Definition:* Coarse-grained Sand Beaches
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
 - Enumerated_Domain_Value:* 5
 - Enumerated_Domain_Value_Definition:* Mixed Sand and Gravel Beaches
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
 - Enumerated_Domain_Value:* 6A
 - Enumerated_Domain_Value_Definition:* Gravel Beaches
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
 - Enumerated_Domain_Value:* 7
 - Enumerated_Domain_Value_Definition:* Exposed Tidal Flats
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
 - Enumerated_Domain_Value:* 8A
 - Enumerated_Domain_Value_Definition:* Sheltered Rocky Shores and Sheltered Scarps in Mud and Clay
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
 - Enumerated_Domain_Value:* 8E
 - Enumerated_Domain_Value_Definition:* Peat Shorelines
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
 - Enumerated_Domain_Value:* 9A
 - Enumerated_Domain_Value_Definition:* Sheltered Tidal Flats
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
 - Enumerated_Domain_Value:* 10A
 - Enumerated_Domain_Value_Definition:* Salt- and Brackish-water Marsh
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
 - Enumerated_Domain_Value:* U
 - Enumerated_Domain_Value_Definition:* Unranked
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.

Attribute:

- Attribute_Label:* LINE
- Attribute_Definition:* Type of geographic feature.
- Attribute_Definition_Source:* Research Planning, Inc.
- Attribute_Domain_Values:*

- Enumerated_Domain:*
 - Enumerated_Domain_Value:* F
 - Enumerated_Domain_Value_Definition:* Flat
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
 - Enumerated_Domain_Value:* H
 - Enumerated_Domain_Value_Definition:* Hydrography
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
 - Enumerated_Domain_Value:* S
 - Enumerated_Domain_Value_Definition:* Shoreline
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.

Attribute:

- Attribute_Label:* SOURCE_ID
- Attribute_Definition:*
Data source of the ESI lines. See the Lineage and Process_Description sections for

more information on the original source data and how these data were integrated or manipulated to create the final data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 1

Enumerated_Domain_Value_Definition: Digital line graph (USGS)

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 6

Enumerated_Domain_Value_Definition: Digital data (DNR)

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 8

Enumerated_Domain_Value_Definition: Digitized from Southern Alaska Peninsula ESI maps (1985)

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 9

Enumerated_Domain_Value_Definition: Digitized from Bristol Bay ESI maps (1981)

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ENVIR

Attribute_Definition: Type of regional environment

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Estuarine

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: U

Enumerated_Domain_Value_Definition: Unranked

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: ESI.PAT

Entity_Type_Definition:

The ESI.PAT table contains attribute information for the vector polygons representing polygonal features with ESI classification.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ESI

Attribute_Definition: The item ESI contains values representing the ESI polygon type.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 2A

Enumerated_Domain_Value_Definition: Exposed Wave-cut Platforms in Bedrock, Mud, or Clay

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 7

Enumerated_Domain_Value_Definition: Exposed Tidal Flats

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 9A

Enumerated_Domain_Value_Definition: Sheltered Tidal Flats

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Enumerated_Domain:
Enumerated_Domain_Value: U
Enumerated_Domain_Value_Definition: Unranked
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: WATER_CODE
Attribute_Definition: Specifies a polygon as either water or land
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: L
Enumerated_Domain_Value_Definition: Land
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Enumerated_Domain:
Enumerated_Domain_Value: W
Enumerated_Domain_Value_Definition: Water
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ENVIR
Attribute_Definition: Type of regional environment
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: E
Enumerated_Domain_Value_Definition: Estuarine
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Enumerated_Domain:
Enumerated_Domain_Value: U
Enumerated_Domain_Value_Definition: Unranked
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Bristol Bay Subarea

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project

and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200405

Metadata_Review_Date: 200405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Fri May 21 13:35:38 2004

Bristol Bay, Alaska Subarea ESI: INDEX (Index Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Publication_Date: 200405

Title: Bristol Bay, Alaska Subarea ESI: INDEX (Index Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Bristol Bay

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Description:

Abstract:

This data set contains vector polygons representing the boundaries of all the hardcopy cartographic products produced as part of the Environmental Sensitivity Index (ESI) for the Bristol Bay Subarea. The Subarea includes marine and coastal areas of Bristol Bay and part of the southern Alaska Peninsula. (This area extends from directly south of Goodnews Bay

to slightly north of Port Seniavan along the Bristol Bay side of the Alaska Peninsula, as well as the Pacific Ocean side of the Alaska Peninsula from Cape Providence to Kupreanof Peninsula.)

This data set comprises a portion of the ESI data for the Bristol Bay Subarea. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the BIOINDEX (Biological Index Polygons) data layer, part of the larger Bristol Bay Subarea ESI database, for additional boundary information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2003

Ending_Date: 2004

Currentness_Reference:

The data were compiled during 2003. The currentness date for these data is 2003 and is documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -162.333

East_Bounding_Coordinate: -156.000

North_Bounding_Coordinate: 59.083

South_Bounding_Coordinate: 55.500

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Bristol Bay

Place_Keyword: Alaska

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Bristol Bay Subarea ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: bioindex.e00, birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, m_mampt.e00, mgt.e00, nests.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent the boundaries of all the hardcopy cartographic products produced as part of the Environmental Sensitivity Index (ESI) for the Bristol Bay Subarea, as well as digital data extents. Primarily, 1:250,000 U.S. Geological Survey (USGS) topographic maps were used to provide boundaries for cartographic products. In most cases, the polygons represent USGS topographic maps that were re-tiled, moved, or extended to provide better cartographic coverage of the study area. See also the BIOINDEX (Biological Index Polygons) data layer, part of the larger Bristol Bay Subarea ESI database, for additional boundary information.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

The index polygons in this data layer were generated in ArcInfo from the coordinates of the USGS 1:250,000 topographic map corners. Some small amount of positional error may be present along the arcs forming the boundaries of these polygons, particularly away from the polygon corners. Some boundaries were developed from pre-existing digital and hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections

for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. Geological Survey

Publication_Date: Unknown

Title: Topographic Quadrangles

Geospatial_Data_Presentation_Form: Map

Publication_Information:

Publication_Place: Denver, CO or Reston, VA

Publisher: U.S. Geological Survey

Source_Scale_Denominator: 250,000

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: Varies

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Map index

Process_Step:

Process_Description:

The index polygons in this data layer were generated in ArcInfo from the coordinates of the USGS map corners, or appropriate coordinates.

Process_Date: 200403

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of rings

Point_and_Vector_Object_Count: 15

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 15

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 60

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 523

*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Node, planar graph*Point_and_Vector_Object_Count:* 46*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.00005*Longitude_Resolution:* 0.00005*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clark 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698*Entity_and_Attribute_Information:**Detailed_Description:**Entity_Type:**Entity_Type_Label:* INDEX.PAT*Entity_Type_Definition:*

The INDEX.PAT table contains attribute information for the vector polygons representing the map boundaries and digital data boundaries used in the creation of the Environmental Sensitivity Index (ESI) for Bristol Bay.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* TILE-NAME*Attribute_Definition:*

The TILE-NAME contains the map number according to the specified layout of the atlas. The values for each polygon are unique and range from 1 through 15.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* 15*Attribute:**Attribute_Label:* TOPO-NAME*Attribute_Definition:* Topographic map names*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Bristol Bay, AK*Enumerated_Domain_Value_Definition:* Atlas name*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SCALE*Attribute_Definition:*

SCALE contains the value of the denominator of the scale at which the map is plotted in the final map product.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* 250,000*Enumerated_Domain_Value_Definition:* Scale = 1:250,000*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:*

*Enumerated_Domain:**Enumerated_Domain_Value:* 265,000*Enumerated_Domain_Value_Definition:* Scale = 1:265,000*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* MAPANGLE*Attribute_Definition:*

MAPANGLE contains a value to rotate the final map product so that it is situated straight up and down

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 0.000000*Range_Domain_Maximum:* 6.822000*Attribute_Units_of_Measure:* Degree*Attribute:**Attribute_Label:* PAGESIZE*Attribute_Definition:*

PAGESIZE contains the value of the width and height of the map in the final map product

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* 11,17*Enumerated_Domain_Value_Definition:* Page size = 11" by 17"*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Distribution_Information:**Distributor:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* John Kaperick*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6400*Contact_Facsimile_Telephone:* (206) 526-6329*Resource_Description:* ESI Atlas for Bristol Bay Subarea*Distribution_Liability:*

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

*Metadata_Reference_Information:**Metadata_Date:* 200405*Metadata_Review_Date:* 200405*Metadata_Contact:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* Jill Petersen*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Position:* GIS Manager*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6944*Contact_Facsimile_Telephone:* (206) 526-6329*Contact_Electronic_Mail_Address:* Jill.Petersen@noaa.gov*Metadata_Standard_Name:* Content Standards for Digital Geospatial Metadata*Metadata_Standard_Version:* FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Fri May 21 13:50:48 2004

Bristol Bay, Alaska Subarea ESI: BIOINDEX (Biological Index Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Publication_Date: 200405

Title:

Bristol Bay, Alaska Subarea ESI: BIOINDEX (Biological Index Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Bristol Bay

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Description:

Abstract:

This data set contains vector polygons representing the boundaries of the 1:250,000 map boundaries used in the creation of the Environmental Sensitivity Index (ESI) for the Bristol Bay Subarea. (The Subarea includes marine and coastal areas of Bristol Bay and part of the

southern Alaska Peninsula. This area extends from directly south of Goodnews Bay to slightly north of Port Seniavan along the Bristol Bay side of the Alaska Peninsula, as well as the Pacific Ocean side of the Alaska Peninsula from Cape Providence to Kupreanof Peninsula.) Specifically, these data were used for the creation of the biology information maps and to include biology that extended beyond the INDEX layer.

This data set comprises a portion of the ESI data for the Bristol Bay Subarea. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the INDEX (Index Polygons) data layer, part of the larger Bristol Bay Subarea ESI database, for additional boundary information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2003

Ending_Date: 2004

Currentness_Reference:

These data were compiled during 2003. The currentness date for these data is 2003 and is documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -162.500

East_Bounding_Coordinate: -156.000

North_Bounding_Coordinate: 59.083

South_Bounding_Coordinate: 55.500

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Bristol Bay

Place_Keyword: Alaska

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Bristol Bay Subarea ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in that data set: bioindex.e00, birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, m_mampt.e00, mgt.e00, nests.e00, socecon.e00, t_mammal.e00 Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent the boundaries of the biological data sets produced as part of the Environmental Sensitivity Index (ESI) for the Bristol Bay Subarea, as well as digital data extents. See also the INDEX (Index Polygons) data layer, part of the larger Bristol Bay Subarea ESI database, for additional boundary information.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

The index polygons in this data layer were generated in ArcInfo from the coordinates of the USGS 1:250,000 topographic map corners. Some small amount of positional error may be present along the arcs forming the boundaries of these polygons, particularly away from the polygon corners. Some boundaries were developed from pre-existing digital and hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated

or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. Geological Survey

Publication_Date: Unknown

Title: Topographic Quadrangles

Geospatial_Data_Presentation_Form: Map

Publication_Information:

Publication_Place: Denver, CO or Reston, VA

Publisher: U.S. Geological Survey

Source_Scale_Denominator: 250000

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: Varies

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Map index

Process_Step:

Process_Description:

The index polygons in this data layer were generated in Arc/INFO from the coordinates of the U.S. Geological Survey (USGS) map corners, or appropriate coordinates.

Process_Date: 200403

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of rings

Point_and_Vector_Object_Count: 10

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 10

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 48

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 1412

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 39

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIOINDEX.PAT

Entity_Type_Definition:

The BIOINDEX.PAT table contains attribute information for the vector polygons representing the map boundaries and digital data boundaries used in the creation of the Environmental Sensitivity Index (ESI) for Bristol Bay.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TILE-NAME

Attribute_Definition:

The TILE-NAME contains the map number according to the specified layout of the atlas. The values for each polygon are unique and range from 1 through 10.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 10

Attribute:

Attribute_Label: TOPO-NAME

Attribute_Definition: Topographic map names

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HAGEMEISTER ISLAND

Enumerated_Domain_Value_Definition: USGS 1:250,000 Topographic Name

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: STEPOVAK BAY

Enumerated_Domain_Value_Definition: USGS 1:250,000 Topographic Name

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: GOODNEWS BAY

Enumerated_Domain_Value_Definition: USGS 1:250,000 Topographic Name

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: NUSHAGAK BAY
Enumerated_Domain_Value_Definition: USGS 1:250,000 Topographic Name
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: DILLINGHAM
Enumerated_Domain_Value_Definition: USGS 1:250,000 Topographic Name
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: NAKNEK
Enumerated_Domain_Value_Definition: USGS 1:250,000 Topographic Name
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: UGASHIK
Enumerated_Domain_Value_Definition: USGS 1:250,000 Topographic Name
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: BRISTOL BAY
Enumerated_Domain_Value_Definition: USGS 1:250,000 Topographic Name
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: CHIGNIK
Enumerated_Domain_Value_Definition: USGS 1:250,000 Topographic Name
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: SUTWIK
Enumerated_Domain_Value_Definition: USGS 1:250,000 Topographic Name
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE
Attribute_Definition:
SCALE contains the value of the denominator of the scale at which the map is plotted in the final map product.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: 250,000
Enumerated_Domain_Value_Definition: Scale = 250,000
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAPANGLE
Attribute_Definition:
MAPANGLE contains a value to rotate the final map product so that it is situated straight up and down
Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 0.000000

Range_Domain_Maximum: 6.822000

Attribute_Units_of_Measure: Degree

Attribute:

Attribute_Label: PAGESIZE

Attribute_Definition:

PAGESIZE contains the value of the width and height of the map in the final map product

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 30,24

Enumerated_Domain_Value_Definition: Page size = 30" by 24"

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Bristol Bay Subarea

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200405

Metadata_Review_Date: 200405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Fri May 21 13:54:56 2004

Bristol Bay, Alaska Subarea ESI: BIRDS (Bird Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Publication_Date: 200405

Title: Bristol Bay, Alaska Subarea ESI: BIRDS (Bird Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Bristol Bay

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Description:

Abstract:

This data set contains sensitive biological resource data for shorebirds, waterfowl, raptors, diving birds, and seabirds in the Bristol Bay Subarea. The Subarea includes marine and coastal areas of Bristol Bay and part of the southern Alaska Peninsula. (This area extends from directly south of Goodnews Bay to slightly north of Port Seniavan along the Bristol

Bay side of the Alaska Peninsula, as well as the Pacific Ocean side of the Alaska Peninsula from Cape Providence to Kupreanof Peninsula.) Vector polygons in this data set represent locations of bird nesting, migratory staging, and molting, wintering, and feeding concentrations. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for the Bristol Bay Subarea. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the NESTS (Nest Points) data layer, part of the larger Bristol Bay Subarea ESI database, for additional bird information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2003

Ending_Date: 2004

Currentness_Reference:

The biological data were compiled during 2003. The currentness dates for these data range from 1986 to 2003 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -162.500

East_Bounding_Coordinate: -156.000

North_Bounding_Coordinate: 59.083

South_Bounding_Coordinate: 55.500

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Bird

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Bristol Bay

Place_Keyword: Alaska

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products

derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Bristol Bay Subarea ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: bioindex.e00, birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, m_mampt.e00, mgt.e00, nests.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge, available hardcopy documents, and digital data

on bird nesting, migratory staging, and molting, wintering, and feeding concentration areas. See also the NESTS (Nest Points) data layer, part of the larger Bristol Bay Subarea ESI database, for additional bird information. These data do not necessarily represent all bird occurrences in the Bristol Bay Subarea. The following species are included in this data set: (Species_ID, Common Name, Scientific Name, if applicable): 3, Red-throated loon, *Gavia stellata*; 11, Tundra swan, *Cygnus columbianus*; 12, Canada goose, *Branta Canadensis*; 13, Brant, *Branta bernicla*; 14, Greater white-fronted goose, *Anser albifrons*; 17, Northern pintail, *Anas acuta*; 24, Common goldeneye, *Bucephala clangula*; 27, Long-tailed duck, *Clangula hyemalis*; 28, Harlequin duck, *Histrionicus histrionicus*; 29, White-winged scoter, *Melanitta fusca*; 30, Surf scoter, *Melanitta perspicillata*; 31, Pacific loon, *Gavia pacifica*; 32, Common merganser, *Mergus merganser*; 33, Red-breasted merganser, *Mergus serrator*; 53, Red-necked phalarope, *Phalaropus lobatus*; 55, Whimbrel, *Numenius phaeopus*; 56, Spotted sandpiper, *Actitis macularia*; 58, Greater yellowlegs, *Tringa melanoleuca*; 60, Red knot, *Calidris canutus*; 61, Pectoral sandpiper, *Calidris melanotos*; 62, Least sandpiper, *Calidris minutilla*; 63, Dunlin, *Calidris alpina*; 64, Short-billed dowitcher, *Limnodromus griseus*; 65, Long-billed dowitcher, *Limnodromus scolopaceus*; 66, Western sandpiper, *Calidris mauri*; 67, Sanderling, *Calidris alba*; 69, Semipalmated plover, *Charadrius semipalmatus*; 71, Black-bellied plover, *Pluvialis squatarola*; 73, Ruddy turnstone, *Arenaria interpres*; 74, Black turnstone, *Arenaria melanocephala*; 76, Bald eagle, *Haliaeetus leucocephalus*; 103, Common eider, *Somateria mollissima*; 108, Kittlitzs murrelet, *Brachyramphus brevirostris*; 157, Emperor goose, *Chen canagica*; 158, King eider, *Somateria spectabilis*; 159, Stellers eider, *Polysticta stelleri*; 160, Red phalarope, *Phalaropus fulicaria*; 161, Rock sandpiper, *Calidris ptilocnemis*; 165, Bar-tailed godwit, *Limosa lapponica*; 196, Common snipe, *Gallinago gallinago*; 197, Black scoter, *Melanitta nigra*; 210, Marbled godwit, *Limosa fedoa*; 273, Geese; 292, Sharp-tailed sandpiper, *Calidris acuminata*; 299, Scaup, *Aythya* spp.; 413, Bristle-thighed curlew, *Numenius tahitiensis*; 543, Pacific golden-plover, *Pluvialis fulva*; 1002, Shorebirds; 1003, Waterfowl; 1013, Dabbling ducks; 1019, Sea ducks; 1021, Ducks.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Most of the spatial components of the biological data sets are developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:250,000. Some of the spatial components of the biological data sets are developed from pre-existing digital sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: W. Larned and T. Tiplady

Publication_Date: 1998

Title:

Surveys to Evaluate King Eider Molting: Areas Detected by Satellite Telemetry

Geospatial_Data_Presentation_Form: Hardcopy Map

Publication_Information:

Publication_Place: Anchorage, Alaska

Publisher:

U.S. Fish & Wildlife Service (USFWS), Migratory Bird Management (MBM), Waterfowl Branch, 7 PP.

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1998

Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Bird information
Source_Information:
Source_Citation:
Citation_Information:
Originator: C. Dau (USFWS, MBM, Anchorage)
Publication_Date: 2003
Title: Waterfowl Seasonality
Geospatial_Data_Presentation_Form: Expert Knowledge
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Personal communication
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2003
Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None
Source_Contribution: Bird information
Source_Information:
Source_Citation:
Citation_Information:
Originator: USFWS, Migratory Bird Management (MBM)
Publication_Date: 2002
Title:
 Emperor Goose (and other Waterfowl) Spring and Fall Surveys:
 1992-2002
Geospatial_Data_Presentation_Form: Digital Table
Publication_Information:
Publication_Place: Anchorage, Alaska
Publisher: USFWS, MBM
Type_of_Source_Media: Email
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2002
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Bird information
Source_Information:
Source_Citation:
Citation_Information:
Originator: USFWS, Migratory Bird Management (MBM)
Publication_Date: 2003
Title: Bristol Bay Expanded Breeding Waterbird Surveys 1993-1994
Geospatial_Data_Presentation_Form: Digital Vector Data
Publication_Information:
Publication_Place: Anchorage, Alaska
Publisher: USFWS, MBM
Type_of_Source_Media: CD-ROM
Source_Scale_Denominator: 250000
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1994
Source_Currentness_Reference: Date of survey
Source_Citation_Abbreviation: None
Source_Contribution: Bird information

*Source_Information:**Source_Citation:**Citation_Information:**Originator:* Alaska Dept. of Fish and Game (ADF&G)*Publication_Date:* 2002*Title:* Most Environmentally Sensitive Areas (MESA) Data*Geospatial_Data_Presentation_Form:* Digital Vector Data*Publication_Information:**Publication_Place:* Anchorage, Alaska*Publisher:* ADF&G, Habitat Restoration Division*Source_Scale_Denominator:* 63360*Type_of_Source_Media:* Online*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2002*Source_Currentness_Reference:* Date of publication*Source_Citation_Abbreviation:* None*Source_Contribution:* Bird information*Source_Information:**Source_Citation:**Citation_Information:**Originator:* Gill, Tibbets, and Handel*Publication_Date:* 2001*Title:* Profiles of Important Shorebird Sites in Alaska*Geospatial_Data_Presentation_Form:* Hardcopy text*Publication_Information:**Publication_Place:* Unknown*Publisher:*

Information and Technology Report

USGS/BRD/ITR-2001-000X, 85 PP.

Type_of_Source_Media: Paper*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2001*Source_Currentness_Reference:* Date of publication*Source_Citation_Abbreviation:* None*Source_Contribution:* Bird information*Source_Information:**Source_Citation:**Citation_Information:**Originator:* R. Gill (USGS, Anchorage)*Publication_Date:* 2003*Title:* Shorebird Seasonality*Geospatial_Data_Presentation_Form:* Expert Knowledge*Publication_Information:**Publication_Place:* Unpublished*Publisher:* Unknown*Type_of_Source_Media:* Personal communication*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2003*Source_Currentness_Reference:* Date of communication*Source_Citation_Abbreviation:* None*Source_Contribution:* Bird information*Source_Information:**Source_Citation:**Citation_Information:*

Originator: W. Larned (USFWS, MBM, Soldotna)
Publication_Date: 2003
Title: Sea Duck Distribution
Geospatial_Data_Presentation_Form: Expert Knowledge
Publication_Information:
 Publication_Place: Unpublished
 Publisher: Unknown
Type_of_Source_Media: Personal communication
Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 2002
 Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None
Source_Contribution: Bird information
Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: J. Schmutz (USGS, Anchorage)
 Publication_Date: 2002
 Title: Red-throated Loon Concentration Areas
 Geospatial_Data_Presentation_Form: Expert knowledge
 Publication_Information:
 Publication_Place: Unpublished
 Publisher: Unknown
 Type_of_Source_Media: Personal communication
 Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 2002
 Source_Currentness_Reference: Date of communication
 Source_Citation_Abbreviation: None
 Source_Contribution: Bird information
 Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: Alaska Department of Fish and Game (ADF&G)
 Publication_Date: 1986
 Title:
 Alaska Habitat Management Guide: Western and Interior Regions
 Map Atlas
 Geospatial_Data_Presentation_Form: Hardcopy text
 Publication_Information:
 Publication_Place: Juneau, Alaska
 Publisher: ADF&G Habitat Division, 19 Maps
 Source_Scale_Denominator: 1000000
 Type_of_Source_Media: Hardcopy text
 Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 1986
 Source_Currentness_Reference: Date of publication
 Source_Citation_Abbreviation: None
 Source_Contribution: Bird information
 Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: USFWS, Togiak NWR Staff, Dillingham
 Publication_Date: 1993
 Title: Marine Mammal, Invertebrate Distribution, Bird Distribution

Geospatial_Data_Presentation_Form: Expert Knowledge
Publication_Information:

Publication_Place: Unpublished

Publisher: Unknown

Type_of_Source_Media: Personal communication

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: Date of communication

Source_Citation_Abbreviation: None

Source_Contribution: Bird information

Source_Information:

Source_Citation:

Citation_Information:

Originator: D. Sellers (ADF&G, King Salmon)

Publication_Date: 2003

Title: Waterfowl Distribution and Seasonality

Geospatial_Data_Presentation_Form: Expert Knowledge

Publication_Information:

Publication_Place: Unpublished

Publisher: Unknown

Type_of_Source_Media: Personal communication

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: Date of communication

Source_Citation_Abbreviation: None

Source_Contribution: Bird information

Source_Information:

Source_Citation:

Citation_Information:

Originator: S. Savage (USFWS, Dillingham)

Publication_Date: 2003

Title:

Becharof & Alaska Peninsula NWR Bird Distribution and Seasonality

Geospatial_Data_Presentation_Form: Expert Knowledge

Publication_Information:

Publication_Place: Unpublished

Publisher: Unknown

Type_of_Source_Media: Personal communication

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: Date of communication

Source_Citation_Abbreviation: None

Source_Contribution: Bird information

Source_Information:

Source_Citation:

Citation_Information:

Originator: R. MacDonald

Publication_Date: 2000

Title:

Late Summer Occurrence of Shorebirds on the Southern Nushagak Peninsula

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Dillingham, Alaska
Publisher: USFWS, Togiak National Wildlife
Type_of_Source_Media: Paper
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2000
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Bird information
Source_Information:
Source_Citation:
Citation_Information:
Originator: Alaska Peninsula/Becharof NWR
Publication_Date: 2003
Title: Waterfowl Counts for AK Pen Rivers and Estuaries
Geospatial_Data_Presentation_Form: Digital Table
Publication_Information:
Publication_Place: Unpublished
Publisher: Unknown
Type_of_Source_Media: CD-Rom
Source_Time_Period_of_Content:
Time_Period_Information:
Range_of_Dates/Times:
Beginning_Date: 1990
Ending_Date: 1992
Source_Currentness_Reference: Date of survey
Source_Citation_Abbreviation: None
Source_Contribution: Bird information
Source_Information:
Source_Citation:
Citation_Information:
Originator: D. Dewhurst (USFWS Anchorage)
Publication_Date: 2003
Title: Marbled Godwit, Bald Eagle, Kelp Concentrations; Landing Strips
Geospatial_Data_Presentation_Form: Expert Knowledge
Publication_Information:
Publication_Place: Unpublished
Publisher: Unknown
Type_of_Source_Media: Personal communication
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2003
Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None
Source_Contribution: Bird information
Source_Information:
Source_Citation:
Citation_Information:
Originator: K. Boden
Publication_Date: 1994
Title:
 Comparative Results from Aerial Waterfowl Surveys of the AK
 Pen. Mar.-May 1993
Geospatial_Data_Presentation_Form: Hardcopy text
Publication_Information:
Publication_Place: King Salmon, Alaska
Publisher: USFWS AK Peninsula/Becharof NWR
Type_of_Source_Media: Paper

Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1994
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Bird information

Source_Information:

Source_Citation:
Citation_Information:
Originator: Alaska Natural Heritage Program
Publication_Date: 2003
Title: Kittlitz's Murrelet At-Sea Distribution
Geospatial_Data_Presentation_Form: Digital Vector Data
Publication_Information:
Publication_Place: Unpublished
Publisher: Alaska Natural Heritage Program

Type_of_Source_Media: Email

Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2003
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Bird information

Process_Step:

Process_Description:
 Four main sources of data were used to depict bird distribution and seasonality for this data layer: (1) personal interviews with resource experts from U.S. Fish and Wildlife Service (USFWS), U.S. Geological Survey (USGS), and Alaska Department of Fish and Game (ADF&G); (2) numerous published and unpublished reports and maps produced by USFWS, USGS, ADF&G; (3) vector polygon coverages including 1993-1994 USFWS breeding waterfowl survey data, 2002 ADF&G Most Environmentally Sensitive Areas (waterfowl) data, and 2003 Alaska Natural Heritage Program Kittlitz's Murrelet data; and (4) 1992-2002 USFWS spring/fall aerial survey data for waterfowl and 1990-1992 USFWS waterfowl count data for Becharof/Alaska Peninsula National Wildlife Refuges (NWR). Concentration and seasonality information was provided by resource experts or was extracted from reports and survey data.

Process_Date: 200403*Process_Contact:*

Contact_Information:
Contact_Organization_Primary:
Contact_Organization: NOAA, Office of Response and Restoration
Contact_Person: Jill Petersen
Contact_Address:
Address_Type: Physical address
Address: 7600 Sand Point Way, N.E.
City: Seattle
State_or_Province: Washington
Postal_Code: 98115-6349
Contact_Voice_Telephone: (206) 526-6944
Contact_Facsimile_Telephone: (206) 526-6329
Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

*Spatial_Data_Organization_Information:**Direct_Spatial_Reference_Method:* Vector

*Point_and_Vector_Object_Information:**SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* GT-polygon composed of rings*Point_and_Vector_Object_Count:* 521*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Area point*Point_and_Vector_Object_Count:* 521*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Complete chain*Point_and_Vector_Object_Count:* 1295*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Link*Point_and_Vector_Object_Count:* 233827*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Node, planar graph*Point_and_Vector_Object_Count:* 1047*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.00005*Longitude_Resolution:* 0.00005*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clark 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698*Entity_and_Attribute_Information:**Overview_Description:**Entity_and_Attribute_Overview:*

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, BIRDS) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Bristol Bay atlas, the number is 56), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational

BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIRDS.PAT

Entity_Type_Definition:

The BIRDS.PAT table contains attribute information for the vector polygons representing bird nesting, migratory staging, and molting, wintering, and feeding concentration areas. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (56), element number (1), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 560100002

Range_Domain_Maximum: 560100518

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000001

Range_Domain_Maximum: 56000220

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000001

Range_Domain_Maximum: 56000387

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (56), element number (1), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 560100002

Range_Domain_Maximum: 563400115

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 056000001

Range_Domain_Maximum: 056000387

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density values. The field may contain counts of individuals (XX BIRDS), or for nesting waterfowl, a range of density values (X-X BIRDS/SQ. KM). In cases where no quantitative data were available, the field may contain a descriptive term, such as "HIGH". If no concentration information was available from any source, the field is populated with

"-". Counts were derived from a variety of surveys and may range in date.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: M_MAMMAL
Enumerated_Domain_Value_Definition: Marine Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: REPTILE
Enumerated_Domain_Value_Definition: Reptiles and Amphibians
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: T_MAMMAL
Enumerated_Domain_Value_Definition: Terrestrial Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE
Attribute_Definition:
Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: E#####
Enumerated_Domain_Value_Definition:
Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA
Attribute_Definition:
Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: E#####
Enumerated_Domain_Value_Definition:
Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: SPECIES
Entity_Type_Definition:
The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer_specific species.
Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID
Attribute_Definition:
Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species common name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species scientific name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SUBELEMENT*Attribute_Definition:* Element subgroup delineating a logical grouping of species*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* alcid*Enumerated_Domain_Value_Definition:* Alcid*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* anadromous*Enumerated_Domain_Value_Definition:* Anadromous fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* bear*Enumerated_Domain_Value_Definition:* Bear*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* bivalve*Enumerated_Domain_Value_Definition:* Bivalve*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* crab*Enumerated_Domain_Value_Definition:* Crab*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* diadromous*Enumerated_Domain_Value_Definition:* Diadromous fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* diving*Enumerated_Domain_Value_Definition:* Diving bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* dolphin*Enumerated_Domain_Value_Definition:* Dolphin*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* e_nursery*Enumerated_Domain_Value_Definition:* Estuarine nursery fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* freshwater*Enumerated_Domain_Value_Definition:* Freshwater fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: gull_tern
Enumerated_Domain_Value_Definition: Gull or tern
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: kelp
Enumerated_Domain_Value_Definition: Kelp habitat, community, or species
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_benthic
Enumerated_Domain_Value_Definition: Marine benthic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_pelagic
Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pelagic
Enumerated_Domain_Value_Definition: Pelagic bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pinniped
Enumerated_Domain_Value_Definition: Pinniped
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: raptor
Enumerated_Domain_Value_Definition: Raptor
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: sav
Enumerated_Domain_Value_Definition: Submerged aquatic vegetation
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: sea_otter
Enumerated_Domain_Value_Definition: Sea otter
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: shorebird
Enumerated_Domain_Value_Definition: Shorebird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: shrimp
Enumerated_Domain_Value_Definition: Shrimp
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: waterfowl
Enumerated_Domain_Value_Definition: Waterfowl
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* whale*Enumerated_Domain_Value_Definition:* Whale*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* NHP*Attribute_Definition:* Natural Heritage Program global ranking*Attribute_Definition_Source:* Network of Natural Heritage Program*Attribute_Domain_Values:**Codeset_Domain:**Codeset_Name:* NHP Global Conservation Status Rank*Codeset_Source:* Natural Heritage Program*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:* Date of NHP listing*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* 0*Enumerated_Domain_Value_Definition:* Not ranked*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Numeric*Enumerated_Domain_Value_Definition:* mmyyyy*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SEASONAL*Entity_Type_Definition:*

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: FISH
Enumerated_Domain_Value_Definition: Fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT
Enumerated_Domain_Value_Definition: Habitats and Plants
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT
Enumerated_Domain_Value_Definition: Invertebrates
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL
Enumerated_Domain_Value_Definition: Marine Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE
Enumerated_Domain_Value_Definition: Reptiles and Amphibians
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL
Enumerated_Domain_Value_Definition: Terrestrial Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in January
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in June

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL

Attribute_Definition: July

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG

Attribute_Definition: August

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* SEP*Attribute_Definition:* September*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in September*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* OCT*Attribute_Definition:* October*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in October*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* NOV*Attribute_Definition:* November*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in November*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* DEC*Attribute_Definition:* December*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in December*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORRES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BREED*Entity_Type_Definition:*

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:*

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORRES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute

is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y
Enumerated_Domain_Value_Definition: Life-history stage or activity present
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N
Enumerated_Domain_Value_Definition: Life-history stage or activity not present
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -
Enumerated_Domain_Value_Definition:
 Breed category not used or not appropriate for record(s) in question
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y
Enumerated_Domain_Value_Definition: Life-history stage or activity present
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N
Enumerated_Domain_Value_Definition: Life-history stage or activity not present
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -
Enumerated_Domain_Value_Definition:
 Breed category not used or not appropriate for record(s) in question
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and S_SOURCE in the BIORRES table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Scale denominator of the source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: integer

Enumerated_Domain_Value_Definition: Any integer

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* TIME_PERIOD*Attribute_Definition:*

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Numeric*Enumerated_Domain_Value_Definition:* yyyy*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* STATUS*Entity_Type_Definition:*

The data table STATUS identifies the species that are listed as either threatened or endangered by a state or federal authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Two-letter state abbreviation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Two-letter country abbreviation

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Two-letter country abbreviation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T
Enumerated_Domain_Value_Definition: Threatened on federal list
Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C
Enumerated_Domain_Value_Definition: Species of Special Concern
Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: I

Attribute_Definition: International threatened or endangered status

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E
Enumerated_Domain_Value_Definition: Endangered on international list
Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T
Enumerated_Domain_Value_Definition: Threatened on international list
Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C
Enumerated_Domain_Value_Definition: Species of Special Concern
Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric
Enumerated_Domain_Value_Definition: mmyyyy
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric
Enumerated_Domain_Value_Definition: mmyyyy
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Numeric*Enumerated_Domain_Value_Definition:* mmyyyy*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORRES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Distribution_Information:**Distributor:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* John Kaperick*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6400*Contact_Facsimile_Telephone:* (206) 526-6329*Resource_Description:* ESI Atlas for Bristol Bay Subarea*Distribution_Liability:*

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

*Metadata_Reference_Information:**Metadata_Date:* 200405*Metadata_Review_Date:* 200405*Metadata_Contact:**Contact_Information:*

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Fri May 21 12:38:36 2004

Bristol Bay, Alaska Subarea ESI: NESTS (Nest Points)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Publication_Date: 200405

Title: Bristol Bay, Alaska Subarea ESI: NESTS (Nest Points)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Bristol Bay

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Description:

Abstract:

This data set contains sensitive biological resource data for nesting seabirds (alcids, pelagic birds), gulls, terns, diving birds, and raptors in the Bristol Bay Subarea. The Subarea includes marine and coastal areas of Bristol Bay and part of the southern Alaska Peninsula. (This area extends from directly south of Goodnews Bay to slightly north of Port Seniavan along the

Bristol Bay side of the Alaska Peninsula, as well as the Pacific Ocean side of the Alaska Peninsula from Cape Providence to Kupreanof Peninsula.) Vector points in this data set represent locations of nesting birds. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for the Bristol Bay Subarea. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the BIRDS (Bird Polygons) data layer, part of the larger Bristol Bay Subarea ESI database, for additional breeding bird information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2003

Ending_Date: 2004

Currentness_Reference:

The biological data were compiled during 2003. The currentness dates for these data range from 1996 to 2003 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -162.500

East_Bounding_Coordinate: -156.000

North_Bounding_Coordinate: 59.083

South_Bounding_Coordinate: 55.500

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Nest

Theme_Keyword: Bird

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Bristol Bay

Place_Keyword: Alaska

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products

derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Bristol Bay Subarea ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: bioindex.e00, birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, m_mampt.e00, mgt.e00, nests.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of hardcopy reports, digital data, and expert knowledge on bird

nesting locations. See also the BIRDS (Bird Polygons) data layer, part of the larger Bristol Bay Subarea ESI database, for additional breeding bird information. These data do not necessarily represent all nests present in the Bristol Bay Subarea. The following species are included in this data set: (Species_ID, Common Name, Scientific Name, if applicable): 8, Double-crested cormorant, *Phalacrocorax auritus*; 10, Pelagic cormorant, *Phalacrocorax pelagicus*; 36, Glaucous-winged gull, *Larus glaucescens*; 38, Herring gull, *Larus argentatus*; 41, Mew gull, *Larus canus*; 46, Common murre, *Uria aalge*; 47, Pigeon guillemot, *Cephus columba*; 50, Rhinoceros auklet, *Cerorhinca monocerata*; 51, Tufted puffin, *Fratercula cirrhata*; 68, Black oystercatcher, *Haematopus bachmani*; 76, Bald eagle, *Haliaeetus leucocephalus*; 79, Cormorant, *Phalacrocorax sp.*; 80, Arctic tern, *Sterna paradisaea*; 81, Horned puffin, *Fratercula corniculata*; 84, Parakeet auklet, *Aethia psittacula*; 96, Leach's storm-petrel, *Oceanodroma leucorhoa*; 99, Red-faced cormorant, *Phalacrocorax urile*; 100, Black-legged kittiwake, *Rissa tridactyla*; 101, Aleutian tern, *Sterna aleutica*; 102, Fork-tailed storm-petrel, *Oceanodroma furcata*; 103, Common eider, *Somateria mollissima*; 104, Murre, *Uria sp.*; 105, Thick-billed murre, *Uria lomvia*; 106, Ancient murrelet, *Synthliboramphus antiquus*; 109, Crested auklet, *Aethia cristatella*; 111, Least auklet, *Aethia pusilla*; 1001, Gulls.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

This biological data set was developed from pre-existing digital sources and reflects the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. Fish and Wildlife Service (USFWS)

Publication_Date: 2003

Title: Beringian Sea Colony Catalog Database

Geospatial_Data_Presentation_Form: Digital Vector Data

Publication_Information:

Publication_Place: Anchorage, Alaska

Publisher: USFWS, Migratory Bird Management (MBM)

Source_Scale_Denominator: 250000

Type_of_Source_Media: Email

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Nest information

Source_Information:

Source_Citation:

Citation_Information:

Originator: S. Stephenson, (USFWS, MBM, Anchorage)

Publication_Date: 2003

Title: Nesting Seabird Seasonality

Geospatial_Data_Presentation_Form: Expert Knowledge

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Personal communication

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None
Source_Contribution: Nest information
Source_Information:
Source_Citation:
Citation_Information:
Originator: USFWS, Migratory Bird Management (MBM), Juneau
Publication_Date: Unpublished
Title: Eagle Nests West of 155 Degrees W Longitude
Geospatial_Data_Presentation_Form: Digital table
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Email
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: Unknown
Source_Currentness_Reference: Date of survey
Source_Citation_Abbreviation: None
Source_Contribution: Nest information
Source_Information:
Source_Citation:
Citation_Information:
Originator: USFWS, Becharof/AK Peninsula NWR, King Salmon
Publication_Date: 2000
Title: Eagle Nests Along the Pacific Side of the Alaska Peninsula
Geospatial_Data_Presentation_Form: Digital Vector Data
Publication_Information:
Publication_Place: King Salmon, Alaska
Publisher: USFWS
Type_of_Source_Media: Email
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2000
Source_Currentness_Reference: Date of survey
Source_Citation_Abbreviation: None
Source_Contribution: Nest information
Source_Information:
Source_Citation:
Citation_Information:
Originator: USFWS, Togiak NWR, Dillingham
Publication_Date: 2003
Title: Eagle Nests on Togiak National Wildlife Refuge
Geospatial_Data_Presentation_Form: Digital table
Publication_Information:
Publication_Place: Dillingham, Alaska
Publisher: USFWS, Togiak NWR
Type_of_Source_Media: Email
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2003
Source_Currentness_Reference: Date of survey
Source_Citation_Abbreviation: None
Source_Contribution: Nest information
Source_Information:
Source_Citation:
Citation_Information:

Originator: D. Dewhurst

Publication_Date: 1996

Title:

Bald Eagle Nesting & Reproductive Success Along the Pacific Coast of the Alaska Peninsula

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: King Salmon, Alaska

Publisher: USFWS, AK Peninsula/Becharof NWR

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1995

Source_Currentness_Reference: Date of survey

Source_Citation_Abbreviation: None

Source_Contribution: Nest information

Process_Step:

Process_Description:

Four main sources of data were used to depict bird nesting locations for this data layer: (1) 2003 U.S. Fish and Wildlife Service (USFWS) "Beringian Seabird Colony Catalog" vector point coverage of seabird nesting sites; (2) 2003 USFWS "Eagle Nests West of 155 W Longitude", 2000 USFWS "Eagle Nests Along the West Side of the Alaska Peninsula", and 2003 USFWS "Eagle Nests on Togiak National Wildlife Refuge" digital tables depicting latitude/longitude locations for nest sites; (3) the 1996 USFWS report, "Bald eagle nesting and reproductive success along the Pacific coast of the Alaska Peninsula"; and (4) interviews with USFWS resource experts. Concentration and seasonality information was provided by resource experts and extracted from survey data and published reports.

Process_Date: 200403

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Entity Point

Point_and_Vector_Object_Count: 320

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005
Longitude_Resolution: 0.00005
Geographic_Coordinate_Units: Decimal degrees
Geodetic_Model:
Horizontal_Datum_Name: North American Datum of 1927
Ellipsoid_Name: Clark 1866
Semi-major_Axis: 6378206.400000
Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, NESTS) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Bristol Bay atlas, the number is 56), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: NESTS.PAT

Entity_Type_Definition:

The NESTS.PAT table contains attribute information for the vector points representing bird nesting sites. Note that all attribute information is stored in a series

of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (56), element number (5), and record number.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 560500001

Range_Domain_Maximum: 560500320

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000043

Range_Domain_Maximum: 56000149

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000001

Range_Domain_Maximum: 56000387

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (56), element number (5), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 560100002

Range_Domain_Maximum: 563400115

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 056000001

Range_Domain_Maximum: 056000387

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density values, and contains counts for each species present at a particular nesting site. The field generally contains counts of birds (XX BIRDS); however, in cases where no quantitative count was available, the field may contain a descriptive term, such as "UNKNOWN". If no concentration information was available from any source, the field is populated with "-". Counts of seabirds were derived from the last surveyed date at each location, and were extracted from the 2003 U.S. Fish & Wildlife Service (USFWS) "Beringian Seabird Colony Catalog." Eagle nest points depict a single nest.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records

in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species common name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species scientific name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: alcid

Enumerated_Domain_Value_Definition: Alcid

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: anadromous

Enumerated_Domain_Value_Definition: Anadromous fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bear

Enumerated_Domain_Value_Definition: Bear
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: bivalve
Enumerated_Domain_Value_Definition: Bivalve
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: crab
Enumerated_Domain_Value_Definition: Crab
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: diadromous
Enumerated_Domain_Value_Definition: Diadromous fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: diving
Enumerated_Domain_Value_Definition: Diving bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: dolphin
Enumerated_Domain_Value_Definition: Dolphin
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: e_nursery
Enumerated_Domain_Value_Definition: Estuarine nursery fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: freshwater
Enumerated_Domain_Value_Definition: Freshwater fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: gull_tern
Enumerated_Domain_Value_Definition: Gull or tern
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: kelp
Enumerated_Domain_Value_Definition: Kelp habitat, community, or species
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_benthic
Enumerated_Domain_Value_Definition: Marine benthic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_pelagic
Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:

Enumerated_Domain_Value: pelagic
Enumerated_Domain_Value_Definition: Pelagic bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: pinniped
Enumerated_Domain_Value_Definition: Pinniped
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: raptor
Enumerated_Domain_Value_Definition: Raptor
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sav
Enumerated_Domain_Value_Definition: Submerged aquatic vegetation
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sea_otter
Enumerated_Domain_Value_Definition: Sea otter
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shorebird
Enumerated_Domain_Value_Definition: Shorebird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp
Enumerated_Domain_Value_Definition: Shrimp
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl
Enumerated_Domain_Value_Definition: Waterfowl
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: whale
Enumerated_Domain_Value_Definition: Whale
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank

Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0
Enumerated_Domain_Value_Definition: Not ranked
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Numeric*Enumerated_Domain_Value_Definition:* mmyyyy*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SEASONAL*Entity_Type_Definition:*

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in April
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY
Attribute_Definition: May
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in May
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN
Attribute_Definition: June
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in June
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL
Attribute_Definition: July
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in July
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG
Attribute_Definition: August
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in August
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP
Attribute_Definition: September
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in September
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT
Attribute_Definition: October
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in October
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV
Attribute_Definition: November

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC

Attribute_Definition: December

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORRES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORRES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* 12*Attribute:**Attribute_Label:* BREED1*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED2*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* BREED3*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED4*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED5*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 =

adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and S_SOURCE in the BIORRES table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric
Enumerated_Domain_Value_Definition: mmyyyy
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE
Attribute_Definition: Title of source material or data
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character
Enumerated_Domain_Value_Definition: Free text
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT
Attribute_Definition: The format of the source material
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character
Enumerated_Domain_Value_Definition: Free text
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION
Attribute_Definition: Additional citation information
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character
Enumerated_Domain_Value_Definition: Free text
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE
Attribute_Definition: Scale denominator of the source
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: integer
Enumerated_Domain_Value_Definition: Any integer
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TIME_PERIOD
Attribute_Definition:
Date(s) of data collection that the source material is based upon.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric
Enumerated_Domain_Value_Definition: yyyy
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: STATUS
Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state or federal authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Two-letter state abbreviation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Two-letter country abbreviation

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Any character*Enumerated_Domain_Value_Definition:* Two-letter country abbreviation*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* S*Attribute_Definition:* State threatened or endangered status*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E*Enumerated_Domain_Value_Definition:* Endangered on state list*Enumerated_Domain_Value_Definition_Source:* U.S. Fish and Wildlife Service*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T*Enumerated_Domain_Value_Definition:* Threatened on state list*Enumerated_Domain_Value_Definition_Source:* U.S. Fish and Wildlife Service*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* C*Enumerated_Domain_Value_Definition:* Species of Special Concern*Enumerated_Domain_Value_Definition_Source:* U.S. Fish and Wildlife Service*Attribute:**Attribute_Label:* F*Attribute_Definition:* Federal threatened or endangered status*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E*Enumerated_Domain_Value_Definition:* Endangered on federal list*Enumerated_Domain_Value_Definition_Source:* U.S. Fish and Wildlife Service*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T*Enumerated_Domain_Value_Definition:* Threatened on federal list*Enumerated_Domain_Value_Definition_Source:* U.S. Fish and Wildlife Service*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* C*Enumerated_Domain_Value_Definition:* Species of Special Concern*Enumerated_Domain_Value_Definition_Source:* U.S. Fish and Wildlife Service*Attribute:**Attribute_Label:* I*Attribute_Definition:* International threatened or endangered status*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E*Enumerated_Domain_Value_Definition:* Endangered on international list*Enumerated_Domain_Value_Definition_Source:* U.S. Fish and Wildlife Service*Attribute_Domain_Values:*

*Enumerated_Domain:**Enumerated_Domain_Value:* T*Enumerated_Domain_Value_Definition:* Threatened on international list*Enumerated_Domain_Value_Definition_Source:* U.S. Fish and Wildlife Service*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* C*Enumerated_Domain_Value_Definition:* Species of Special Concern*Enumerated_Domain_Value_Definition_Source:* U.S. Fish and Wildlife Service*Attribute:**Attribute_Label:* S_DATE*Attribute_Definition:*

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Numeric*Enumerated_Domain_Value_Definition:* mmyyyy*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* F_DATE*Attribute_Definition:*

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Numeric*Enumerated_Domain_Value_Definition:* mmyyyy*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* I_DATE*Attribute_Definition:*

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Numeric*Enumerated_Domain_Value_Definition:* mmyyyy*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORRES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Distribution_Information:**Distributor:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* John Kaperick*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6400*Contact_Facsimile_Telephone:* (206) 526-6329*Resource_Description:* ESI Atlas for Bristol Bay Subarea*Distribution_Liability:*

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

*Metadata_Reference_Information:**Metadata_Date:* 200405*Metadata_Review_Date:* 200405*Metadata_Contact:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* Jill Petersen*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Position:* GIS Manager*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6944*Contact_Facsimile_Telephone:* (206) 526-6329*Contact_Electronic_Mail_Address:* Jill.Petersen@noaa.gov*Metadata_Standard_Name:* Content Standards for Digital Geospatial Metadata*Metadata_Standard_Version:* FGDC-STD-001-1998

Bristol Bay, Alaska Subarea ESI: FISH (Fish Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Publication_Date: 200405

Title: Bristol Bay, Alaska Subarea ESI: FISH (Fish Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Bristol Bay

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Description:

Abstract:

This data set contains sensitive biological resource data for marine, estuarine, anadromous, and freshwater fish species in the Bristol Bay Subarea. The Subarea includes marine and coastal areas of Bristol Bay and part of the southern Alaska Peninsula. (This area extends from directly south of Goodnews Bay to slightly north of Port Seniavan along the Bristol

Bay side of the Alaska Peninsula, as well as the Pacific Ocean side of the Alaska Peninsula from Cape Providence to Kupreanof Peninsula.) Vector polygons in this data set represent fish distribution. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for the Bristol Bay Subarea. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the FISHL (Fish Lines) data layer, part of the larger Bristol Bay Subarea ESI database, for additional fish information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2003

Ending_Date: 2004

Currentness_Reference:

The biological data were compiled during 2003. The currentness dates for these data range from 1983 to 2003 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -162.500

East_Bounding_Coordinate: -156.000

North_Bounding_Coordinate: 59.083

South_Bounding_Coordinate: 55.500

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Fish

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Bristol Bay

Place_Keyword: Alaska

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

*Browse_Graphic:**Browse_Graphic_File_Name:* [datafig.jpg](#)*Browse_Graphic_File_Description:*

Depicts the relationships between spatial data layers and attribute data tables for the Bristol Bay Subarea ESI data.

Browse_Graphic_File_Type: JPEG*Data_Set_Credit:*

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: bioindex.e00, birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, m_mampt.e00, mgt.e00, nests.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

*Data_Quality_Information:**Attribute_Accuracy:**Attribute_Accuracy_Report:*

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge, digital data, and available hardcopy maps. See also the FISHL (Fish Lines) data layer, part of the larger Bristol Bay Subarea ESI database for

additional fish information. These data do not represent all fish occurrences in the Bristol Bay Subarea. The following species are included in this data set: (Species_ID, Common Name, Scientific Name, if applicable): 1, Sablefish (blackcod), *Anoplopoma fimbria*; 4, Arrowtooth flounder, *Atheresthes stomias*; 6, Rex sole, *Errex zachirus*; 7, Pacific halibut, *Hippoglossus stenolepis*; 9, Rock sole, *Lepidopsetta bilineata*; 10, Dover sole, *Microstomus pacificus*; 12, Starry flounder, *Platichthys stellatus*; 16, Flathead sole, *Hippoglossoides elassodon*; 19, Pacific cod, *Gadus macrocephalus*; 22, Walleye pollock, *Theragra chalcogramma*; 35, Rougheye rockfish, *Sebastes aleutianus*; 66, Pacific herring, *Clupea pallasii*; 68, Chinook salmon, *Oncorhynchus tshawytscha*; 69, Coho salmon (silver), *Oncorhynchus kisutch*; 70, Pink salmon (humpy), *Oncorhynchus gorbuscha*; 71, Sockeye salmon (red), *Oncorhynchus nerka*; 72, Chum salmon (dog), *Oncorhynchus keta*; 74, Rainbow trout (steelhead), *Oncorhynchus mykiss*; 78, Capelin, *Mallotus villosus*; 84, Rainbow smelt, *Osmerus mordax*; 135, Dolly varden, *Salvelinus malma*; 459, Alaska plaice, *Pleuronectes quadrituberculatus*; 461, Yellowfin sole, *Limanda aspera*; 567, Sculpin, Cottidae; 636, Atka mackerel, *Pleurogrammus monopterygius*; 699, Saffron cod, *Eleqinus gracilis*; 959, Shortraker rockfish, *Sebastes borealis*.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Some of the spatial components of the biological data sets are developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy basemaps with a scale of 1:250,000. The rest of the spatial components of the biological data sets are developed from pre-existing digital sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: ADF&G (Anchorage, Dillingham, & King Salmon)

Publication_Date: 2003

Title: Fish and Invertebrates Distribution and Seasonality

Geospatial_Data_Presentation_Form: Expert Knowledge

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Personal Communication

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: Dates of communication

Source_Citation_Abbreviation: None

Source_Contribution: Fish information

Source_Information:

Source_Citation:

Citation_Information:

Originator: M. Eagleton (NMFS, Anchorage)

Publication_Date: 1998

Title: Distribution of Essential Fish Habitat

Geospatial_Data_Presentation_Form: Expert Knowledge

Publication_Information:

Publication_Place: Anchorage, Alaska

Publisher: National Marine Fisheries Service (NMFS)

Type_of_Source_Media: Personal Communication

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:
Calendar_Date: 2003
Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None
Source_Contribution: Fish information
Source_Information:
Source_Citation:
Citation_Information:
Originator: Alaska Department of Fish and Game (ADF&G)
Publication_Date: 2002
Title: Mostly Environmentally Sensitive Areas (MESA) Data
Geospatial_Data_Presentation_Form: Digital Vector Data
Publication_Information:
Publication_Place: Anchorage, Alaska
Publisher: ADF&G Habitat Restoration
Source_Scale_Denominator: 63360
Type_of_Source_Media: Online
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2002
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Fish information
Source_Information:
Source_Citation:
Citation_Information:
Originator: Alaska Department of Fish and Game (ADF&G)
Publication_Date: 1983
Title: Offshore Prospecting Permits: Coastal Habitats
Geospatial_Data_Presentation_Form: Hardcopy text
Publication_Information:
Publication_Place: Anchorage, Alaska
Publisher: ADF&G
Source_Scale_Denominator: 250000
Type_of_Source_Media: Paper
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1983
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Fish information
Source_Information:
Source_Citation:
Citation_Information:
Originator: P. Salamone (ADF&G, Anchorage)
Publication_Date: 2002
Title: Herring Seasonality
Geospatial_Data_Presentation_Form: Expert knowledge
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Personal communication
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2002
Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None

Source_Contribution: Fish information
Source_Information:
Source_Citation:
Citation_Information:
Originator: K. Pahlke (ADF&G, Juneau)
Publication_Date: 2002
Title: Capelin Seasonality
Geospatial_Data_Presentation_Form: Expert knowledge
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Personal communication
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2002
Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None
Source_Contribution: Fish information
Source_Information:
Source_Citation:
Citation_Information:
Originator: T. Sands (ADF&G, Dillingham)
Publication_Date: 2003
Title: Herring, Eelgrass, and Kelp Distribution
Geospatial_Data_Presentation_Form: Expert knowledge
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Personal communication
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2003
Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None
Source_Contribution: Fish information
Source_Information:
Source_Citation:
Citation_Information:
Originator: F. Bue (ADF&G, Fairbanks)
Publication_Date: 2002
Title: Anadromous Fish Distribution and Seasonality
Geospatial_Data_Presentation_Form: Expert knowledge
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Personal communication
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2002
Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None
Source_Contribution: Fish information
Source_Information:
Source_Citation:
Citation_Information:
Originator: F. Decicco (ADF&G, Fairbanks)
Publication_Date: 2001

Title: Anadromous Fish Seasonality and Distribution
Geospatial_Data_Presentation_Form: Expert knowledge

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Personal communication

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2001

Source_Currentness_Reference: Date of communication

Source_Citation_Abbreviation: None

Source_Contribution: Fish information

Source_Information:

Source_Citation:

Citation_Information:

Originator: C. Lean (NPS, Nome)

Publication_Date: 2001

Title: Fish and Invertebrate Concentration and Seasonalities

Geospatial_Data_Presentation_Form: Expert knowledge

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Personal communication

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2001

Source_Currentness_Reference: Date of communication

Source_Citation_Abbreviation: None

Source_Contribution: Fish information

Process_Step:

Process_Description:

Three main sources of data were used to depict fish distribution and seasonality for this data layer: (1) personal interviews with resource experts from Alaska Department of Fish & Game (ADF&G), NOAA National Marine Fisheries Service (NMFS), and National Park Service (NPS); (2) 1983 ADF&G Offshore Prospecting Permits: Coastal Habitat Maps; and (3) 2002 ADF&G Most Environmentally Sensitive Areas (Pacific herring) vector polygon and arc coverages. Resource experts provided concentration and seasonality information.

Process_Date: 200403

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of rings

Point_and_Vector_Object_Count: 720

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 720

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 1091

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 143437

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 1013

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, FISH) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Bristol Bay atlas, the number is 56) and element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to

link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: FISH.PAT

Entity_Type_Definition:

The FISH.PAT table contains attribute information for the vector polygons representing fish concentration areas. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (56), element number (2), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 560200002

Range_Domain_Maximum: 560100666

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000222

Range_Domain_Maximum: 56000286

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000001

Range_Domain_Maximum: 56000387

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (56), element number (2), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 560100002

Range_Domain_Maximum: 563400115

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 056000001

Range_Domain_Maximum: 056000387

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density values of a species at a particular location. No quantitative data were available for fish, so the concentration field contains either a descriptive term, such as "HIGH", or if no concentration information was available from any source, the field contains "-".

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SPECIES*Entity_Type_Definition:*

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:*

*Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* NAME*Attribute_Definition:* Species common name*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Species common name for the entire ESI data set*Enumerated_Domain_Value_Definition:* Free text*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* GEN_SPEC*Attribute_Definition:* Species scientific name*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Species scientific name for the entire ESI data set*Enumerated_Domain_Value_Definition:* Free text*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT
Attribute_Definition: Element subgroup delineating a logical grouping of species
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: alcid
 Enumerated_Domain_Value_Definition: Alcid
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: anadromous
 Enumerated_Domain_Value_Definition: Anadromous fish
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: bear
 Enumerated_Domain_Value_Definition: Bear
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: bivalve
 Enumerated_Domain_Value_Definition: Bivalve
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: crab
 Enumerated_Domain_Value_Definition: Crab
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: diadromous
 Enumerated_Domain_Value_Definition: Diadromous fish
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: diving
 Enumerated_Domain_Value_Definition: Diving bird
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: dolphin
 Enumerated_Domain_Value_Definition: Dolphin
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: e_nursery
 Enumerated_Domain_Value_Definition: Estuarine nursery fish
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: freshwater
 Enumerated_Domain_Value_Definition: Freshwater fish
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: gull_tern
 Enumerated_Domain_Value_Definition: Gull or tern

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: kelp
Enumerated_Domain_Value_Definition: Kelp habitat, community, or species
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_benthic
Enumerated_Domain_Value_Definition: Marine benthic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_pelagic
Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pelagic
Enumerated_Domain_Value_Definition: Pelagic bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pinniped
Enumerated_Domain_Value_Definition: Pinniped
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: raptor
Enumerated_Domain_Value_Definition: Raptor
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: sav
Enumerated_Domain_Value_Definition: Submerged aquatic vegetation
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: sea_otter
Enumerated_Domain_Value_Definition: Sea otter
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: shorebird
Enumerated_Domain_Value_Definition: Shorebird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: shrimp
Enumerated_Domain_Value_Definition: Shrimp
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: waterfowl
Enumerated_Domain_Value_Definition: Waterfowl
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: whale

Enumerated_Domain_Value_Definition: Whale
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP
Attribute_Definition: Natural Heritage Program global ranking
Attribute_Definition_Source: Network of Natural Heritage Program
Attribute_Domain_Values:
Codeset_Domain:
Codeset_Name: NHP Global Conservation Status Rank
Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB
Attribute_Definition: Date of NHP listing
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: 0
Enumerated_Domain_Value_Definition: Not ranked
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: Numeric
Enumerated_Domain_Value_Definition: mmyyyy
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE
Attribute_Definition:
Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: E#####
Enumerated_Domain_Value_Definition:
Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: SEASONAL
Entity_Type_Definition:
The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.
Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT
Attribute_Definition: Major categories of biological data
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: BIRD
Enumerated_Domain_Value_Definition: Birds
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: FISH
Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: HABITAT
Enumerated_Domain_Value_Definition: Habitats and Plants
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: INVERT
Enumerated_Domain_Value_Definition: Invertebrates
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: M_MAMMAL
Enumerated_Domain_Value_Definition: Marine Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: REPTILE
Enumerated_Domain_Value_Definition: Reptiles and Amphibians
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: T_MAMMAL
Enumerated_Domain_Value_Definition: Terrestrial Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID
Attribute_Definition:
 Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Range_Domain:
Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID
Attribute_Definition:
 Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Range_Domain:
Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN
Attribute_Definition: January
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in January
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB
Attribute_Definition: February
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in February*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* MAR*Attribute_Definition:* March*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in March*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* APR*Attribute_Definition:* April*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in April*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* MAY*Attribute_Definition:* May*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in May*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* JUN*Attribute_Definition:* June*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in June*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* JUL*Attribute_Definition:* July*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in July*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* AUG*Attribute_Definition:* August*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in August*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SEP

Attribute_Definition: September
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in September
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT
Attribute_Definition: October
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in October
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV
Attribute_Definition: November
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in November
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC
Attribute_Definition: December
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in December
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA
Attribute_Definition:
 Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORRES and BREED data tables.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: E#####
 Enumerated_Domain_Value_Definition:
 Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: BREED
Entity_Type_Definition:
 The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.
Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA
Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BORES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED3*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED4*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity

present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not

present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity

present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not

present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and S_SOURCE in the BIORES table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR
Attribute_Definition: Author or developer of source material or data set
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: Any character
 Enumerated_Domain_Value_Definition: Free text
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATE_PUB
Attribute_Definition:
 Date of source material, publication, or date of personal communication with expert source
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: Numeric
 Enumerated_Domain_Value_Definition: mmyyyy
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE
Attribute_Definition: Title of source material or data
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: Any character
 Enumerated_Domain_Value_Definition: Free text
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT
Attribute_Definition: The format of the source material
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: Any character
 Enumerated_Domain_Value_Definition: Free text
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION
Attribute_Definition: Additional citation information
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: Any character
 Enumerated_Domain_Value_Definition: Free text
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE
Attribute_Definition: Scale denominator of the source
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: integer
 Enumerated_Domain_Value_Definition: Any integer
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: yyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state or federal authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a

nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Two-letter state abbreviation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Two-letter country abbreviation

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Two-letter country abbreviation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: S

Attribute_Definition: Threatened and endangered status

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: F

Attribute_Definition: Threatened and endangered status

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: I

Attribute_Definition: Threatened and endangered status

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric
Enumerated_Domain_Value_Definition: mmyyyy
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORRES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Distribution_Information:**Distributor:**Contact_Information:**Contact_Person_Primary:*

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Bristol Bay Subarea

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200405

Metadata_Review_Date: 200405

*Metadata_Contact:**Contact_Information:**Contact_Person_Primary:*

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration
Contact_Position: GIS Manager
Contact_Address:
 Address_Type: Physical Address
 Address: 7600 Sand Point Way, N.E.
 City: Seattle
 State_or_Province: Washington
 Postal_Code: 98115-6349
Contact_Voice_Telephone: (206) 526-6944
Contact_Facsimile_Telephone: (206) 526-6329
Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov
Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata
Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Fri May 21 12:43:47 2004

Bristol Bay, Alaska Subarea ESI: FISHL (Fish Lines)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Publication_Date: 200405

Title: Bristol Bay, Alaska Subarea ESI: FISHL (Fish Lines)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Bristol Bay

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Description:

Abstract:

This data set contains sensitive biological resource data for anadromous fish species in the Bristol Bay Subarea. The Subarea includes marine and coastal areas of Bristol Bay and part of the southern Alaska Peninsula. (This area extends from directly south of Goodnews Bay to slightly north of Port Seniavan along the Bristol Bay side of the Alaska Peninsula, as well as the Pacific Ocean side of the Alaska Peninsula from Cape Providence to Kupreanof Peninsula.) Vector lines in this data set represent species occurrences in rivers and streams.

Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for the Bristol Bay Subarea. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the FISH (Fish Polygons) data layer, part of the larger Bristol Bay Subarea ESI database, for additional fish information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2003

Ending_Date: 2004

Currentness_Reference:

The biological data were compiled during 2003. The currentness date for these data is 2003 and is documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -162.500

East_Bounding_Coordinate: -156.000

North_Bounding_Coordinate: 59.083

South_Bounding_Coordinate: 55.500

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Fish

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Bristol Bay

Place_Keyword: Alaska

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Bristol Bay Subarea ESI data.

Browse_Graphic_File_Type: JPEG*Data_Set_Credit:*

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: bioindex.e00, birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, m_mampt.e00, mgt.e00, nests.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

*Data_Quality_Information:**Attribute_Accuracy:**Attribute_Accuracy_Report:*

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of digital data and expert knowledge on anadromous fish species distribution. See also the FISH (Fish Polygons) data layer, part of the larger Bristol Bay Subarea ESI database, for additional fish information. These data do not necessarily represent all anadromous fish occurrences in the Bristol Bay Subarea. The following species are included in this data set:

(Species_ID, Common Name, Scientific Name, if applicable): 68, Chinook salmon, *Oncorhynchus tshawytscha*; 69, Coho salmon (silver), *Oncorhynchus kisutch*; 70, Pink salmon (humpy), *Oncorhynchus gorbuscha*; 71, Sockeye salmon (red), *Oncorhynchus nerka*; 72, Chum salmon (dog), *Oncorhynchus keta*; 74, Rainbow trout (steelhead), *Oncorhynchus mykiss*; 135, Dolly varden, *Salvelinus malma*; 697, Whitefish.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

This biological data set was developed from pre-existing digital sources and reflects the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: Alaska Department of Fish and Game (ADF&G)

Publication_Date: 2003

Title: Anadromous Streams

Geospatial_Data_Presentation_Form: Digital Vector Data

Publication_Information:

Publication_Place: Anchorage, Alaska

Publisher: ADF&G

Source_Scale_Denominator: 63360

Type_of_Source_Media: Online

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: Dates of publication

Source_Citation_Abbreviation: None

Source_Contribution: Fish information

Source_Information:

Source_Citation:

Citation_Information:

Originator: ADF&G (Anchorage, Dillingham, & King Salmon)

Publication_Date: 2003

Title: Fish and Invertebrate Distribution and Seasonality

Geospatial_Data_Presentation_Form: Expert Knowledge

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Personal Communication

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: Dates of communication

Source_Citation_Abbreviation: None

Source_Contribution: Fish information

Process_Step:

Process_Description:

Two main sources of data were used for this data layer: (1) personal interviews with resource experts from Alaska Dept. of Fish & Game (ADF&G) and (2) a 2003 vector arc "Anadromous Streams" coverage. The resource experts provided seasonality information.

Process_Date: 200403

*Process_Contact:**Contact_Information:**Contact_Organization_Primary:**Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Person:* Jill Petersen*Contact_Address:**Address_Type:* Physical address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6944*Contact_Facsimile_Telephone:* (206) 526-6329*Contact_Electronic_Mail_Address:* Jill.Petersen@noaa.gov*Spatial_Data_Organization_Information:**Direct_Spatial_Reference_Method:* Vector*Point_and_Vector_Object_Information:**SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Complete chain*Point_and_Vector_Object_Count:* 558*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Link*Point_and_Vector_Object_Count:* 83462*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Node, planar graph*Point_and_Vector_Object_Count:* 920*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.00005*Longitude_Resolution:* 0.00005*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clark 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698*Entity_and_Attribute_Information:**Overview_Description:**Entity_and_Attribute_Overview:*

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, FISHL) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for Bristol Bay, the number is 56), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk"

number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S_F, T_E, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: FISHL.AAT

Entity_Type_Definition:

The FISHL.AAT table contains attribute information for the vector lines representing anadromous fish species occurrences in rivers and streams. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (56), element number (22; 20 because it is a line feature, plus 2, the element value for FISH), and record number.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 562200001

Range_Domain_Maximum: 562200558

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000228
Range_Domain_Maximum: 56000265

*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BIO_LUT*Entity_Type_Definition:*

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* RARNUM*Attribute_Definition:*

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:*

Range_Domain_Minimum: 56000001
Range_Domain_Maximum: 56000387

*Attribute:**Attribute_Label:* ID*Attribute_Definition:*

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (56), element number (22; 20 because it is a line feature, plus 2, the element value for FISH), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:*

Range_Domain_Minimum: 560100002
Range_Domain_Maximum: 563400115

*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BIORES*Entity_Type_Definition:*

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* RARNUM*Attribute_Definition:*

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:*

Range_Domain_Minimum: 056000001
Range_Domain_Maximum: 056000387

*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density values of a species at a particular location. No quantitative or qualitative information on the concentrations of species in anadromous streams was available; therefore, this field is populated with "-".

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species common name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species scientific name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SUBELEMENT*Attribute_Definition:* Element subgroup delineating a logical grouping of species*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* alcid*Enumerated_Domain_Value_Definition:* Alcid*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* anadromous*Enumerated_Domain_Value_Definition:* Anadromous fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* bear*Enumerated_Domain_Value_Definition:* Bear*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* bivalve*Enumerated_Domain_Value_Definition:* Bivalve*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* crab*Enumerated_Domain_Value_Definition:* Crab*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* diadromous*Enumerated_Domain_Value_Definition:* Diadromous fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* diving*Enumerated_Domain_Value_Definition:* Diving bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* dolphin*Enumerated_Domain_Value_Definition:* Dolphin*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:*

Enumerated_Domain:
Enumerated_Domain_Value: e_nursery
Enumerated_Domain_Value_Definition: Estuarine nursery fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: freshwater
Enumerated_Domain_Value_Definition: Freshwater fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: gull_tern
Enumerated_Domain_Value_Definition: Gull or tern
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: kelp
Enumerated_Domain_Value_Definition: Kelp habitat, community, or species
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_benthic
Enumerated_Domain_Value_Definition: Marine benthic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_pelagic
Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pelagic
Enumerated_Domain_Value_Definition: Pelagic bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pinniped
Enumerated_Domain_Value_Definition: Pinniped
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: raptor
Enumerated_Domain_Value_Definition: Raptor
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: sav
Enumerated_Domain_Value_Definition: Submerged aquatic vegetation
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: sea_otter
Enumerated_Domain_Value_Definition: Sea otter
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: shorebird
Enumerated_Domain_Value_Definition: Shorebird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* shrimp*Enumerated_Domain_Value_Definition:* Shrimp*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* waterfowl*Enumerated_Domain_Value_Definition:* Waterfowl*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* whale*Enumerated_Domain_Value_Definition:* Whale*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* NHP*Attribute_Definition:* Natural Heritage Program global ranking*Attribute_Definition_Source:* Network of Natural Heritage Program*Attribute_Domain_Values:**Codeset_Domain:**Codeset_Name:* NHP Global Conservation Status Rank*Codeset_Source:* Natural Heritage Program*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:* Date of NHP listing*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* 0*Enumerated_Domain_Value_Definition:* Not ranked*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Numeric*Enumerated_Domain_Value_Definition:* mmyyyy*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SEASONAL*Entity_Type_Definition:*

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* SEASON_ID*Attribute_Definition:*

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:*

Attribute_Label: JAN
Attribute_Definition: January
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in January
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB
Attribute_Definition: February
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in February
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR
Attribute_Definition: March
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in March
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR
Attribute_Definition: April
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in April
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY
Attribute_Definition: May
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in May
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN
Attribute_Definition: June
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in June
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL
Attribute_Definition: July
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG
Attribute_Definition: August
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in August
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP
Attribute_Definition: September
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in September
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT
Attribute_Definition: October
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in October
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV
Attribute_Definition: November
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in November
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC
Attribute_Definition: December
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in December
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA
Attribute_Definition:
Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORRES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are

SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORRES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* BREED4*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juvenile; if ELEMENT is "INVERT" then BREED4 = juvenile; if ELEMENT is "REPTILE" then BREED4 = juvenile; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED5*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SOURCES*Entity_Type_Definition:*

The data table SOURCES contains the primary sources used to create the ESI data

set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and S_SOURCE in the BIORES table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE
Attribute_Definition: Scale denominator of the source
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: integer
Enumerated_Domain_Value_Definition: Any integer
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TIME_PERIOD
Attribute_Definition:
Date(s) of data collection that the source material is based upon.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: Numeric
Enumerated_Domain_Value_Definition: yyyy
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: STATUS
Entity_Type_Definition:
The data table STATUS identifies the species that are listed as either threatened or endangered by a state or federal authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.
Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT
Attribute_Definition: Major categories of biological data
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: BIRD
Enumerated_Domain_Value_Definition: Birds
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: FISH
Enumerated_Domain_Value_Definition: Fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: HABITAT
Enumerated_Domain_Value_Definition: Habitats and Plants
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: INVERT
Enumerated_Domain_Value_Definition: Invertebrates
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: M_MAMMAL
Enumerated_Domain_Value_Definition: Marine Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* STATE*Attribute_Definition:* Two-letter state abbreviation*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Any character*Enumerated_Domain_Value_Definition:* Two-letter state abbreviation*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* COUNTRY*Attribute_Definition:* Two-letter country abbreviation*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Any character*Enumerated_Domain_Value_Definition:* Two-letter country abbreviation*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* S*Attribute_Definition:* Threatened and endangered status*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E*Enumerated_Domain_Value_Definition:* Endangered on state list*Enumerated_Domain_Value_Definition_Source:* U.S. Fish and Wildlife Service*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T*Enumerated_Domain_Value_Definition:* Threatened on state list*Enumerated_Domain_Value_Definition_Source:* U.S. Fish and Wildlife Service*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* C*Enumerated_Domain_Value_Definition:* Species of Special Concern*Enumerated_Domain_Value_Definition_Source:* U.S. Fish and Wildlife Service*Attribute:*

Attribute_Label: F
Attribute_Definition: Threatened and endangered status
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: E
 Enumerated_Domain_Value_Definition: Endangered on federal list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: T
 Enumerated_Domain_Value_Definition: Threatened on federal list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: C
 Enumerated_Domain_Value_Definition: Species of Special Concern
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: I
Attribute_Definition: Threatened and endangered status
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: E
 Enumerated_Domain_Value_Definition: Endangered on international list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: T
 Enumerated_Domain_Value_Definition: Threatened on international list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: C
 Enumerated_Domain_Value_Definition: Species of Special Concern
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: S_DATE
Attribute_Definition:
 Publication date of source material used to assign state status values for each species, if used.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: Numeric
 Enumerated_Domain_Value_Definition: mmyyyy
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: F_DATE
Attribute_Definition:
 Publication date of source material used to assign federal status values for each species, if used.
Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Numeric*Enumerated_Domain_Value_Definition:* mmyyyy*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* I_DATE*Attribute_Definition:*

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Numeric*Enumerated_Domain_Value_Definition:* mmyyyy*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORRES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Distribution_Information:**Distributor:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* John Kaperick*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6400*Contact_Facsimile_Telephone:* (206) 526-6329*Resource_Description:* ESI Atlas for Bristol Bay Subarea*Distribution_Liability:*

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data.

The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200405

Metadata_Review_Date: 200405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Fri May 21 12:48:33 2004

Bristol Bay, Alaska Subarea ESI: INVERT (Invertebrate Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Publication_Date: 200405

Title: Bristol Bay, Alaska Subarea ESI: INVERT (Invertebrate Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Bristol Bay

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Description:

Abstract:

This data set contains sensitive biological resource data for marine and estuarine invertebrate species in the Bristol Bay Subarea. The Subarea includes marine and coastal areas of Bristol Bay and part of the southern Alaska Peninsula. (This area extends from directly south of Goodnews Bay to slightly north of Port Seniavan along the Bristol Bay side of the Alaska

Peninsula, as well as the Pacific Ocean side of the Alaska Peninsula from Cape Providence to Kupreanof Peninsula.) Vector polygons in this data set represent invertebrate distribution. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for the Bristol Bay Subarea. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2003

Ending_Date: 2004

Currentness_Reference:

The biological data were compiled during 2003. The currentness dates for these data range from 1994 to 2003 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -162.500

East_Bounding_Coordinate: -156.000

North_Bounding_Coordinate: 59.083

South_Bounding_Coordinate: 55.500

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Invertebrate

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Bristol Bay

Place_Keyword: Alaska

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Bristol Bay Subarea ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: bioindex.e00, birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, m_mampt.e00, mgt.e00, nests.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge and available hardcopy maps and reports. These data do not necessarily represent all invertebrate occurrences in the Bristol Bay Subarea. The following species are included in this data set: (Species_ID, Common Name, Scientific Name, if applicable): 21, Butter clam, Saxidomus giganteus; 39, Red king crab, Paralithodes camtschaticus; 40,

Tanner crab, *Chionoecetes bairdi*; 76, Nuttall cockle, *Clinocardium Nuttallii*; 181, Alaska razor clam, *Siliqua alta*; 259, Weathervane scallop, *Patinopectin caurinus*; 1048, Clams; 1049, Pandalid shrimp, *Pandalus* spp.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Some of the spatial components of the biological data sets are developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy basemaps with a scale of 1:250,000. The rest of the spatial components of the biological data sets are developed from pre-existing digital sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: ADF&G (Anchorage, Dillingham, & King Salmon)

Publication_Date: 2003

Title: Fish and Invertebrates Distribution and Seasonality

Geospatial_Data_Presentation_Form: Expert Knowledge

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Personal Communication

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: Dates of communication

Source_Citation_Abbreviation: None

Source_Contribution: Invertebrate information

Source_Information:

Source_Citation:

Citation_Information:

Originator: M. Eagleton (NMFS, Anchorage)

Publication_Date: 1998

Title: Distribution of Essential Fish Habitat

Geospatial_Data_Presentation_Form: Expert Knowledge

Publication_Information:

Publication_Place: Anchorage, Alaska

Publisher: National Marine Fisheries Service (NMFS)

Type_of_Source_Media: Personal Communication

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: Date of communication

Source_Citation_Abbreviation: None

Source_Contribution: Invertebrate information

Source_Information:

Source_Citation:

Citation_Information:

Originator: Alaska Department of Fish and Game (ADF&G)

Publication_Date: 1983

Title: Offshore Prospecting Permits: Coastal Habitats

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Anchorage, Alaska

Publisher: ADF&G

Source_Scale_Denominator: 250000

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1983

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Invertebrate information

Source_Information:

Source_Citation:

Citation_Information:

Originator: Alaska Regional Response Team

Publication_Date: 2001

Title: Bristol Bay Contingency Plan: Sensitive Areas Section

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher: Alaska Regional Response Team (ARRT), pp. D1-D126

Type_of_Source_Media: Online

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2001

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Invertebrate information

Source_Information:

Source_Citation:

Citation_Information:

Originator: USFWS, Togiak NWR Staff, Dillingham

Publication_Date: 2001

Title: Marine Mammal, Invertebrate Distribution, Bird Distribution

Geospatial_Data_Presentation_Form: Expert knowledge

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Personal communication

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: Date of communication

Source_Citation_Abbreviation: None

Source_Contribution: Invertebrate information

Source_Information:

Source_Citation:

Citation_Information:

Originator: J. McCrae (Oregon Dept. of Fish and Wildlife)

Publication_Date: 1994

Title:

Oregon Developmental Species: Cockle Clam (*Clinocardium Nuttallii*)

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place:

<http://HMSC.Oregonstate.edu/odfw/devfish/sp/cockle.html>

Publisher: Oregon State

Type_of_Source_Media: Online

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2001

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Invertebrate information

Process_Step:

Process_Description:

Two main sources of data were used to depict invertebrate distribution for this data layer: (1) personal interviews with resource experts from NOAA National Marine Fisheries Service (NMFS) and Alaska Department of Fish and Game (ADF&G), and (2) hardcopy maps and reports produced by ADF&G and the Alaska Regional Response Team (ARRT). Concentration and seasonality information were provided by resource experts or were extracted from published reports.

Process_Date: 200403

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of rings

Point_and_Vector_Object_Count: 616

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 616

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 787

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 89837

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 775

Spatial_Reference_Information:

*Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.00005*Longitude_Resolution:* 0.00005*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clark 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698*Entity_and_Attribute_Information:**Overview_Description:**Entity_and_Attribute_Overview:*

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, INVERT) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for Bristol Bay, the number is 56), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

*Detailed_Description:**Entity_Type:**Entity_Type_Label:* INVERT.PAT*Entity_Type_Definition:*

The INVERT.PAT table contains attribute information for the vector polygons representing invertebrate concentration areas. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (56), element number (7), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 560700002

Range_Domain_Maximum: 560700516

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000292

Range_Domain_Maximum: 56000298

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000001

Range_Domain_Maximum: 56000387

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (56), element number (7), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 560100002

Range_Domain_Maximum: 563400115

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 056000001

Range_Domain_Maximum: 056000387

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density values of a species at a particular location. No quantitative data were available for invertebrates, so the field may contain a descriptive term, such as "HIGH", or if no concentration information was available from any source, the field is populated with "-".

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species common name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species scientific name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: alcid

Enumerated_Domain_Value_Definition: Alcid

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: anadromous

Enumerated_Domain_Value_Definition: Anadromous fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bear

Enumerated_Domain_Value_Definition: Bear

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve

Enumerated_Domain_Value_Definition: Bivalve

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crab

Enumerated_Domain_Value_Definition: Crab

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diadromous

Enumerated_Domain_Value_Definition: Diadromous fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diving

Enumerated_Domain_Value_Definition: Diving bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: dolphin

Enumerated_Domain_Value_Definition: Dolphin

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_nursery

Enumerated_Domain_Value_Definition: Estuarine nursery fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: freshwater

Enumerated_Domain_Value_Definition: Freshwater fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gull_tern

Enumerated_Domain_Value_Definition: Gull or tern

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: kelp

Enumerated_Domain_Value_Definition: Kelp habitat, community, or species

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_benthic

Enumerated_Domain_Value_Definition: Marine benthic fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_pelagic

Enumerated_Domain_Value_Definition: Marine pelagic fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: pelagic

Enumerated_Domain_Value_Definition: Pelagic bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pinniped
Enumerated_Domain_Value_Definition: Pinniped
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: raptor
Enumerated_Domain_Value_Definition: Raptor
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: sav
Enumerated_Domain_Value_Definition: Submerged aquatic vegetation
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: sea_otter
Enumerated_Domain_Value_Definition: Sea otter
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: shorebird
Enumerated_Domain_Value_Definition: Shorebird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: shrimp
Enumerated_Domain_Value_Definition: Shrimp
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: waterfowl
Enumerated_Domain_Value_Definition: Waterfowl
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: whale
Enumerated_Domain_Value_Definition: Whale
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP
Attribute_Definition: Natural Heritage Program global ranking
Attribute_Definition_Source: Network of Natural Heritage Program
Attribute_Domain_Values:
Codeset_Domain:
Codeset_Name: NHP Global Conservation Status Rank
Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB
Attribute_Definition: Date of NHP listing
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: 0
Enumerated_Domain_Value_Definition: Not ranked
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:

Enumerated_Domain_Value: Numeric
Enumerated_Domain_Value_Definition: mmyyyy
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in June

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL

Attribute_Definition: July

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG

Attribute_Definition: August

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in September

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT

Attribute_Definition: October

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in October

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV

Attribute_Definition: November

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC

Attribute_Definition: December

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD,

M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and S_SOURCE in the BIORRES table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Scale denominator of the source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: integer

Enumerated_Domain_Value_Definition: Any integer

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: yyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state or federal authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Two-letter state abbreviation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Two-letter country abbreviation

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character
Enumerated_Domain_Value_Definition: Two-letter country abbreviation
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: S
Attribute_Definition: State threatened or endangered status
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: E
 Enumerated_Domain_Value_Definition: Endangered on state list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: T
 Enumerated_Domain_Value_Definition: Threatened on state list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: C
 Enumerated_Domain_Value_Definition: Species of Special Concern
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: F
Attribute_Definition: Federal threatened or endangered status
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: E
 Enumerated_Domain_Value_Definition: Endangered on federal list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: T
 Enumerated_Domain_Value_Definition: Threatened on federal list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: C
 Enumerated_Domain_Value_Definition: Species of Special Concern
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: I
Attribute_Definition: International threatened or endangered status
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: E
 Enumerated_Domain_Value_Definition: Endangered on international list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list
Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife
Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife
Service

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each
species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each
species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each
species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data
table to the BIORRES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five
characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and
SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Bristol Bay Subarea

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200405

Metadata_Review_Date: 200405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Bristol Bay, Alaska Subarea ESI: M_MAMMAL (Marine Mammal Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Publication_Date: 200405

Title:

Bristol Bay, Alaska Subarea ESI: M_MAMMAL (Marine Mammal Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Bristol Bay

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Description:

Abstract:

This data set contains sensitive biological resource data for seals, whales, porpoises, walruses, sea otters, and Steller sea lions in the Bristol Bay Subarea. The Subarea includes marine and coastal areas of Bristol Bay and part of the southern Alaska Peninsula. (This area extends

from directly south of Goodnews Bay to slightly north of Port Seniavan along the Bristol Bay side of the Alaska Peninsula, as well as the Pacific Ocean side of the Alaska Peninsula from Cape Providence to Kupreanof Peninsula.) Vector polygons in this data set represent marine mammal distribution, haul-out sites, and rookeries. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for the Bristol Bay Subarea. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the M_MAMPT (Marine Mammal Points) data layer, part of the larger Bristol Bay Subarea ESI database, for additional marine mammal information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2003

Ending_Date: 2004

Currentness_Reference:

The biological data were compiled during 2003. The currentness dates for these data range from 1981 to 2004 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -162.500

East_Bounding_Coordinate: -156.000

North_Bounding_Coordinate: 59.083

South_Bounding_Coordinate: 55.500

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Marine Mammal

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Bristol Bay

Place_Keyword: Alaska

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products

derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Bristol Bay Subarea ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: bioindex.e00, birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, m_mampt.e00, mgt.e00, nests.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge, hardcopy maps, published documents, and

digital data on marine mammal distribution. See also the M_MAMPT (Marine Mammal Points) data layer, part of the larger Bristol Bay Subarea ESI database, for additional marine mammal information. These data do not necessarily represent all marine mammal occurrences in the Bristol Bay Subarea. The following species are included in this data set: (Species_ID, Common Name, Scientific Name, if applicable): 1, Steller (Northern) sea lion, *Eumetopias jubatus*; 4, Killer whale, *Orcinus orca*; 6, Harbor porpoise, *Phocoena phocoena*; 7, Sea otter, *Enhydra lutris*; 9, Beluga whale, *Delphinapterus leucas*; 11, Fin whale, *Balaenoptera physalus*; 12, Minke whale, *Balaenoptera acutorostrata*; 13, Humpback whale, *Megaptera novaeangliae*; 15, Bearded seal, *Erignathus barbatus*; 16, Walrus, *Odobenus rosmarus*; 26, Gray whale, *Eschrichtius robustus*; 47, Dalls porpoise, *Phocoenoides dalli dalli*; 91, Spotted seal, *Phoca largha*; 92, Ringed seal, *Pusa hispida*; 1002, Seals.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Most of the spatial components of the biological data sets are developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:250,000. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: Alaska Harbor Seal Task Force, NOAA NMML

Publication_Date: 2000

Title: Harbor Seal Haul-outs

Geospatial_Data_Presentation_Form: Digital table

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Email

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2000

Source_Currentness_Reference: Date of survey

Source_Citation_Abbreviation: None

Source_Contribution: Marine Mammal Information

Source_Information:

Source_Citation:

Citation_Information:

Originator: Alaska Department of Fish and Game (ADF&G)

Publication_Date: 2002

Title: Most Environmentally Sensitive Areas (MESA)

Geospatial_Data_Presentation_Form: Digital Vector Data

Publication_Information:

Publication_Place: Unknown

Publisher: ADF&G Habitat Restoration

Source_Scale_Denominator: 63360

Type_of_Source_Media: Online

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2002

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Marine Mammal Information

Source_Information:

Source_Citation:

Citation_Information:

Originator: J. Sease (NOAA, NMML, Seattle)
Publication_Date: 2002
Title: Steller Sea Lion Haul-outs and Rookeries
Geospatial_Data_Presentation_Form: Digital table
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Email
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2002
Source_Currentness_Reference: Date of survey
Source_Citation_Abbreviation: None
Source_Contribution: Marine Mammal Information
Source_Information:
Source_Citation:
Citation_Information:
Originator: R. MacDonald
Publication_Date: 2002
Title:
Abundance and Distribution of Marine Mammals in Bristol Bay & So. Kuskowim Bay, AK, 2001
Geospatial_Data_Presentation_Form: Hardcopy text
Publication_Information:
Publication_Place: Dillingham, Alaska
Publisher: USFWS, Togiak NWR
Type_of_Source_Media: Paper
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2002
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Marine Mammal Information
Source_Information:
Source_Citation:
Citation_Information:
Originator: F. Fay, G. Ray, & A. Kibal'Chich
Publication_Date: 1984
Title:
Time and Location of Mating and Associated Behavior of the Pacific Walrus
Geospatial_Data_Presentation_Form: Hardcopy text
Publication_Information:
Publication_Place: Unknown
Publisher:
Soviet-American Cooperative Research on Marine Mammal. NOAA Tech. Rep. 12:89-99.
Type_of_Source_Media: Paper
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1984
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Marine Mammal Information
Source_Information:
Source_Citation:
Citation_Information:

Originator: National Marine Fisheries Service (NMFS)
Publication_Date: 2002
Title: NMFS Stock Assessment for Ringed and Bearded Seals
Geospatial_Data_Presentation_Form: Hardcopy text
Publication_Information:

Publication_Place: Unknown
Publisher:

http://www.nmfs.noaa.gov/prot_res/PR2/Stock_Assessment_P

Type_of_Source_Media: Online

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2002

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Marine Mammal Information

Source_Information:

Source_Citation:

Citation_Information:

Originator: K.J. Frost, L.F. Lowry, & J.J. Burns

Publication_Date: 1982

Title:

Distribution of Mammals in the Coastal Zone of the Bering Sea during Summer & Autumn

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher:

OCSEAP: Environmental Assessment of the Alaskan Continental Shelf Vol.20

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1982

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Marine Mammal Information

Source_Information:

Source_Citation:

Citation_Information:

Originator: L. Quakenbush (ADF&G, Fairbanks)

Publication_Date: 2002

Title: Marine Mammal Distribution and Seasonality

Geospatial_Data_Presentation_Form: Expert Knowledge

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Personal communication

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2002

Source_Currentness_Reference: Date of communication

Source_Citation_Abbreviation: None

Source_Contribution: Marine Mammal Information

Source_Information:

Source_Citation:

Citation_Information:

Originator: J. Garlich-Miller (USFWS, Anchorage)

Publication_Date: 2002
Title: Walrus Concentration Areas and Seasonality
Geospatial_Data_Presentation_Form: Expert Knowledge
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Personal communication
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2002
Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None
Source_Contribution: Marine Mammal Information
Source_Information:
Source_Citation:
Citation_Information:
Originator: K. Wynne
Publication_Date: 1997
Title: Guide to Marine Mammals of Alaska
Geospatial_Data_Presentation_Form: Hardcopy text
Publication_Information:
Publication_Place: Fairbanks, Alaska
Publisher: Alaska Sea Grant Program, 75 PP.
Type_of_Source_Media: Paper
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1997
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Marine Mammal Information
Source_Information:
Source_Citation:
Citation_Information:
Originator: Alaska Regional Response Team (ARRT)
Publication_Date: 2001
Title: Western Alaska Contingency Plan: Sensitive Areas
Geospatial_Data_Presentation_Form: Hardcopy text
Publication_Information:
Publication_Place: Fairbanks, Alaska
Publisher: Alaska Regional Respose Team (ARRT), PP. D1-D82
Type_of_Source_Media: Online
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2001
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Marine Mammal Information
Source_Information:
Source_Citation:
Citation_Information:
Originator: Alaska Department of Fish and Game (ADF&G)
Publication_Date: 1986
Title:
Alaska Habitat Management Guide: Western and Interior Regions
Map Atlas
Geospatial_Data_Presentation_Form: Hardcopy map
Publication_Information:

Publication_Place: Juneau, Alaska
Publisher: ADF&G Habitat Division, 19 Maps
Source_Scale_Denominator: 1000000
Type_of_Source_Media: Paper
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1986
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Marine Mammal Information
Source_Information:
Source_Citation:
Citation_Information:
Originator: Alaska Regional Response Team (ARRT)
Publication_Date: 2001
Title:
Bristol Bay Subarea Area Contingency Plan: Sensitive Areas Section
Geospatial_Data_Presentation_Form: Hardcopy text
Publication_Information:
Publication_Place: Unknown
Publisher: Alaska Regional Response Team (ARRT), PP. D1-D126
Type_of_Source_Media: Online
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2001
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Marine Mammal Information
Source_Information:
Source_Citation:
Citation_Information:
Originator: USFWS, Togiak NWR Staff, Dillingham
Publication_Date: 2001
Title: Marine Mammal, Invertebrate, and Bird Distribution
Geospatial_Data_Presentation_Form: Expert knowledge
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Personal communication
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2003
Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None
Source_Contribution: Marine Mammal Information
Source_Information:
Source_Citation:
Citation_Information:
Originator: M. Dahlheim, P. Wade, & J.M. Waite
Publication_Date: 2001
Title:
Draft: Killer Whales in Central Alaska: F/V Aleutian Mariner Cruise Report
Geospatial_Data_Presentation_Form: Hardcopy text
Publication_Information:

Publication_Place: Seattle, Washington
Publisher: National Marine Mammal Laboratory (NMML)
Type_of_Source_Media: Paper
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2001
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Marine Mammal Information
Source_Information:
Source_Citation:
Citation_Information:
Originator: B. Mahoney (NMFS, Anchorage)
Publication_Date: 2003
Title: Beluga Whale Distribution and Seasonality
Geospatial_Data_Presentation_Form: Expert knowledge
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Personal communication
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2003
Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None
Source_Contribution: Marine Mammal Information
Source_Information:
Source_Citation:
Citation_Information:
Originator: USFWS, Anchorage (Contact: D. Burn)
Publication_Date: 2003
Title: Sea Otter Aerial Surveys 2001
Geospatial_Data_Presentation_Form: Digital Vector Data
Publication_Information:
Publication_Place: Anchorage, Alaska
Publisher: U.S. Fish & Wildlife Service (USFWS)
Type_of_Source_Media: Email
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2001
Source_Currentness_Reference: Date of survey
Source_Citation_Abbreviation: None
Source_Contribution: Marine Mammal Information
Source_Information:
Source_Citation:
Citation_Information:
Originator: D. Burn (USFWS, Anchorage)
Publication_Date: 2003
Title:
Sea Otter Distribution and Seasonality Along Northern AK Peninsula
Geospatial_Data_Presentation_Form: Expert Knowledge
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Email
Source_Time_Period_of_Content:

Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2003
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Marine Mammal Information
Source_Information:
Source_Citation:
Citation_Information:
Originator: Fay and Lowry
Publication_Date: 1981
Title:
Seas. Use & Feeding Habits of Walruses in Proposed Bristol Bay
Clam Fishery Area
Geospatial_Data_Presentation_Form: Hardcopy text
Publication_Information:
Publication_Place: Unknown
Publisher: North Pacific Fishery Management Council
Type_of_Source_Media: Paper
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1981
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Marine Mammal Information
Source_Information:
Source_Citation:
Citation_Information:
Originator: NOAA National Marine Mammal Lab (NMML)
Publication_Date: 2004
Title: Marine Mammal Species in Bristol Bay
Geospatial_Data_Presentation_Form: Expert knowledge
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Personal communication
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2004
Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None
Source_Contribution: Marine Mammal Information
Source_Information:
Source_Citation:
Citation_Information:
Originator: G. Sheffield (ADF&G, Fairbanks)
Publication_Date: 2003
Title: Marine Mammal Concentration Areas
Geospatial_Data_Presentation_Form: Expert knowledge
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Personal communication
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2003
Source_Currentness_Reference: Date of communication

Source_Citation_Abbreviation: None

Source_Contribution: Marine Mammal Information

Process_Step:

Process_Description:

Four main sources of data were used to depict distributions of marine mammals for this data layer: (1) personal interviews with resource experts from U.S. Fish and Wildlife Service (USFWS), Alaska Department of Fish and Game (ADF&G), and NOAA National Marine Fisheries Service (NMFS) and National Marine Mammal Laboratory (NMML); (2) hardcopy maps, including the 1986 ADF&G Alaska Habitat Management Guide, Western Alaska and Interior Region; (3) numerous published reports and books; and (4) digital data, including a 2001 USFWS sea otter aerial survey vector point coverage and a 2002 ADF&G Most Environmentally Sensitive Areas (MESA) vector polygon and point coverage. Concentration and seasonality information was provided by resource experts or was extracted from published sources or survey data.

Process_Date: 200403

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of rings

Point_and_Vector_Object_Count: 771

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 771

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 1526

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 304383

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 1404

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees
Geodetic_Model:
Horizontal_Datum_Name: North American Datum of 1927
Ellipsoid_Name: Clark 1866
Semi-major_Axis: 6378206.400000
Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, M_MAMMAL) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for Bristol Bay, the atlas number is 56), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: M_MAMMAL.PAT

Entity_Type_Definition:

The M_MAMMAL.PAT table contains attribute information for the vector polygons representing marine mammal distribution, haul-out sites, and rookeries. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which

describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (56), element number (4), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 560400002

Range_Domain_Maximum: 560400773

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000299

Range_Domain_Maximum: 56000385

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000001

Range_Domain_Maximum: 56000387

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (56), element number (4), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 560100002

Range_Domain_Maximum: 563400115

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 056000001

Range_Domain_Maximum: 056000387

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density values. The field may contain counts of individuals (XX MARINE MAMMALS) or a range of peak counts of individuals (XX-XX MARINE MAMMALS). In cases where no quantitative data were available, the field may contain descriptive terms, such as "HIGH", "LOW", or "INFREQUENT". If no concentration information was available from any source, the field is populated with "-". Counts were derived from a variety of surveys and may range in date.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species common name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species scientific name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: alcid

Enumerated_Domain_Value_Definition: Alcid

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: anadromous

Enumerated_Domain_Value_Definition: Anadromous fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bear

Enumerated_Domain_Value_Definition: Bear

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: bivalve
Enumerated_Domain_Value_Definition: Bivalve
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: crab
Enumerated_Domain_Value_Definition: Crab
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: diadromous
Enumerated_Domain_Value_Definition: Diadromous fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: diving
Enumerated_Domain_Value_Definition: Diving bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: dolphin
Enumerated_Domain_Value_Definition: Dolphin
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: e_nursery
Enumerated_Domain_Value_Definition: Estuarine nursery fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: freshwater
Enumerated_Domain_Value_Definition: Freshwater fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: gull_tern
Enumerated_Domain_Value_Definition: Gull or tern
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: kelp
Enumerated_Domain_Value_Definition: Kelp habitat, community, or species
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_benthic
Enumerated_Domain_Value_Definition: Marine benthic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_pelagic
Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pelagic
Enumerated_Domain_Value_Definition: Pelagic bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: pinniped

Enumerated_Domain_Value_Definition: Pinniped

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: raptor

Enumerated_Domain_Value_Definition: Raptor

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sav

Enumerated_Domain_Value_Definition: Submerged aquatic vegetation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sea_otter

Enumerated_Domain_Value_Definition: Sea otter

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shorebird

Enumerated_Domain_Value_Definition: Shorebird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp

Enumerated_Domain_Value_Definition: Shrimp

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl

Enumerated_Domain_Value_Definition: Waterfowl

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: whale

Enumerated_Domain_Value_Definition: Whale

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank

Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Not ranked

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY
Attribute_Definition: May
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in May
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN
Attribute_Definition: June
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in June
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL
Attribute_Definition: July
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in July
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG
Attribute_Definition: August
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in August
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP
Attribute_Definition: September
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in September
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT
Attribute_Definition: October
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in October
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV
Attribute_Definition: November
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in November
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC
Attribute_Definition: December
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in December
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA
Attribute_Definition:
Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORRES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: E#####
Enumerated_Domain_Value_Definition:
Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORRES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: E#####
Enumerated_Domain_Value_Definition:
Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and S_SOURCE in the BIORES table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Scale denominator of the source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: integer

Enumerated_Domain_Value_Definition: Any integer

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: yyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state or federal authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Two-letter state abbreviation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Two-letter country abbreviation

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Two-letter country abbreviation
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: S
Attribute_Definition: State threatened or endangered status
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: E
 Enumerated_Domain_Value_Definition: Endangered on state list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: T
 Enumerated_Domain_Value_Definition: Threatened on state list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: C
 Enumerated_Domain_Value_Definition: Species of Special Concern
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: F
Attribute_Definition: Federal threatened or endangered status
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: E
 Enumerated_Domain_Value_Definition: Endangered on federal list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: T
 Enumerated_Domain_Value_Definition: Threatened on federal list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: C
 Enumerated_Domain_Value_Definition: Species of Special Concern
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: I
Attribute_Definition: International threatened or endangered status
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: E
 Enumerated_Domain_Value_Definition: Endangered on international list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: T
 Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORRES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Bristol Bay Subarea

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200405

Metadata_Review_Date: 200405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Bristol Bay, Alaska Subarea ESI: M_MAMPT (Marine Mammal Points)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Publication_Date: 200405

Title: Bristol Bay, Alaska Subarea ESI: M_MAMPT (Marine Mammal Points)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Bristol Bay

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Description:

Abstract:

This data set contains sensitive biological resource data for Steller sea lions and seals in the Bristol Bay Subarea. The Subarea includes marine and coastal areas of Bristol Bay and part of the southern Alaska Peninsula. (This area extends from directly south of Goodnews Bay to slightly north of Port Seniavan along the Bristol Bay side of the Alaska Peninsula, as well

as the Pacific Ocean side of the Alaska Peninsula from Cape Providence to Kupreanof Peninsula.) Vector points in this data set represent Steller sea lion and harbor/spotted seal haul-outs. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for the Bristol Bay Subarea. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the M_MAMMAL (Marine Mammal Polygons) data layer, part of the larger Bristol Bay Subarea ESI database, for additional marine mammal information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2003

Ending_Date: 2004

Currentness_Reference:

The biological data were compiled during 2003. The currentness dates for these data range from 1981 to 2004 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -162.500

East_Bounding_Coordinate: -156.000

North_Bounding_Coordinate: 59.083

South_Bounding_Coordinate: 55.500

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Marine Mammal

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Bristol Bay

Place_Keyword: Alaska

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Bristol Bay Subarea ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: bioindex.e00, birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, m_mampt.e00, mgt.e00, nests.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_data, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and ORACLE(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of digital and hardcopy survey data and published reports on marine mammal haul-outs. See also the M_MAMMAL (Marine Mammal Polygons) data layer, part of the

larger Bristol Bay Subarea ESI database, for additional marine mammal information. These data do not represent all marine mammal occurrences in the Bristol Bay Subarea. The following species are included in this data set (Species_ID, Common Name, Scientific Name, if applicable): 1, Steller (Northern) sea lion, *Eumetopias jubatus*; 1002, Seals.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Some spatial components of the biological data sets are developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy basemaps with a scale of 1:250,000. Many of the spatial components of the biological data sets are developed from pre-existing digital sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: Alaska Harbor Seal Task Force, NOAA NMML

Publication_Date: 2000

Title: Harbor Seal Haul-outs

Geospatial_Data_Presentation_Form: Digital table

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Email

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2000

Source_Currentness_Reference: Date of survey

Source_Citation_Abbreviation: None

Source_Contribution: Marine Mammal Information

Source_Information:

Source_Citation:

Citation_Information:

Originator: B. Small (ADF&G, Juneau)

Publication_Date: 1999

Title: Harbor Seal Haul-outs

Geospatial_Data_Presentation_Form: Digital table

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Email

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1999

Source_Currentness_Reference: Date of survey

Source_Citation_Abbreviation: None

Source_Contribution: Marine Mammal Information

Source_Information:

Source_Citation:

Citation_Information:

Originator: Alaska Department of Fish and Game (ADF&G)

Publication_Date: 2002

Title: Most Environmentally Sensitive Areas (MESA)

Geospatial_Data_Presentation_Form: Digital Vector Data

Publication_Information:

Publication_Place: Unknown

Publisher: ADF&G Habitat Restoration

Source_Scale_Denominator: 63360

Type_of_Source_Media: Online

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2002

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Marine Mammal Information

Source_Information:

Source_Citation:

Citation_Information:

Originator: J. Sease (NOAA, NMML, Seattle)

Publication_Date: 2002

Title: Steller Sea Lion Haul-outs and Rookeries

Geospatial_Data_Presentation_Form: Digital table

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Email

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2002

Source_Currentness_Reference: Date of survey

Source_Citation_Abbreviation: None

Source_Contribution: Marine Mammal Information

Source_Information:

Source_Citation:

Citation_Information:

Originator: R. MacDonald

Publication_Date: 2002

Title:

Abundance and Distribution of Marine Mammals in Bristol Bay & So. Kuskowim Bay, AK, 2001

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Dillingham, Alaska

Publisher: USFWS, Togiak NWR

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2002

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Marine Mammal Information

Source_Information:

Source_Citation:

Citation_Information:

Originator: Alaska Regional Response Team (ARRT)

Publication_Date: 2001

Title:

Bristol Bay Subarea Area Contingency Plan: Sensitive Areas Section

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher: Alaska Regional Response Team (ARRT), PP.
D1-D126

Type_of_Source_Media: Online

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2001

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Marine Mammal Information

Source_Information:

Source_Citation:

Citation_Information:

Originator: NMFS, NMML (Seattle)

Publication_Date: 2000

Title: Harbor Seal Survey Data

Geospatial_Data_Presentation_Form: Digital table

Publication_Information:

Publication_Place: Seattle, Washington

Publisher: NMFS, National Marine Mammal Laboratory
(NMML)

Type_of_Source_Media: Email

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2000

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Marine Mammal Information

Source_Information:

Source_Citation:

Citation_Information:

Originator: ADF&G Wildlife Conservation (Anchorage)

Publication_Date: 2003

Title: Round Island Sea Lion Counts 1998-2003

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1998

Ending_Date: 2003

Source_Currentness_Reference: Date of survey

Source_Citation_Abbreviation: None

Source_Contribution: Marine Mammal Information

Process_Step:

Process_Description:

Four main sources of data were used to depict marine mammal points for this data layer: (1) 2000 NOAA National Marine Mammal Laboratory (NMML) and 1999 Alaska Department of Fish and Game (ADF&G) digital tables depicting latitude/longitude and count data for harbor/spotted seal haul-outs, and 2002 NMML digital tables depicting latitude/longitude and count data for Steller sea lion haul-outs; (2) 2002 ADF&G Most Environmentally Sensitive Areas (MESA) vector arc coverage; (3) 1998-2003 ADF&G Round Island Sea Lion counts (hardcopy table); and (4) hardcopy reports, including a 2002 USFWS Togiak National

Wildlife Refuge marine mammal report and a 2001 Alaska Regional Response Team (ARRT) Area Contingency Plan. Concentration and seasonality information were extracted from published sources and survey data.

Process_Date: 200403

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Entity Point

Point_and_Vector_Object_Count: 115

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, M_MAMPT) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Bristol Bay atlas, the number is 56), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link

to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S_F, T_E, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: M_MAMPT.PAT

Entity_Type_Definition:

The M_MAMPT.PAT table contains attribute information for the vector points representing marine mammal haul-out sites. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (56), element number (34; 30 because it is a point feature, plus 4, the element value for M_MAMMAL), and record number.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 563400001

Range_Domain_Maximum: 563400115

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000304

Range_Domain_Maximum: 56000333

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000001

Range_Domain_Maximum: 56000387

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (56), element number (34; 30 because it is a point feature, plus 4, the element value for M_MAMMAL), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 560100002

Range_Domain_Maximum: 563400115

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 056000001

Range_Domain_Maximum: 056000387

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density values. The field may contain counts of individuals (XX MARINE MAMMALS) or a range of peak counts of individuals (XX-XX MARINE MAMMALS). If no concentration information was available, the field is populated with "-". Counts were derived from surveys ranging from 1998-2003.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species common name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species scientific name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: alcid

Enumerated_Domain_Value_Definition: Alcid

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: anadromous

Enumerated_Domain_Value_Definition: Anadromous fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bear

Enumerated_Domain_Value_Definition: Bear

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve

Enumerated_Domain_Value_Definition: Bivalve

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crab

Enumerated_Domain_Value_Definition: Crab

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diadromous

Enumerated_Domain_Value_Definition: Diadromous fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diving

Enumerated_Domain_Value_Definition: Diving bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: dolphin

Enumerated_Domain_Value_Definition: Dolphin

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: e_nursery
Enumerated_Domain_Value_Definition: Estuarine nursery fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: freshwater
Enumerated_Domain_Value_Definition: Freshwater fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: gull_tern
Enumerated_Domain_Value_Definition: Gull or tern
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: kelp
Enumerated_Domain_Value_Definition: Kelp habitat, community, or species
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_benthic
Enumerated_Domain_Value_Definition: Marine benthic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_pelagic
Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pelagic
Enumerated_Domain_Value_Definition: Pelagic bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pinniped
Enumerated_Domain_Value_Definition: Pinniped
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: raptor
Enumerated_Domain_Value_Definition: Raptor
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: sav
Enumerated_Domain_Value_Definition: Submerged aquatic vegetation
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: sea_otter
Enumerated_Domain_Value_Definition: Sea otter
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: shorebird
Enumerated_Domain_Value_Definition: Shorebird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp

Enumerated_Domain_Value_Definition: Shrimp

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl

Enumerated_Domain_Value_Definition: Waterfowl

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: whale

Enumerated_Domain_Value_Definition: Whale

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank

Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Not ranked

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN
Attribute_Definition: January
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in January
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB
Attribute_Definition: February
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in February
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR
Attribute_Definition: March
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in March
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR
Attribute_Definition: April
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in April
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY
Attribute_Definition: May
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in May
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN
Attribute_Definition: June
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in June
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL
Attribute_Definition: July
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG
Attribute_Definition: August
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in August
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP
Attribute_Definition: September
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in September
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT
Attribute_Definition: October
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in October
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV
Attribute_Definition: November
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in November
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC
Attribute_Definition: December
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in December
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA
Attribute_Definition:
Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: E#####
Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are

SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORRES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juvenile; if ELEMENT is "INVERT" then BREED4 = juvenile; if ELEMENT is "REPTILE" then BREED4 = juvenile; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data

set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and S_SOURCE in the BIORES table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE
Attribute_Definition: Scale denominator of the source
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: integer
Enumerated_Domain_Value_Definition: Any integer
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TIME_PERIOD
Attribute_Definition:
Date(s) of data collection that the source material is based upon.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: Numeric
Enumerated_Domain_Value_Definition: yyyy
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS
Entity_Type_Definition:
The data table STATUS identifies the species that are listed as either threatened or endangered by a state or federal authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.
Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT
Attribute_Definition: Major categories of biological data
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: BIRD
Enumerated_Domain_Value_Definition: Birds
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: FISH
Enumerated_Domain_Value_Definition: Fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: HABITAT
Enumerated_Domain_Value_Definition: Habitats and Plants
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: INVERT
Enumerated_Domain_Value_Definition: Invertebrates
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: M_MAMMAL
Enumerated_Domain_Value_Definition: Marine Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Two-letter state abbreviation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Two-letter country abbreviation

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Two-letter country abbreviation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: F
Attribute_Definition: Federal threatened or endangered status
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: E
 Enumerated_Domain_Value_Definition: Endangered on federal list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: T
 Enumerated_Domain_Value_Definition: Threatened on federal list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: C
 Enumerated_Domain_Value_Definition: Species of Special Concern
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: I
Attribute_Definition: International threatened or endangered status
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: E
 Enumerated_Domain_Value_Definition: Endangered on international list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: T
 Enumerated_Domain_Value_Definition: Threatened on international list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: C
 Enumerated_Domain_Value_Definition: Species of Special Concern
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: S_DATE
Attribute_Definition:
 Publication date of source material used to assign state status values for each species, if used.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: Numeric
 Enumerated_Domain_Value_Definition: mmyyyy
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: F_DATE
Attribute_Definition:
 Publication date of source material used to assign federal status values for each species, if used.
Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORRES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Bristol Bay Subarea

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data.

The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200405

Metadata_Review_Date: 200405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Fri May 21 13:19:49 2004

Bristol Bay, Alaska Subarea ESI: T_MAMMAL (Terrestrial Mammal Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Publication_Date: 200405

Title:

Bristol Bay, Alaska Subarea ESI: T_MAMMAL (Terrestrial Mammal Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Bristol Bay

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Description:

Abstract:

This data set contains sensitive biological resource data for brown bears in the Bristol Bay Subarea. The Subarea includes marine and coastal areas of Bristol Bay and part of the southern Alaska Peninsula. (This area extends from directly south of Goodnews Bay to

slightly north of Port Seniavan along the Bristol Bay side of the Alaska Peninsula, as well as the Pacific Ocean side of the Alaska Peninsula from Cape Providence to Kupreanof Peninsula.) Vector polygons in this data set represent terrestrial mammal distribution. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for the Bristol Bay Subarea. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2003

Ending_Date: 2004

Currentness_Reference:

The biological data were compiled during 2003. The currentness date for these data is 2003 and is documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -162.500

East_Bounding_Coordinate: -156.000

North_Bounding_Coordinate: 59.083

South_Bounding_Coordinate: 55.500

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Terrestrial Mammals

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Bristol Bay

Place_Keyword: Alaska

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Bristol Bay Subarea ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: bioindex.e00, birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, m_mampt.e00, mgt.e00, nests.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of digital data and expert knowledge on brown bear concentration areas in the Bristol Bay Subarea. These data do not represent all terrestrial mammal concentration areas in the Bristol Bay Subarea. The following species are included in this data set: (Species_ID,

Common Name, Scientific Name, if applicable): 55, Brown bear, Ursus arctos.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Most of the spatial components of the biological data sets are developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy basemaps with a scale of 1:250,000. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: Alaska Dept. of Fish and Game (ADF&G)

Publication_Date: 2002

Title: Most Environmentally Sensitive Areas (MESA) Data

Geospatial_Data_Presentation_Form: Digital Vector Data

Publication_Information:

Publication_Place: Anchorage, Alaska

Publisher: ADF&G, Habitat Restoration Division

Source_Scale_Denominator: 63360

Type_of_Source_Media: Online

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2002

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Terrestrial mammal information

Source_Information:

Source_Citation:

Citation_Information:

Originator: S. Savage (USFWS, Dillingham)

Publication_Date: 2003

Title:

Becharof & Alaska Peninsula NWR Terrestrial Mammal Distribution and Seasonality

Geospatial_Data_Presentation_Form: Expert Knowledge

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Personal communication

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: Date of communication

Source_Citation_Abbreviation: None

Source_Contribution: Terrestrial mammal information

Process_Step:

Process_Description:

Two main sources of data were used to depict brown bear distribution for this data layer: (1) a 2002 ADF&G Most Environmentally Sensitive Areas (MESA) vector polygon and arc coverage, and (2) interviews with resource experts from the U.S. Fish and Wildlife Service (USFWS). Resource experts provided concentration and seasonality information.

Process_Date: 200403

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and
Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of rings

Point_and_Vector_Object_Count: 21

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 21

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 56

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 18418

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 55

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, T_MAMMAL) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Bristol Bay

atlas, the number is 56), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORRES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: T_MAMMAL.PAT

Entity_Type_Definition:

The T_MAMMAL.PAT table contains attribute information for the vector polygons representing brown bear distribution. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (56), element number (9), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 560900002

Range_Domain_Maximum: 560900025

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORRES table or the flat format BIOFILE

table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000386

Range_Domain_Maximum: 56000387

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000001

Range_Domain_Maximum: 56000387

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (56), element number (9), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 560100002

Range_Domain_Maximum: 563400115

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 056000001

Range_Domain_Maximum: 056000387

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density values. No quantitative data were available for brown bears in this area, therefore, the CONC field contains a descriptive term, such as "HIGH".

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species common name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species scientific name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT
Enumerated_Domain_Value_Definition: Invertebrates
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: M_MAMMAL
Enumerated_Domain_Value_Definition: Marine Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: REPTILE
Enumerated_Domain_Value_Definition: Reptiles and Amphibians
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: T_MAMMAL
Enumerated_Domain_Value_Definition: Terrestrial Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:
Attribute_Label: SUBELEMENT
Attribute_Definition: Element subgroup delineating a logical grouping of species
Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: alcid
Enumerated_Domain_Value_Definition: Alcid
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: anadromous
Enumerated_Domain_Value_Definition: Anadromous fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: bear
Enumerated_Domain_Value_Definition: Bear
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: bivalve
Enumerated_Domain_Value_Definition: Bivalve
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: crab
Enumerated_Domain_Value_Definition: Crab
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: diadromous
Enumerated_Domain_Value_Definition: Diadromous fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: diving
Enumerated_Domain_Value_Definition: Diving bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: dolphin

Enumerated_Domain_Value_Definition: Dolphin
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: e_nursery
Enumerated_Domain_Value_Definition: Estuarine nursery fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: freshwater
Enumerated_Domain_Value_Definition: Freshwater fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: gull_tern
Enumerated_Domain_Value_Definition: Gull or tern
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: kelp
Enumerated_Domain_Value_Definition: Kelp habitat, community, or species
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_benthic
Enumerated_Domain_Value_Definition: Marine benthic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_pelagic
Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pelagic
Enumerated_Domain_Value_Definition: Pelagic bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pinniped
Enumerated_Domain_Value_Definition: Pinniped
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: raptor
Enumerated_Domain_Value_Definition: Raptor
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: sav
Enumerated_Domain_Value_Definition: Submerged aquatic vegetation
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: sea_otter
Enumerated_Domain_Value_Definition: Sea otter
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:

Enumerated_Domain_Value: shorebird
Enumerated_Domain_Value_Definition: Shorebird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp
Enumerated_Domain_Value_Definition: Shrimp
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl
Enumerated_Domain_Value_Definition: Waterfowl
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: whale
Enumerated_Domain_Value_Definition: Whale
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank
Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0
Enumerated_Domain_Value_Definition: Not ranked
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric
Enumerated_Domain_Value_Definition: mmyyyy
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORRES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section

for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN
Attribute_Definition: January
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in January
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB
Attribute_Definition: February
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in February
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR
Attribute_Definition: March
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in March
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR
Attribute_Definition: April
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in April
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY
Attribute_Definition: May
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in May
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN
Attribute_Definition: June
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in June
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL
Attribute_Definition: July
Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG

Attribute_Definition: August

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in September

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT

Attribute_Definition: October

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in October

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV

Attribute_Definition: November

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC

Attribute_Definition: December

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORRES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORRES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and S_SOURCE in the BIORES table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Scale denominator of the source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: integer

Enumerated_Domain_Value_Definition: Any integer

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: yyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state or federal authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Two-letter state abbreviation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Two-letter country abbreviation

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Two-letter country abbreviation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: I

Attribute_Definition: International threatened or endangered status

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORRES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Bristol Bay Subarea

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple

formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200405

Metadata_Review_Date: 200405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Fri May 21 13:22:36 2004

Bristol Bay, Alaska Subarea ESI: HABITATS (Habitats Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Publication_Date: 200405

Title: Bristol Bay, Alaska Subarea ESI: HABITATS (Habitats Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Bristol Bay

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Description:

Abstract:

This data set contains sensitive biological resource data for submerged aquatic vegetation (SAV) in the Bristol Bay Subarea. The Subarea includes marine and coastal areas of Bristol Bay and part of the southern Alaska Peninsula. (This area extends from directly south of Goodnews Bay to slightly north of Port Seniavan along the Bristol Bay side of the Alaska

Peninsula, as well as the Pacific Ocean side of the Alaska Peninsula from Cape Providence to Kupreanof Peninsula.) Vector polygons in this data set represent eelgrass and kelp distribution. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for the Bristol Bay Subarea. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2003

Ending_Date: 2004

Currentness_Reference:

The biological data were compiled during 2003. The currentness dates for these data range from 2001 to 2003 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -162.500

East_Bounding_Coordinate: -156.000

North_Bounding_Coordinate: 59.083

South_Bounding_Coordinate: 55.500

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Habitats

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Bristol Bay

Place_Keyword: Alaska

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Bristol Bay Subarea ESI data.

Browse_Graphic_File_Type: JPEG*Data_Set_Credit:*

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: bioindex.e00, birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, m_mampt.e00, mgt.e00, nests.e00, socecon.e00, sources.e00, species.e00, status.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

*Data_Quality_Information:**Attribute_Accuracy:**Attribute_Accuracy_Report:*

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge and hardcopy reports on eelgrass and kelp distribution. These data do not represent total submerged aquatic vegetation distribution in the Bristol Bay Subarea. The following species are included in this data set: (Species_ID, Common Name, Scientific Name, if applicable): 1, Eelgrass, *Zostera marina*; 1056, Kelp.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Some of the spatial components of the biological data sets are developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy basemaps with a scale of 1:250,000. The rest of the spatial components of the biological data sets are developed from pre-existing digital sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: Gill, Tibbets, and Handel

Publication_Date: 2001

Title: Profiles of Important Shorebird Sites in Alaska

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher:

Information and Technology Report
USGS/BRD/ITR-2001-000X, 85 PP.

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2001

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Habitat information

Source_Information:

Source_Citation:

Citation_Information:

Originator: T. Sands (ADF&G, Dillingham)

Publication_Date: 2003

Title: Herring, Eelgrass, and Kelp Distribution

Geospatial_Data_Presentation_Form: Expert knowledge

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Personal communication

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: Date of communication

Source_Citation_Abbreviation: None

Source_Contribution: Habitat information

Source_Information:

Source_Citation:

Citation_Information:

Originator: D. Dewhurst (USFWS, Anchorage)

Publication_Date: 2003

Title: Marbled Godwit, Bald Eagle, Kelp Concentrations; Landing Strips

Geospatial_Data_Presentation_Form: Expert Knowledge

Publication_Information:

Publication_Place: Unpublished

Publisher: Unpublished

Type_of_Source_Media: Personal communication

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: Date of communication

Source_Citation_Abbreviation: None

Source_Contribution: Habitat information

Process_Step:

Process_Description:

Two main sources of data were used to depict habitat distribution for this data layer: (1) personal interviews with resource experts from Alaska Department of Fish and Game (ADF&G) and U.S. Fish and Wildlife Service (USFWS), and (2) a 2001 U.S. Geological Survey (USGS) unpublished hardcopy report describing shorebird habitat usage.

Process_Date: 200403

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of rings

Point_and_Vector_Object_Count: 247

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 247

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 415

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 97990

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 405

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

*Geographic:**Latitude_Resolution:* 0.00005*Longitude_Resolution:* 0.00005*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clark 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698*Entity_and_Attribute_Information:**Overview_Description:**Entity_and_Attribute_Overview:*

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, HABITATS) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for Bristol Bay, the number is 56) an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

*Detailed_Description:**Entity_Type:**Entity_Type_Label:* HABITATS.PAT*Entity_Type_Definition:*

The HABITATS.PAT table contains attribute information for the vector polygons

representing eelgrass and kelp concentration areas. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (56), element number (3), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 560300002

Range_Domain_Maximum: 560300247

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000287

Range_Domain_Maximum: 56000291

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000001

Range_Domain_Maximum: 56000387

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (56), element number (3), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 560100002

Range_Domain_Maximum: 563400115

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 056000001

Range_Domain_Maximum: 056000387

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density values of a habitat at a particular location. No quantitative data were available for HABITATS, so the concentration field may contain a descriptive term, such as "HIGH", or if no concentration information was available from any source, the field will contain "-".

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species common name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species scientific name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: alcid

Enumerated_Domain_Value_Definition: Alcid

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: anadromous

Enumerated_Domain_Value_Definition: Anadromous fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bear

Enumerated_Domain_Value_Definition: Bear

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: bivalve
Enumerated_Domain_Value_Definition: Bivalve
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: crab
Enumerated_Domain_Value_Definition: Crab
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: diadromous
Enumerated_Domain_Value_Definition: Diadromous fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: diving
Enumerated_Domain_Value_Definition: Diving bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: dolphin
Enumerated_Domain_Value_Definition: Dolphin
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: e_nursery
Enumerated_Domain_Value_Definition: Estuarine nursery fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: freshwater
Enumerated_Domain_Value_Definition: Freshwater fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: gull_tern
Enumerated_Domain_Value_Definition: Gull or tern
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: kelp
Enumerated_Domain_Value_Definition: Kelp habitat, community, or species
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_benthic
Enumerated_Domain_Value_Definition: Marine benthic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_pelagic
Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pelagic
Enumerated_Domain_Value_Definition: Pelagic bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: pinniped

Enumerated_Domain_Value_Definition: Pinniped

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: raptor

Enumerated_Domain_Value_Definition: Raptor

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sav

Enumerated_Domain_Value_Definition: Submerged aquatic vegetation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sea_otter

Enumerated_Domain_Value_Definition: Sea otter

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shorebird

Enumerated_Domain_Value_Definition: Shorebird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp

Enumerated_Domain_Value_Definition: Shrimp

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl

Enumerated_Domain_Value_Definition: Waterfowl

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: whale

Enumerated_Domain_Value_Definition: Whale

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank

Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Not ranked

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY
Attribute_Definition: May
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in May
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN
Attribute_Definition: June
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in June
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL
Attribute_Definition: July
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in July
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG
Attribute_Definition: August
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in August
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP
Attribute_Definition: September
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in September
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT
Attribute_Definition: October
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in October
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV
Attribute_Definition: November
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in November
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC
Attribute_Definition: December
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in December
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA
Attribute_Definition:
Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORRES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: E#####
Enumerated_Domain_Value_Definition:
Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORRES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: E#####
Enumerated_Domain_Value_Definition:
Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (eg. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and S_SOURCE in the BIORES table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Scale denominator of the source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: integer

Enumerated_Domain_Value_Definition: Any integer

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: yyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state or federal authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Two-letter state abbreviation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Two-letter country abbreviation

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Two-letter country abbreviation
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: S
Attribute_Definition: State threatened or endangered status
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: E
 Enumerated_Domain_Value_Definition: Endangered on state list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: T
 Enumerated_Domain_Value_Definition: Threatened on state list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: C
 Enumerated_Domain_Value_Definition: Species of Special Concern
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: F
Attribute_Definition: Federal threatened or endangered status
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: E
 Enumerated_Domain_Value_Definition: Endangered on federal list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: T
 Enumerated_Domain_Value_Definition: Threatened on federal list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: C
 Enumerated_Domain_Value_Definition: Species of Special Concern
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: I
Attribute_Definition: International threatened or endangered status
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: E
 Enumerated_Domain_Value_Definition: Endangered on international list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: T
 Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORRES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (eg. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Bristol Bay Subarea

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200405

Metadata_Review_Date: 200405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Bristol Bay, Alaska Subarea ESI: MGT (Management Area Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Publication_Date: 200405

Title: Bristol Bay, Alaska Subarea ESI: MGT (Management Area Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Bristol Bay

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Description:

Abstract:

This data set contains sensitive human-use data for Critical Habitats, Wildlife Refuges, National Park lands, and other management areas in the Bristol Bay Subarea. The Subarea includes marine and coastal areas of Bristol Bay and part of the southern Alaska Peninsula. (This area extends from directly south of Goodnews Bay to slightly north of Port Seniavan

along the Bristol Bay side of the Alaska Peninsula, as well as the Pacific Ocean side of the Alaska Peninsula from Cape Providence to Kupreanof Peninsula.) Vector polygons in this data set represent management areas. Location-specific type and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for the Bristol Bay Subarea. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the SOCECON (Socioeconomic Resource Points and Lines) data layer, part of the larger Bristol Bay Subarea ESI database, for additional human-use information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2003

Ending_Date: 2004

Currentness_Reference:

The human-use data were compiled during 2003. The currentness dates for these data range from 2000 to 2003 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -162.500

East_Bounding_Coordinate: -156.000

North_Bounding_Coordinate: 59.083

South_Bounding_Coordinate: 55.500

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Management area

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Bristol Bay

Place_Keyword: Alaska

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Bristol Bay Subarea ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: bioindex.e00, birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, m_mampt.e00, mgt.e00, nests.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent a synthesis of digital boundaries for management areas in the Bristol Bay Subarea. See also the SOCECON (Socioeconomic Resource Points and Lines) data layer, part of the larger Bristol Bay Subarea ESI database, for additional human-use information. These data do not necessarily represent all management areas in the Bristol Bay area.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

The MGT data set was developed from pre-existing digital sources and reflects the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: NMFS (Juneau)

Publication_Date: 2003

Title: Steller Sea Lion designated Critical Habitat

Geospatial_Data_Presentation_Form: Digital Vector Data

Publication_Information:

Publication_Place: Juneau, Alaska

Publisher: National Marine Fisheries Service (NMFS)

Source_Scale_Denominator: Unknown

Type_of_Source_Media: Email

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Management Information

Source_Information:

Source_Citation:

Citation_Information:

Originator: AK Maritime NWR Boundary

Publication_Date: 2002

Title: Alaska Maritime NWR Boundary

Geospatial_Data_Presentation_Form: Digital Vector Data

Publication_Information:

Publication_Place: Anchorage, Alaska

Publisher:

Alaska Dept. of Natural Resources (ADNR), Land
Records Information Section

Source_Scale_Denominator: 63360

Type_of_Source_Media: Online

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2004

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Management Information

Source_Information:

Source_Citation:

Citation_Information:

Originator: Alaska Dept. of Natural Resources (ADNR)

Publication_Date: 2000

Title: Administrative Large Parcel Boundaries

Geospatial_Data_Presentation_Form: Digital Vector Data

Publication_Information:

Publication_Place: Anchorage, Alaska

Publisher: ADNR, Land Records Information Section

Source_Scale_Denominator: 63360

Type_of_Source_Media: Online

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2000

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Management Information

Source_Information:

Source_Citation:

Citation_Information:

Originator: State of Alaska, Office of the Governor

Publication_Date: 2001

Title:

Alaska Coastal Management Program (ACMP) Special Area Management Plan Boundaries

Geospatial_Data_Presentation_Form: Digital Vector Data

Publication_Information:

Publication_Place: Anchorage, Alaska

Publisher:

State of Alaska; Office of the Governor; Division of Governmental Coordination

Source_Scale_Denominator: 63360

Type_of_Source_Media: Online

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2001

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Management Information

Source_Information:

Source_Citation:

Citation_Information:

Originator: National Park Service (NPS)

Publication_Date: 2002

Title: Alaska National Park Boundaries

Geospatial_Data_Presentation_Form: Digital Vector Data

Publication_Information:

Publication_Place: Anchorage, Alaska

Publisher: National Park Service, Alaska Support Office, GIS Team

Source_Scale_Denominator: 63360-250000

Type_of_Source_Media: Online

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2002

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Management Information

Source_Information:

Source_Citation:

Citation_Information:

Originator:

U.S. Fish & Wildlife Service (USFWS) Ecological Services (Anchorage)

Publication_Date: 2001

Title: Steller's Eider Critical Habitat Boundaries

Geospatial_Data_Presentation_Form: Digital Vector Data

Publication_Information:

Publication_Place: Anchorage, Alaska

Publisher: USFWS Ecological Services

Type_of_Source_Media: Email

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2001

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Management Information

Process_Step:

Process_Description:

Six digital coverages were used to depict management areas for this data layer: (1) a 2000 Alaska Department of Natural Resources (ADNR) "Administrative Large Parcel Boundaries" vector polygon coverage, (2) a 2003 U.S. Fish & Wildlife Service (USFWS) Steller Sea Lion Designated Critical Habitat vector polygon coverage; (3) a 2001 Alaska Coastal Management Program (ACMP) Special Area Management Plan Boundaries vector polygon coverage, (4) a 2002 USFWS, Realty Division, Alaska Maritime National Wildlife Refuge vector polygon coverage; (5) a 2002 National Park Service (NPS) Alaska National Park Boundaries vector polygon coverage; and (6) a 2001 USFWS Steller's Eider Critical Habitat Boundaries vector polygon coverage.

Process_Date: 200403

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of rings

Point_and_Vector_Object_Count: 624

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 624

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 1086

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 181654

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 1007

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927
Ellipsoid_Name: Clark 1866
Semi-major_Axis: 6378206.400000
Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, two relational attribute or data tables, SOC_DAT and SOURCES, are used to store the complex socioeconomic data in the ESI data structure. The geographic data layer containing socioeconomic resource information (in this case, MGT) is linked to the Socioeconomic Resources table (SOC_DAT) using the unique ID and the lookup table SOC_LUT, or it can be linked directly using HUNUM. HUNUM is a unique reference number concatenated with the atlas number (the Bristol Bay atlas number is 56). ID is a unique combination of the atlas number (56), an element specific number (MGT = 11) and a unique record number. SOC_DAT and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Detailed_Description:

Entity_Type:

Entity_Type_Label: MGT.PAT

Entity_Type_Definition:

The MGT.PAT table contains attribute information for the vector polygons representing Critical Habitats, Wildlife Refuges, National Park lands, and other management areas in the Bristol Bay Subarea. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TYPE

Attribute_Definition:

The human-use features depicted on the maps are those that could be impacted by an oil spill or could provide access for response operations.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: CH

Enumerated_Domain_Value_Definition: Critical Habitat

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: MA

Enumerated_Domain_Value_Definition: Management Area

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: NP

Enumerated_Domain_Value_Definition: National Park

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: WR

Enumerated_Domain_Value_Definition: Wildlife Refuge

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: "

Enumerated_Domain_Value_Definition: Holes in defined management polygons

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the human-use data layers to records in the SOC_LUT data table. ID is a concatenation of atlas number (56), element number (11), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 561100002

Range_Domain_Maximum: 561100627

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links directly to the SOC_DAT table. HUNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000012

Range_Domain_Maximum: 56000038

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOC_LUT

Entity_Type_Definition:

The data table SOC_LUT is a lookup table that contains items necessary for linking vector objects in the human-use data layers with the SOC_DAT data table. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links records in the SOC_LUT data table to records in the SOC_DAT data table. HUNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000001

Range_Domain_Maximum: 56000038

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the human-use data layers to records in the SOC_LUT data table. ID is a concatenation of atlas number (56), element number (SOCECON=10; MGT=11), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 561000001

Range_Domain_Maximum: 561100627

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOC_DAT

Entity_Type_Definition:

The data table SOC_DAT contains both human-use attribute data and items necessary for linking the human-use spatial data layers to the SOURCES data table.

See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links records in the SOC_DAT data table to records in the SOC_LUT data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000001

Range_Domain_Maximum: 56000038

Attribute:

Attribute_Label: TYPE

Attribute_Definition: Identifies the feature type

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: AIRPORT

Enumerated_Domain_Value_Definition: Airport

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: CRITICAL HABITAT

Enumerated_Domain_Value_Definition: Critical Habitat

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: MANAGEMENT AREA

Enumerated_Domain_Value_Definition: Management Area

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: NATIONAL PARK

Enumerated_Domain_Value_Definition: National Park

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: WILDLIFE REFUGE

Enumerated_Domain_Value_Definition: Wildlife Refuge

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NAME

Attribute_Definition: The feature name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: CONTACT

Attribute_Definition: Contact person or entity

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PHONE

Attribute_Definition: Contact telephone number

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source integer identifier that links records in the SOC_DAT data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: A_SOURCE

Attribute_Definition:

Attribute source integer identifier that links records in the SOC_DAT data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and S_SOURCE in the BIORES table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Scale denominator of the source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: integer

Enumerated_Domain_Value_Definition: Any integer

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: yyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Bristol Bay Subarea

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200405

Metadata_Review_Date: 200405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Bristol Bay, Alaska Subarea ESI: SOCECON (Socioeconomic Resource Points and Lines)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Publication_Date: 200405

Title:

Bristol Bay, Alaska Subarea ESI: SOCECON (Socioeconomic Resource Points and Lines)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: Bristol Bay

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Description:

Abstract:

This data set contains human-use resource data for airport locations, Coastal Resource Service Area (CSRA) boundaries, and scenic rivers for the Bristol Bay Subarea. The Subarea

includes marine and coastal areas of Bristol Bay and part of the southern Alaska Peninsula. (This area extends from directly south of Goodnews Bay to slightly north of Port Seniavan along the Bristol Bay side of the Alaska Peninsula, as well as the Pacific Ocean side of the Alaska Peninsula from Cape Providence to Kupreanof Peninsula.) Vector points in this data set represent the airport locations; vector lines represent the area boundaries and scenic rivers. Location-specific type and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for the Bristol Bay Subarea. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the MGT (Management Area Polygons) data layer, part of the larger Bristol Bay Subarea ESI database, for additional human-use information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2003

Ending_Date: 2004

Currentness_Reference:

The human-use data were compiled during 2003. The currentness dates for these data range from 1993 to 2003 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -162.500

East_Bounding_Coordinate: -156.000

North_Bounding_Coordinate: 59.083

South_Bounding_Coordinate: 55.500

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Socioeconomic resource

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Bristol Bay

Place_Keyword: Alaska

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment

of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Bristol Bay Subarea ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington and Anchorage, Alaska; State of Alaska - Coastal Impact Assistance Program, Alaska Office of the Governor, Division of Governmental Coordination, Department of Community and Economic Development, Juneau, Alaska; Oil Spill Recovery Institute, Cordova, Alaska; and Alaska CHADUX Corporation, Anchorage, Alaska.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: bioindex.e00, birds.e00, esi.e00, fish.e00, fishl.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, m_mampt.e00, mgt.e00, nests.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent a synthesis of expert knowledge, hardcopy maps, and digital data on socioeconomic resources in the Bristol Bay Subarea. See also the MGT (Management Area Polygons) data layer, part of the larger Bristol Bay Subarea ESI database, for additional human-use information. These data do not necessarily represent all human-use sites in the Bristol Bay area.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

The spatial components of the SOCECON data set are developed from pre-existing digital and hardcopy sources and regional experts. It is difficult to estimate the positional accuracy of such data, except to state that hardcopy data were compiled on base maps with a scale of 1:250,000. See the Lineage and Process_Description

sections for more information on the original data source and how these data were
integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. Geological Survey (USGS)

Publication_Date: 1993

Title: USGS Topographic Quadrangles

Geospatial_Data_Presentation_Form: Hardcopy Map

Publication_Information:

Publication_Place: Fairbanks, AK

Publisher: USGS

Source_Scale_Denominator: 250000

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1993

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Socioeconomic information

Source_Information:

Source_Citation:

Citation_Information:

Originator: AK Department of Natural Resources

Publication_Date: 1995

Title: Airports and Runways

Geospatial_Data_Presentation_Form: Digital Vector Data

Publication_Information:

Publication_Place: Anchorage, Alaska

Publisher:

AK Department of Natural Resources, Land Records
Information Section

Type_of_Source_Media: Online

Source_Scale_Denominator: 63360

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1994

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Socioeconomic information

Source_Information:

Source_Citation:

Citation_Information:

Originator: D. Dewhurst (USFWS, Anchorage)

Publication_Date: 2003

Title: Marbled Godwit, Bald Eagle, Kelp Concentrations; Landing Strips

Geospatial_Data_Presentation_Form: Expert Knowledge

Publication_Information:

Publication_Place: Unpublished

Publisher: Unpublished

Type_of_Source_Media: Personal communication

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: Date of communication

Source_Citation_Abbreviation: None

Source_Contribution: Socioeconomic information
Source_Information:
Source_Citation:
Citation_Information:
Originator: D. Lons (USFWS, King Salmon)
Publication_Date: 2003
Title: Locations of Important Airstrips
Geospatial_Data_Presentation_Form: Expert Knowledge
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Personal communication
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2003
Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None
Source_Contribution: Socioeconomic information
Process_Step:
Process_Description:
Three main sources of data were used to depict human-use resources for this data layer: (1) a 1995 Alaska Department of Natural Resources (ADNR) Land Records vector point coverage of airport locations; (2) interviews with resource experts from the U.S. Fish and Wildlife Service (USFWS); and (3) U.S. Geological Survey (USGS) topographic quadrangles.
Process_Date: 200403
Process_Contact:
Contact_Information:
Contact_Organization_Primary:
Contact_Organization: NOAA, Office of Response and Restoration
Contact_Person: Jill Petersen
Contact_Address:
Address_Type: Physical address
Address: 7600 Sand Point Way, N.E.
City: Seattle
State_or_Province: Washington
Postal_Code: 98115-6349
Contact_Voice_Telephone: (206) 526-6944
Contact_Facsimile_Telephone: (206) 526-6329
Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:
Direct_Spatial_Reference_Method: Vector
Point_and_Vector_Object_Information:
SDTS_Terms_Description:
SDTS_Point_and_Vector_Object_Type: Complete Chain
Point_and_Vector_Object_Count: 186
SDTS_Terms_Description:
SDTS_Point_and_Vector_Object_Type: Link
Point_and_Vector_Object_Count: 17565
SDTS_Terms_Description:
SDTS_Point_and_Vector_Object_Type: Entity Point
Point_and_Vector_Object_Count: 37
SDTS_Terms_Description:
SDTS_Point_and_Vector_Object_Type: Node, planar graph
Point_and_Vector_Object_Count: 207

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, two relational attribute or data tables, SOC_DAT and SOURCES, are used to store the complex socioeconomic data in the ESI data structure. The geographic data layer containing socioeconomic resource information (in this case, SOCECON) is linked to the Socioeconomic Resources table (SOC_DAT) using the unique ID and the lookup table SOC_LUT, or it can be linked directly using HUNUM. HUNUM is a unique reference number concatenated with the atlas number (the Bristol Bay atlas number is 56). ID is a unique combination of the atlas number (56), an element specific number (SOCECON = 10) and a unique record number. SOC_DAT and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOCECON.AAT

Entity_Type_Definition:

The SOCECON.AAT table contains attribute information for the lines representing Coastal Resource Service Area (CSRA) boundaries and scenic rivers. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TYPE

Attribute_Definition:

The human-use features depicted on the maps are those that could be impacted by an oil spill or could provide access for response operations.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: AB

Enumerated_Domain_Value_Definition: Area Boundary

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: SR

Enumerated_Domain_Value_Definition: Scenic River

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOCECON.PAT

Entity_Type_Definition:

The SOCECON.PAT table contains attribute information for the vector points representing airport locations in the Bristol Bay Subarea. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TYPE

Attribute_Definition:

The human-use features depicted on the maps are those that could be impacted by an oil spill or could provide access for response operations.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: A

Enumerated_Domain_Value_Definition: Airport

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the human-use data layers to records in the SOC_LUT data table. ID is a concatenation of atlas number (56), element number (10), and record number.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 561000001

Range_Domain_Maximum: 561000037

Attribute:

Attribute_Label: HUNUM

Attribute_Definition: An identifier that links directly to the SOC_DAT table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000001

Range_Domain_Maximum: 56000011

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOC_LUT

Entity_Type_Definition:

The data table SOC_LUT is a lookup table that contains items necessary for linking vector objects in the human-use data layers with the SOC_DAT data table. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links records in the SOC_LUT data table to records in the SOC_DAT data table. HUNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000001

Range_Domain_Maximum: 56000038

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the human-use data layers to records in the

SOC_LUT data table. ID is a concatenation of atlas number (56), element number (SOCECON=10; MGT=11), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 561000001

Range_Domain_Maximum: 561100627

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOC_DAT

Entity_Type_Definition:

The data table SOC_DAT contains both human-use attribute data and items necessary for linking the human-use spatial data layers to the SOURCES data table. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links records in the SOC_DAT data table to records in the SOC_LUT data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 56000001

Range_Domain_Maximum: 56000038

Attribute:

Attribute_Label: TYPE

Attribute_Definition: Identifies the feature type

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: AIRPORT

Enumerated_Domain_Value_Definition: Airport

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: CRITICAL HABITAT

Enumerated_Domain_Value_Definition: Critical Habitat

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: MANAGEMENT AREA

Enumerated_Domain_Value_Definition: Management Area

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: NATIONAL PARK

Enumerated_Domain_Value_Definition: National Park

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: WILDLIFE REFUGE

Enumerated_Domain_Value_Definition: Wildlife Refuge

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NAME

Attribute_Definition: The feature name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: CONTACT

Attribute_Definition: Contact person or entity

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PHONE

Attribute_Definition: Contact telephone number

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source integer identifier that links records in the SOC_DAT data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: A_SOURCE

Attribute_Definition:

Attribute source integer identifier that links records in the SOC_DAT data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and S_SOURCE in the BIORRES table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Scale denominator of the source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: integer

Enumerated_Domain_Value_Definition: Any integer

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: yyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Bristol Bay Subarea

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200405

Metadata_Review_Date: 200405

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Fri May 21 13:33:16 2004

Bristol Bay, Alaska Subarea ESI Entity Relationship Diagram

Relationships between spatial data layers and attribute data tables

