

American Samoa ESI: HYDRO (Hydrography Lines and Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Publication_Date: 200402

Title: American Samoa ESI: HYDRO (Hydrography Lines and Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: American Samoa

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Description:

Abstract:

This data set contains vector lines and polygons representing coastal hydrography used in the creation of the Environmental Sensitivity Index (ESI) for American Samoa. The HYDRO data layer contains all annotation used in producing the atlas. The annotation features are categorized into three subclasses in order to simplify the mapping and quality control procedures: GEOG or geographic features, SOC or socioeconomic features, and HYDRO or water features. This data set comprises a portion of the ESI for American Samoa. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act, with amendments by the Oil Pollution Act of

1990, requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2002

Ending_Date: 2004

Currentness_Reference:

These data were compiled during 2002-2003. The currentness dates for these data range from 2001 to 2002 and are documented in the *Source_Information* section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -171.266

East_Bounding_Coordinate: -167.964

North_Bounding_Coordinate: -10.873

South_Bounding_Coordinate: -14.723

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Hydrography

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Hydrography

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: American Samoa

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Relationships between spatial data layers and attribute data tables for American Samoa ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: benthic.e00, birds.e00, casspt.e00, esi.e00, fish.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mampt.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent linear and polygonal hydrography for American Samoa.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

The HYDRO data set was developed from pre-existing digital sources and reflects the positional accuracy of these original data. The horizontal positional accuracy of the 1:24,000 U.S. Geological Survey (USGS) topographic quads should conform to National Map Accuracy Standards at scales of 1:24,000. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator:

American Samoa Government (ASG) Dept. of Commerce and U.S. Geological Survey (USGS)

Publication_Date: 2001

Title: Hydrography map of Tutuila Island

Geospatial_Data_Presentation_Form: Digital vector data

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Source_Scale_Denominator: 24000

Type_of_Source_Media: CD

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2001

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Shorelines
Source_Information:
Source_Citation:
Citation_Information:
Originator: ASG Dept. of Commerce
Publication_Date: 2002
Title: Wetland and hydrography data
Geospatial_Data_Presentation_Form: Digital vector data
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Source_Scale_Denominator: Unknown
Type_of_Source_Media: CD
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2002
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Shorelines
Process_Step:
Process_Description:
The American Samoa shoreline was derived primarily from a digital vector shoreline manually digitized by the National Ocean Service (NOS) in 2002 from one-meter panchromatic IKONOS imagery. Those areas of the coastline that were obscured by cloud cover were derived from U.S. Geological Survey (USGS) Digital Raster Graphics (DRGs). In some cases, gross shoreline changes or additional hydrography polygons were sketched during overflights conducted during August of 2002. Overflight changes were digitized from the scanned and registered hardcopy field maps. After the initial shoreline classification, these data were edgematched and checked for logical consistency errors. Review maps were plotted at 1:24,000 scale for verification of polygonal and linear attributes.
Process_Date: 200311
Process_Contact:
Contact_Information:
Contact_Organization_Primary:
Contact_Organization: NOAA, Office of Response and Restoration
Contact_Person: Jill Petersen
Contact_Address:
Address_Type: Physical address
Address: 7600 Sand Point Way, N.E.
City: Seattle
State_or_Province: Washington
Postal_Code: 98115-6349
Contact_Voice_Telephone: (206) 526-6944
Contact_Facsimile_Telephone: (206) 526-6329
Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:
Direct_Spatial_Reference_Method: Vector
Point_and_Vector_Object_Information:
SDTS_Terms_Description:
SDTS_Point_and_Vector_Object_Type: GT-polygon composed of rings
Point_and_Vector_Object_Count: 271
SDTS_Terms_Description:
SDTS_Point_and_Vector_Object_Type: Area point
Point_and_Vector_Object_Count: 271

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 1019

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 32315

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Label Point

Point_and_Vector_Object_Count: 58

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 1019

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983 (HARN)

Ellipsoid_Name: Geodetic Reference System 80

Semi-major_Axis: 6378137

Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: HYDRO.AAT

Entity_Type_Definition:

The HYDRO.AAT table contains attribute information for the vector lines comprising the shoreline polygons in the HYDRO data layer.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: LINE

Attribute_Definition: Type of geographic feature.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: B

Enumerated_Domain_Value_Definition: Breakwater

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: H

Enumerated_Domain_Value_Definition: Hydrography

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: I

Enumerated_Domain_Value_Definition: Index

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: S

Enumerated_Domain_Value_Definition: Shoreline

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition: Data source of the ESI lines

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 1

Enumerated_Domain_Value_Definition: Original digital data (USGS DLG)

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 2

Enumerated_Domain_Value_Definition: Overflights by Research Planning, Inc.

Enumerated_Domain_Value_Definition_Source: Research Planning,

Enumerated_Domain:

Enumerated_Domain_Value: 3

Enumerated_Domain_Value_Definition: Aerial Photography

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 5

Enumerated_Domain_Value_Definition: Digitized from 1:24,000-USGS Digital Raster Graphics

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 7

Enumerated_Domain_Value_Definition: Digital USGS Index

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: HYDRO.PAT

Entity_Type_Definition:

The HYDRO.PAT table contains attribute information for the vector polygons representing polygonal hydrography features in the HYDRO data layer.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: WATER_CODE

Attribute_Definition: Specifies a polygon as either water or land

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: L

Enumerated_Domain_Value_Definition: Land

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: W

Enumerated_Domain_Value_Definition: Water

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: ANNO.GEOG

Entity_Type_Definition:

The spatial data layer HYDRO contains label points representing annotation for geographic features.

Entity_Type_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: ANNO.HYDRO

Entity_Type_Definition:

The spatial data layer HYDRO contains label points representing annotation for water features.

Entity_Type_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: ANNO.SOC

Entity_Type_Definition:

The spatial data layer HYDRO contains label points representing annotation for socioeconomic features.

Entity_Type_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for American Samoa

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200402

Metadata_Review_Date: 200402

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov
Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata
Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Wed Feb 25 18:31:15 2004

American Samoa ESI: ESI (Environmental Sensitivity Index Shoreline Types - Polygons and Lines)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Publication_Date: 200402

Title:

American Samoa ESI: ESI (Environmental Sensitivity Index Shoreline Types - Polygons and Lines)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: American Samoa

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Description:

Abstract:

This data set contains vector lines and polygons representing the shoreline and coastal habitats of American Samoa classified according to the Environmental Sensitivity Index (ESI) classification system. This data set comprises a portion of the ESI for American Samoa. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act, with amendments by the Oil Pollution Act of 1990, requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2002

Ending_Date: 2004

Currentness_Reference:

These data were compiled during 2002-2003. The currentness date for this data is 2003 and is documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -171.266

East_Bounding_Coordinate: -167.964

North_Bounding_Coordinate: -10.873

South_Bounding_Coordinate: -14.723

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: American Samoa

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Relationships between spatial data layers and attribute data tables for American Samoa ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: benthic.e00, birds.e00, casspt.e00, esi.e00, fish.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00,

socecon.e00, t_mampt.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent coastal shorelines and habitats classified according to the Environmental Sensitivity Index (ESI) classification system.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

The ESI data set was developed from pre-existing digital sources and reflects the positional accuracy of these original data. The horizontal positional accuracy of the 1:24,000 U.S. Geological Survey (USGS) topographic quads should conform to National Map Accuracy Standards at scales of 1:24,000. The minimum mapping unit (MMU) of the actual shoreline classification segments is estimated at 50 meters when mapping is conducted using 1:24,000 hardcopy fieldmaps. Field verification has shown that the absolute positional accuracy of breaks between shoreline ESI types with a 95-percent error bound is approximately 58 meters. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: AS Department of Commerce

Publication_Date: 2002

Title: Wetland and hydro data

Geospatial_Data_Presentation_Form: Digital vector data

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Source_Scale_Denominator: Unknown

Type_of_Source_Media: CD

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2002

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Digital Shoreline

Source_Information:

Source_Citation:

Citation_Information:

Originator: Colin Plank

Publication_Date: Unpublished material

Title: ESI Overflight

Geospatial_Data_Presentation_Form: Hardcopy Map

Source_Scale_Denominator: 24000

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2002

Source_Currentness_Reference: Date of overflight

Source_Citation_Abbreviation: None

Source_Contribution: Digital Shoreline

Source_Information:

Source_Citation:

Citation_Information:

Originator: The American Samoa Community College Land Grant Program (ASCC)

Publication_Date: 2003

Title: Tutuila and Aunu'u Mangrove Forests

Geospatial_Data_Presentation_Form: Vector digital data

Source_Scale_Denominator: Unknown

Type_of_Source_Media: Online

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2002

Ending_Date: 2003

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Digital Shoreline

Source_Information:

Source_Citation:

Citation_Information:

Originator: NOAA Coastal Services Center

Publication_Date: 20020410

Title: Pacific Islands, Tutuila, American Samoa, IKONOS data, 2002

Geospatial_Data_Presentation_Form: Digital vector data

Publication_Information:

Publication_Place: Charleston, SC

Publisher: NOAA Coastal Services Center

Source_Scale_Denominator: Unknown

Type_of_Source_Media: CD

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2002

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Digital Shoreline

Process_Step:

Process_Description:

The intertidal shoreline habitats of the islands of Tutuila, Aunu'u, Ofu, Olosega, and Ta'u were mapped during overflights and ground surveys conducted by an experienced coastal geologist in August 2002. The overflights of the island chain were conducted using privately operated fixed-wing aircraft, flying at elevations of

400-600 feet and slow air speed. During this work, the ESI ranking of observed intertidal shoreline habitats was denoted directly onto the shoreline depicted on 1:24,000-scale U.S. Geological Survey (USGS) topographic maps. Where appropriate, revisions to the existing shoreline were made and where necessary, multiple habitats were described for each shoreline segment. In addition to the ESI shoreline habitats, wetland data for Tutuila, Aunu'u, and the Manu'a islands are also depicted on the maps. The American Samoa Community College Land Grant Program (ASCC) delineated mangroves on the islands of Tutuila and Aunu'u in 2002-2003, and the data were provided as digital coverages for use in this atlas. The American Samoa Department of Commerce (DOC) provided digital coverages of additional wetland data that had been collected by various sources in the early 1990s.

Process_Date: 200311

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of rings

Point_and_Vector_Object_Count: 252

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 252

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 1041

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 36021

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 1001

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983 (HARN)

Ellipsoid_Name: Geodetic Reference System 80

Semi-major_Axis: 6378137
Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: ESI.AAT

Entity_Type_Definition:

The ESI.AAT table contains attribute information for the vector lines representing linear shoreline features with ESI classification.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ESI

Attribute_Definition:

The item ESI contains values representing the ESI shoreline type. In many cases shorelines are ranked with multiple codes, such as "6B/3A" (listed landward to seaward from left to right). The first code, "6B", is the most landward shoreline type and the second code, "3A", is the shoreline type closest to the water. Singular shoreline types are listed below. No multiple codes are listed, but all multiple codes included in the data set can be assembled from the codes described.

The ESI rankings progress from low to high susceptibility to oil spills. To determine the sensitivity of a particular intertidal shoreline habitat, the following factors are integrated: 1) Shoreline type (substrate, grain size, tidal elevation, origin); 2) Exposure to wave and tidal energy; 3) Biological productivity and sensitivity; 4) Ease of cleanup. Prediction of the behavior and persistence of oil in intertidal habitats is based on an understanding of the dynamics of the coastal environments, not just the substrate type and grain size. The intensity of energy expended upon a shoreline by wave action, tidal currents, and river currents directly affects the persistence of stranded oil. The need for shoreline cleanup activities is determined, in part, by the slowness of natural processes in removal of oil stranded on the shoreline. The potential for biological injury, and ease of cleanup of spilled oil are also important factors in the ESI ranking. Generally speaking, areas exposed to high levels of physical energy, such as wave action and tidal currents, and low biological activity rank low on the scale, whereas sheltered areas with associated high biological activity have the highest ranking.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 1A

Enumerated_Domain_Value_Definition: Exposed Rocky Cliffs

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 1B

Enumerated_Domain_Value_Definition: Exposed, Solid Man-made Structures

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 2A

Enumerated_Domain_Value_Definition: Exposed, Wave-cut Platforms in Bedrock

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 3A

Enumerated_Domain_Value_Definition: Fine- to Medium-grained Sand Beaches

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

- Enumerated_Domain_Value:* 4
- Enumerated_Domain_Value_Definition:* Coarse-Grained Sand Beaches
- Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
- Enumerated_Domain_Value:* 5
- Enumerated_Domain_Value_Definition:* Mixed Sand and Gravel Beaches
- Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
- Enumerated_Domain_Value:* 6A
- Enumerated_Domain_Value_Definition:* Gravel Beaches
- Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
- Enumerated_Domain_Value:* 6B
- Enumerated_Domain_Value_Definition:* Riprap
- Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
- Enumerated_Domain_Value:* 7
- Enumerated_Domain_Value_Definition:* Exposed Tidal Flats
- Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
- Enumerated_Domain_Value:* 8A
- Enumerated_Domain_Value_Definition:* Sheltered Rocky Shores
- Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
- Enumerated_Domain_Value:* 8B
- Enumerated_Domain_Value_Definition:* Sheltered, Solid Man-made Structures
- Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
- Enumerated_Domain_Value:* 8C
- Enumerated_Domain_Value_Definition:* Sheltered Riprap
- Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
- Enumerated_Domain_Value:* 9A
- Enumerated_Domain_Value_Definition:* Sheltered Tidal Flats
- Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
- Enumerated_Domain_Value:* 9B
- Enumerated_Domain_Value_Definition:* Sheltered, Vegetated Low Banks
- Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
- Enumerated_Domain_Value:* 10B
- Enumerated_Domain_Value_Definition:* Freshwater Marshes
- Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
- Enumerated_Domain_Value:* 10C
- Enumerated_Domain_Value_Definition:* Freshwater Swamps
- Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
- Enumerated_Domain_Value:* 10D
- Enumerated_Domain_Value_Definition:* Mangroves
- Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Enumerated_Domain:*
- Enumerated_Domain_Value:* U
- Enumerated_Domain_Value_Definition:* Unranked
- Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.

Attribute:

- Attribute_Label:* LINE
- Attribute_Definition:* Type of geographic feature
- Attribute_Definition_Source:* Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: B

Enumerated_Domain_Value_Definition: Breakwater

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: F

Enumerated_Domain_Value_Definition: Flat

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: H

Enumerated_Domain_Value_Definition: Hydrography

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: M

Enumerated_Domain_Value_Definition: Marsh

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: S

Enumerated_Domain_Value_Definition: Shoreline

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Data source of the ESI lines. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 1

Enumerated_Domain_Value_Definition:

NOAA Coastal Service Center Shoreline developed from Ikonos Imagery

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 2

Enumerated_Domain_Value_Definition: Overflights by Research Planning, Inc.

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 3

Enumerated_Domain_Value_Definition: Aerial Photography

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 5

Enumerated_Domain_Value_Definition: Digitized from 1:24,000-USGS Topographic Maps

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ENVIR

Attribute_Definition: Type of regional environment

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Estuarine

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: U

Enumerated_Domain_Value_Definition: Unranked
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: ESI.PAT

Entity_Type_Definition:

The ESI.PAT table contains attribute information for the vector polygons representing polygonal features with ESI classification.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ESI

Attribute_Definition:

The item ESI contains values representing the ESI polygon type. The ESI rankings progress from low to high susceptibility to oil spills. The ESI rankings of polygons are similar to the ESI rankings of shorelines (see the ESI attribute in the ESI.AAT section).

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 7

Enumerated_Domain_Value_Definition: Exposed Tidal Flats

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 9A

Enumerated_Domain_Value_Definition: Sheltered Tidal Flats

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 10B

Enumerated_Domain_Value_Definition: Freshwater Marshes

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 10C

Enumerated_Domain_Value_Definition: Freshwater Swamps

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: 10D

Enumerated_Domain_Value_Definition: Mangroves

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: U

Enumerated_Domain_Value_Definition: Unranked

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: WATER_CODE

Attribute_Definition: Specifies a polygon as either water or land

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: L

Enumerated_Domain_Value_Definition: Land

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: W

Enumerated_Domain_Value_Definition: Water

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ENVIR

Attribute_Definition: Type of regional environment

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Estuarine

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: U

Enumerated_Domain_Value_Definition: Unranked

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for American Samoa

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200402

Metadata_Review_Date: 200402

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Tue Mar 02 11:01:36 2004

American Samoa ESI: INDEX (Index Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Publication_Date: 200402

Title: American Samoa ESI: INDEX (Index Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: American Samoa

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Description:

Abstract:

This data set contains vector polygons representing the boundaries of all the hardcopy cartographic products produced as part of the Environmental Sensitivity Index (ESI) for American Samoa, as well as digital data extents. This data set comprises a portion of the ESI for American Samoa. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act, with amendments by the Oil Pollution Act of 1990, requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2002

Ending_Date: 2004

Currentness_Reference:

The data were compiled during 2002-2003. The currentness dates for these data range from 1999 to 2002 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -171.266

East_Bounding_Coordinate: -167.964

North_Bounding_Coordinate: -10.873

South_Bounding_Coordinate: -14.723

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Index

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: American Samoa

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Relationships between spatial data layers and attribute data tables for American Samoa ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: benthic.e00, birds.e00, casspt.e00, esi.e00, fish.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mampt.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

*Data_Quality_Information:**Attribute_Accuracy:**Attribute_Accuracy_Report:*

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above *Attribute_Accuracy_Report*, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent the boundaries of all the hardcopy cartographic products produced as part of the Environmental Sensitivity Index (ESI) for American Samoa, as well as digital data extents. Primarily, 1:24,000 U.S. Geological Survey (USGS) topographic maps and two National Ocean Service Nautical Charts, 1:40,000 and 1:80,000, were used to provide boundaries for cartographic products. In most cases, the polygons represent USGS topographic maps or nautical charts that were re-tiled, moved, or extended to provide better cartographic coverage of the study area.

*Positional_Accuracy:**Horizontal_Positional_Accuracy:**Horizontal_Positional_Accuracy_Report:*

The index polygons in this data layer were mainly generated in ArcInfo from the coordinates of the USGS 1:24,000 topographic map or the 1:40,000 and 1:80,000 nautical chart corners. Some small amount of positional error may be present along the arcs forming the boundaries of these polygons, particularly away from the polygon corners. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

*Lineage:**Source_Information:**Source_Citation:**Citation_Information:*

Originator: U.S. Geological Survey (USGS)

Publication_Date: Unknown

Title: Topographic Quadrangles

Geospatial_Data_Presentation_Form: vector digital data

Publication_Information:

Publication_Place: Denver, CO or Reston, VA

Publisher: U.S. Geological Survey

Source_Scale_Denominator: 24,000

Type_of_Source_Media: Online

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: Varies

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Map index information

Source_Information:

*Source_Citation:**Citation_Information:**Originator:*

National Oceanic and Atmospheric Administration (NOAA),
National Ocean Service (NOS)

Publication_Date: Varies*Title:* Navigational Charts*Geospatial_Data_Presentation_Form:* Map*Publication_Information:**Publication_Place:* Seattle, WA*Publisher:*

National Oceanic and Atmospheric Administration
(NOAA), National Ocean Service (NOS)

Source_Scale_Denominator: Varies*Type_of_Source_Media:* Paper*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* Varies*Source_Currentness_Reference:* Date of publication*Source_Citation_Abbreviation:* None*Source_Contribution:* Map index information*Process_Step:**Process_Description:*

The index polygons in this data layer were generated in ArcInfo from the
coordinates of the USGS map corners, or appropriate coordinates.

Process_Date: 200311*Process_Contact:**Contact_Information:**Contact_Organization_Primary:*

Contact_Organization: NOAA, Office of Response and
Restoration

Contact_Person: Jill Petersen*Contact_Address:**Address_Type:* Physical address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6944*Contact_Facsimile_Telephone:* (206) 526-6329*Contact_Electronic_Mail_Address:* Jill.Petersen@noaa.gov*Spatial_Data_Organization_Information:**Direct_Spatial_Reference_Method:* Vector*Point_and_Vector_Object_Information:**SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* GT-polygon composed of rings*Point_and_Vector_Object_Count:* 12*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Area point*Point_and_Vector_Object_Count:* 12*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Complete chain*Point_and_Vector_Object_Count:* 40*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Link*Point_and_Vector_Object_Count:* 1083

*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Node, planar graph*Point_and_Vector_Object_Count:* 37*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.00005*Longitude_Resolution:* 0.00005*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1983 (HARN)*Ellipsoid_Name:* Geodetic Reference System 80*Semi-major_Axis:* 6378137*Denominator_of_Flattening_Ratio:* 298.257222*Entity_and_Attribute_Information:**Detailed_Description:**Entity_Type:**Entity_Type_Label:* INDEX.PAT*Entity_Type_Definition:*

The INDEX.PAT table contains attribute information for the vector polygons representing the map boundaries and digital data boundaries used in the creation of the Environmental Sensitivity Index (ESI) for American Samoa.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* TILE-NAME*Attribute_Definition:*

The TILE-NAME contains the map number according to the specified layout of the atlas. The values for each polygon are unique and range from 1 through 8.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* 8*Attribute:**Attribute_Label:* TOPO-NAME*Attribute_Definition:* Map Names*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Tutuila Island, American Samoa*Enumerated_Domain_Value_Definition:* USGS 1:24,000 Topographic map name*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Enumerated_Domain:**Enumerated_Domain_Value:* Ofu & Olosega Islands, American Samoa*Enumerated_Domain_Value_Definition:* USGS 1:24,000 Topographic map name*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Enumerated_Domain:**Enumerated_Domain_Value:* Tau Island, American Samoa*Enumerated_Domain_Value_Definition:* USGS 1:24,000 Topographic map name*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Enumerated_Domain:*

Enumerated_Domain_Value: Rose Atoll, American Samoa
Enumerated_Domain_Value_Definition: National Ocean Service Nautical Chart 83484 (1:80,000)
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: Swains Island, American Samoa
Enumerated_Domain_Value_Definition: National Ocean Service Nautical Chart 83484 (1:40,000)
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: blank
Enumerated_Domain_Value_Definition: International waters boundary (12 nautical mile extent)
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE

Attribute_Definition:

SCALE contains the value of the denominator of the scale at which the map is plotted in the final map product.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 56,000
Enumerated_Domain_Value_Definition: Scale = 1:56,000
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAPANGLE

Attribute_Definition:

MAPANGLE contains a value to rotate the final map product so that it is situated straight up and down

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: -0.017
Range_Domain_Maximum: 0.714
Attribute_Units_of_Measure: Degree

Attribute:

Attribute_Label: PAGESIZE

Attribute_Definition:

PAGESIZE contains the value of the width and height of the map in the final map product

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 11,17
Enumerated_Domain_Value_Definition: Page size = 11" by 17"
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for American Samoa

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200402

Metadata_Review_Date: 200402

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Wed Feb 25 18:58:27 2004

American Samoa ESI: BENTHIC (Benthic Marine Habitat Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Publication_Date: 200402

Title: American Samoa ESI: BENTHIC (Benthic Marine Habitat Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: American Samoa

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Description:

Abstract:

This data set contains sensitive biological resource data for benthic habitats in American Samoa. Vector polygons in this data set represent the distribution of macroalgae, coral reef and colonized hardbottom, uncolonized hardbottom, and encrusting/coralline algae habitats. This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for American Samoa. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the CASSPT (Coral Areas of Special Significance - Points) data layer, part of the larger American Samoa ESI database, for additional coral information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act, with amendments by the Oil Pollution Act of

1990, requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2002

Ending_Date: 2004

Currentness_Reference:

The biological data were compiled during 2002 to 2003. The currentness date for these data is 2003 and is documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -171.266

East_Bounding_Coordinate: -167.964

North_Bounding_Coordinate: -10.873

South_Bounding_Coordinate: -14.723

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Benthic

Theme_Keyword: Algae

Theme_Keyword: Coral

Theme_Keyword: Hardbottom

Theme_Keyword: Macroalgae

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: American Samoa

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Relationships between spatial data layers and attribute data tables for the American Samoa ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's

ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization Information section refers only to the source files in the ARC export format. The following files are included in that data set: benthic.e00, birds.e00, casspt.e00, esi.e00, fish.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mampt.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.). A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

The source data used for this data set were provided in digital format by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), National Center for Coastal Ocean Science, Center for Coastal Monitoring and Assessment, Biogeography Program. See also the CASSPT (Coral Areas of Special Significance - Points) data layer, part of the larger American Samoa ESI database, for additional coral information. The following benthic groups are included in this data set: macroalgae, coral reef and colonized hardbottom, uncolonized hardbottom, and encrusting/coralline algae habitats.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Some of the spatial components of the biological data sets are developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy basemaps with a scale of 1:24,000. The rest of the spatial components of the biological data sets are developed from pre-existing digital sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA),
National Ocean Services (NOS), National Center for Coastal

Ocean Science, Center for Coastal Monitoring and Assessment,
Biogeography Program

Publication_Date: 2003

Title: Digitized Benthic Habitats for American Samoa

Geospatial_Data_Presentation_Form: Shapefiles

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Online

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2002

Ending_Date: 2003

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Benthic habitat information

Process_Step:

Process_Description:

The main source used to depict habitat distribution for this data layer was a 2003 vector polygon benthic habitat data set provided by the NOAA NOS Biogeography Program. The data were posted on an ftp site as shapefiles and contained a three-tiered hierarchical classification structure, therefore making it possible to display the benthic habitat types as general or as detailed as deemed appropriate. In order to keep the hardcopy ESI maps readable and to maintain a level of detail commensurate with oil spill response and planning, we chose to display the "second tier" of the classification structure that included the following benthic habitat categories: macroalgae, coral reef and colonized hardbottom, uncolonized hardbottom, and encrusting and coralline algae. No seasonality or concentration information was used. These data were not yet publicly available when they were provided for this project. Please see the following website:

<http://biogeo.nos.noaa.gov/projects/mapping/pacific/territories/as/> or contact Tim Battista (Phone: 301/713-3028 x 171; Email: Tim.Battista@noaa.gov) for more information.

Process_Date: 200311

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of rings

Point_and_Vector_Object_Count: 592

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point
Point_and_Vector_Object_Count: 592
SDTS_Terms_Description:
SDTS_Point_and_Vector_Object_Type: Complete chain
Point_and_Vector_Object_Count: 1348
SDTS_Terms_Description:
SDTS_Point_and_Vector_Object_Type: Link
Point_and_Vector_Object_Count: 76091
SDTS_Terms_Description:
SDTS_Point_and_Vector_Object_Type: Node, planar graph
Point_and_Vector_Object_Count: 973

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005
Longitude_Resolution: 0.00005
Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983 (HARN)
Ellipsoid_Name: Geodetic Reference System 80
Semi-major_Axis: 6378137
Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: BENTHIC.PAT
Entity_Type_Definition:

The BENTHIC.PAT table contains attribute information for the vector polygons representing macroalgae, coral reef and colonized hardbottom, uncolonized hardbottom, and encrusting and coralline algae concentration areas. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TYPE

Attribute_Definition: Type of benthic habitat

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Macroalgae

Enumerated_Domain_Value_Definition: Macroalgae

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Coral Reef and Colonized Hardbottom

Enumerated_Domain_Value_Definition: Coral Reef and Colonized Hardbottom

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Uncolonized Hardbottom

Enumerated_Domain_Value_Definition: Uncolonized Hardbottom

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Encrusting and Coralline Algae

Enumerated_Domain_Value_Definition: Encrusting and Coralline Algae

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for American Samoa

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200402

Metadata_Review_Date: 200402

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Wed Feb 25 19:01:48 2004

American Samoa ESI: CASSPT (Coral Areas of Special Significance - Points)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Publication_Date: 200402

Title:

American Samoa ESI: CASSPT (Coral Areas of Special Significance - Points)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: American Samoa

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Description:

Abstract:

This data set contains sensitive biological resource data for "Coral Areas of Special Significance" in American Samoa. Coral Areas of Special Significance were designated by resource experts as those areas that should be highly prioritized for protection following spills, due to various reasons (e.g., species diversity, rare coral, endangered/threatened marine animal species, high fish/invertebrate concentrations, sensitive habitat, etc.). In this data set, they are represented by vector points. This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for American Samoa. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the BENTHIC (Benthic Marine Habitat Polygons) data layer, part of the larger American Samoa ESI database, for additional coral information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act, with amendments by the Oil Pollution Act of 1990, requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2002

Ending_Date: 2004

Currentness_Reference:

These data were compiled during 2002-2003. The currentness dates for these data range from 1996 to 2003 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -171.266

East_Bounding_Coordinate: -167.964

North_Bounding_Coordinate: -10.873

South_Bounding_Coordinate: -14.723

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Coral

Theme_Keyword: Wildlife

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: American Samoa

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Relationships between spatial data layers and attribute data tables for the American Samoa ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's

with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: benthic.e00, birds.e00, casspt.e00, esi.e00, fish.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mampt.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.). A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

"Coral Areas of Special Significance" were designated by resource experts as those areas that should be highly prioritized for protection following spills, due to various reasons (e.g. species diversity, unique habitat, endangered/threatened marine animal species, high fish/invertebrate concentrations, subsistence use, etc.). See also the BENTHIC (Benthic Marine Habitat Polygons) data layer, part of the larger American Samoa ESI database, for additional coral information. Also refer to other biology layers for additional information on associated species. These data do not necessarily represent all Coral Areas of Special Significance in American Samoa.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

These data were developed by regional experts who manually delineated areas of special significance. It is difficult to estimate the positional accuracy of such data, except to state that they were compiled on 1:24,000 U.S. Geological Survey (USGS) topographic maps. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: Alison Green (AS DMWR)

Publication_Date: 1996

Title: The Status of the Coral Reefs of the Samoan Archipelago

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher: AS Department of Marine and Wildlife Resources (DMWR)

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1996
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Coral Areas of Special Significance information
Source_Information:
Source_Citation:
Citation_Information:
Originator: Coral Reef Advisory Group
Publication_Date: 2003
Title: Special Management Areas on Tutuila
Geospatial_Data_Presentation_Form: Hardcopy text
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Source_Scale_Denominator: 24000
Type_of_Source_Media: Paper
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2003
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Coral Areas of Special Significance information
Source_Information:
Source_Citation:
Citation_Information:
Originator: National Park Service
Publication_Date: 2003
Title:
Distribution of Reef and Pelagic Fish, Sea Turtles, and Invertebrates
Geospatial_Data_Presentation_Form: Expert Knowledge
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Personal communication
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2003
Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None
Source_Contribution: Coral Areas of Special Significance information
Process_Step:
Process_Description:
The main source of data used to depict Coral Areas of Special Significance was personal interviews with resource experts from the National Park of American Samoa (NPS). Resource experts designated these areas for high priority protection following spills.
Process_Date: 200311
Process_Contact:
Contact_Information:
Contact_Organization_Primary:
Contact_Organization: NOAA, Office of Response and Restoration
Contact_Person: Jill Petersen
Contact_Address:

Address_Type: Physical address
Address: 7600 Sand Point Way, N.E.
City: Seattle
State_or_Province: Washington
Postal_Code: 98115-6349
Contact_Voice_Telephone: (206) 526-6944
Contact_Facsimile_Telephone: (206) 526-6329
Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Entity Point

Point_and_Vector_Object_Count: 1

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983 (HARN)

Ellipsoid_Name: Geodetic Reference System 80

Semi-major_Axis: 6378137

Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: CASSPT.PAT

Entity_Type_Definition:

The data layer CASSPT contains vector points representing Coral Areas of Special Significance.

Entity_Type_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for American Samoa

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200402

Metadata_Review_Date: 200402

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

American Samoa ESI: BIRDS (Bird Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Publication_Date: 200402

Title: American Samoa ESI: BIRDS (Bird Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: American Samoa

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Description:

Abstract:

This data set contains sensitive biological resource data for seabirds, wading birds, shorebirds, waterfowl, and gulls and terns in American Samoa. Vector polygons in this data set represent locations of bird nesting, migratory staging, and feeding sites. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for American Samoa. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the NESTS (Nest Points) data layer, part of the larger American Samoa ESI database, for additional bird information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill

planning and response. The Clean Water Act, with amendments by the Oil Pollution Act of 1990, requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2002

Ending_Date: 2004

Currentness_Reference:

The biological data were compiled during 2002-2003. The currentness dates for these data range from 1982 to 2003 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -171.266

East_Bounding_Coordinate: -167.964

North_Bounding_Coordinate: -10.873

South_Bounding_Coordinate: -14.723

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Bird

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: American Samoa

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Relationships between spatial data layers and attribute data tables for the American Samoa ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The *Spatial_Data_Organization_Information* section refers only to the source files in the ARC export format. The following files are included in that data set: *benthic.e00*, *birds.e00*, *casspt.e00*, *esi.e00*, *fish.e00*, *hydro.e00*, *index.e00*, *invert.e00*, *m_mammal.e00*, *mgt.e00*, *nests.e00*, *reptiles.e00*, *socecon.e00*, *t_mampt.e00*. Associated relational and desktop data tables provided in Arc export and text format are *bio_lut*, *biofile*, *biores*, *breed*, *breed_dt*, *seasonal*, *soc_dat*, *soc_lut*, *sources*, *species*, and *status*.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above *Attribute_Accuracy_Report*, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge and available hardcopy reports on bird nesting, migratory staging, and feeding concentration areas. See also the NESTS (Nest Points) data layer, part of the larger American Samoa ESI database, for additional bird information. These data do not necessarily represent all bird occurrences in American Samoa. The following species are included in this data set: (*Species_ID*, Common Name, Scientific Name, if applicable): 57, Wandering tattler, *Heteroscelus incanus*; 67, Sanderling, *Calidris alba*; 73, Ruddy turnstone, *Arenaria interpres*; 126, Brown noddy, *Anous stolidus*; 127, Sooty tern, *Sterna fuscata*; 128, Masked (blue-faced) booby, *Sula dactylatra*; 249, Black noddy, *Anous minutus*; 250, Red-tailed tropicbird, *Phaethon rubricauda*; 251, Great frigatebird, *Fregata minor*; 260, Red-footed booby, *Sula sula*; 261, Brown booby, *Sula leucogaster*; 262, Gray-backed tern, *Sterna lunata*; 263, Blue-gray noddy, *Procelsterna cerulea*; 264, White tern, *Gygis alba*; 283, Bridled tern, *Sterna anaethetus*; 287, Audubon's shearwater, *Puffinus lherminieri*; 413, Bristle-thighed curlew, *Numenius tahitiensis*; 543, Pacific golden-plover, *Pluvialis fulva*; 557, Western reef heron, *Egretta gularis*; 725, Australian gray duck, *Anas superciliosa*; 729, Lesser frigatebird, *Fregata ariel*; 1022, Seabirds; 1030, Frigatebirds, *Fregata* spp.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Most of the spatial components of the biological data sets are developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy

base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. Fish and Wildlife Service

Publication_Date: 1982

Title: Wildlife and Wildlife Habitat of American Samoa II

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher: U.S. DOI, Fish and Wildlife Service, Washington, DC.

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1982

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Bird information

Source_Information:

Source_Citation:

Citation_Information:

Originator:

National Park of American Samoa (NPS); American Samoa
Department of Marine and Wildlife Resources (DMWR)

Publication_Date: 2002

Title: Natural History Guide to American Samoa

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher: National Park of American Samoa; DMWR.

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2002

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Bird information

Source_Information:

Source_Citation:

Citation_Information:

Originator: Beth Flint, U.S. Fish & Wildlife Service (USFWS) Honolulu

Publication_Date: 2003

Title:

Seabird Populations at Rose Island - Number of active nests (egg
or chick)

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1998
Source_Currentness_Reference: Date of surveys
Source_Citation_Abbreviation: None
Source_Contribution: Bird information
Source_Information:
Source_Citation:
Citation_Information:
Originator:
 Department of Marine and Wildlife Resources (DMWR); R.
 UTZURRUM, J. SEAMON
Publication_Date: 2003
Title:
 Marine mammal concentration areas, bat surveys, and pelagic bird
 distribution
Geospatial_Data_Presentation_Form: Hardcopy text
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Paper
Source_Time_Period_of_Content:
Time_Period_Information:
Range_of_Dates/Times:
Beginning_Date: 2002
Ending_Date: 2003
Source_Currentness_Reference: Dates of surveys
Source_Citation_Abbreviation: None
Source_Contribution: Bird information
Source_Information:
Source_Citation:
Citation_Information:
Originator: O'Connor, P.J. and M.J. Rauzon
Publication_Date: 2003
Title:
 Inventory and Monitoring of Seabirds in National Park American
 Samoa
Geospatial_Data_Presentation_Form: Hardcopy map
Publication_Information:
Publication_Place: Unknown
Publisher:
 Draft final report. Technical Report 132. U. of Hawaii at
 Manoa, NPS Contract No. 8036-2-9004, Cont. No. 132
 PCSU/UH
Source_Scale_Denominator: Unknown
Type_of_Source_Media: Paper
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2002
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Bird information
Process_Step:
Process_Description:
 Two main sources of data were used to depict bird distribution and seasonality for
 this data layer: (1) personal interviews with resource experts from American Samoa
 Department of Marine and Wildlife Resources (DMWR) and National Park of
 American Samoa (NPS), and (2) reports and survey data provided by NPS and

DMWR, the U.S. Fish and Wildlife Service (USFWS), and the University of Hawaii. Concentration and seasonality information was provided by resource experts or was extracted from published and unpublished reports and survey data.

Process_Date: 200311

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of rings

Point_and_Vector_Object_Count: 542

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 542

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 972

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 71236

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 672

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983 (HARN)

Ellipsoid_Name: Geodetic Reference System 80

Semi-major_Axis: 6378137

Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, BIRDS) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (the American Samoa atlas number is 76), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S_F, T_E, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, which describes relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIRDS.PAT

Entity_Type_Definition:

The BIRDS.PAT table contains attribute information for the vector polygons representing bird nesting, migratory staging, and feeding site concentration areas. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (76), element number (1), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 760100002
Range_Domain_Maximum: 760100566

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 76000001

Range_Domain_Maximum: 76000058

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 76000001

Range_Domain_Maximum: 76000134

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (76), element number (1), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 760100001

Range_Domain_Maximum: 763900060

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA
Attribute_Domain_Values:
Range_Domain:
Range_Domain_Minimum: 076000001
Range_Domain_Maximum: 076000134

Attribute:

Attribute_Label: SPECIES_ID
Attribute_Definition:
 Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Range_Domain:
Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC
Attribute_Definition:
 The field CONC refers to "concentration," abundance, or density values. In this data layer, concentration is usually represented as the number of individuals (XX BIRDS). In cases where no concentration information was available from any source, the CONC field contains "-". Counts were derived primarily from 1990, 1998, and 2000 survey data.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: Any character
Enumerated_Domain_Value_Definition: Free text
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEASON_ID
Attribute_Definition:
 Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Range_Domain:
Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE
Attribute_Definition:
 Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Range_Domain:
Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE
Attribute_Definition:
 Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Range_Domain:
Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SPECIES*Entity_Type_Definition:*

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* NAME*Attribute_Definition:* Species common name*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Species common name for the entire ESI data set*Enumerated_Domain_Value_Definition:* Free text*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* GEN_SPEC*Attribute_Definition:* Species scientific name*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Species scientific name for the entire ESI data set.*Enumerated_Domain_Value_Definition:* Free text*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: HABITAT
Enumerated_Domain_Value_Definition: Habitats and Plants
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: INVERT
Enumerated_Domain_Value_Definition: Invertebrates
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: M_MAMMAL
Enumerated_Domain_Value_Definition: Marine Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: REPTILE
Enumerated_Domain_Value_Definition: Reptiles and Amphibians
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: T_MAMMAL
Enumerated_Domain_Value_Definition: Terrestrial Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT
Attribute_Definition: Element subgroup delineating a logical grouping of species
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: bat
Enumerated_Domain_Value_Definition: Bat
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: bivalve
Enumerated_Domain_Value_Definition: Bivalve
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: cephalopod
Enumerated_Domain_Value_Definition: Cephalopod
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: crab
Enumerated_Domain_Value_Definition: Crab
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: dolphin
Enumerated_Domain_Value_Definition: Dolphin
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: e_nursery
Enumerated_Domain_Value_Definition: Estuarine nursery fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* echinoderm*Enumerated_Domain_Value_Definition:* Echinoderm*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* gastropod*Enumerated_Domain_Value_Definition:* Gastropod*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* gull_tern*Enumerated_Domain_Value_Definition:* Gull or tern*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* lobster*Enumerated_Domain_Value_Definition:* Lobster*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* m_benthic*Enumerated_Domain_Value_Definition:* Marine benthic fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* m_pelagic*Enumerated_Domain_Value_Definition:* Marine pelagic fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* pelagic*Enumerated_Domain_Value_Definition:* Pelagic bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* shorebird*Enumerated_Domain_Value_Definition:* Shorebird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* turtle*Enumerated_Domain_Value_Definition:* Turtle*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* wading*Enumerated_Domain_Value_Definition:* Wading bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* waterfowl*Enumerated_Domain_Value_Definition:* Waterfowl*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* whale*Enumerated_Domain_Value_Definition:* Whale*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* worm*Enumerated_Domain_Value_Definition:* Worm*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* NHP*Attribute_Definition:* Natural Heritage Program global ranking*Attribute_Definition_Source:* Network of Natural Heritage Program*Attribute_Domain_Values:**Codeset_Domain:**Codeset_Name:* NHP Global Conservation Status Rank*Codeset_Source:* Natural Heritage Program*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:* Date of NHP listing*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* 0*Enumerated_Domain_Value_Definition:* Not ranked*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Numeric*Enumerated_Domain_Value_Definition:* mmyyyy*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SEASONAL*Entity_Type_Definition:*

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:*

*Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* SEASON_ID*Attribute_Definition:*

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* JAN*Attribute_Definition:* January*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in January*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* FEB

Attribute_Definition: February
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in February
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR
Attribute_Definition: March
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in March
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR
Attribute_Definition: April
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in April
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY
Attribute_Definition: May
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in May
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN
Attribute_Definition: June
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in June
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL
Attribute_Definition: July
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in July
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG
Attribute_Definition: August
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in September

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT

Attribute_Definition: October

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in October

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV

Attribute_Definition: November

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC

Attribute_Definition: December

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIoRES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIoRES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* MONTH*Attribute_Definition:*

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* 12*Attribute:**Attribute_Label:* BREED1*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED2*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 =

hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED5*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SOURCES*Entity_Type_Definition:*

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SOURCE_ID*Attribute_Definition:*

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and S_SOURCE in the BIORES table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Scale denominator of the source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: integer

Enumerated_Domain_Value_Definition: Any integer

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: yyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state or federal authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Two-letter state abbreviation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: S_F

Attribute_Definition: State and Federal status

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: F

Enumerated_Domain_Value_Definition: Federally listed

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: T_E

Attribute_Definition: Threatened and endangered status

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state or federal list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state or federal list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Publication date of source material used to assign state and federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORRES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for American Samoa

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200402

Metadata_Review_Date: 200402

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Wed Feb 25 16:34:59 2004

American Samoa ESI: NESTS (Nest Points)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Publication_Date: 200402

Title: American Samoa ESI: NESTS (Nest Points)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: American Samoa

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Description:

Abstract:

This data set contains sensitive biological resource data for nesting birds in American Samoa. Vector points in this data set represent locations of nesting seabirds. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for American Samoa. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the BIRDS (Bird Polygons) data layer, part of the larger American Samoa ESI database, for additional bird information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act, with amendments by the Oil Pollution Act of

1990, requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2002

Ending_Date: 2004

Currentness_Reference:

The biological data were compiled during 2002-2003. The currentness dates for these data range from 1982 to 2003 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -171.266

East_Bounding_Coordinate: -167.964

North_Bounding_Coordinate: -10.873

South_Bounding_Coordinate: -14.723

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Nest

Theme_Keyword: Bird

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: American Samoa

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Relationships between spatial data layers and attribute data tables for the American Samoa ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The *Spatial_Data_Organization_Information* section refers only to the source files in the ARC export format. The following files are included in that data set: *benthic.e00*, *birds.e00*, *casspt.e00*, *esi.e00*, *fish.e00*, *hydro.e00*, *index.e00*, *invert.e00*, *m_mammal.e00*, *mgt.e00*, *nests.e00*, *reptiles.e00*, *socecon.e00*, *t_mampt.e00*. Associated relational and desktop data tables provided in Arc export and text format are *bio_lut*, *biofile*, *biores*, *breed*, *breed_dt*, *seasonal*, *soc_dat*, *soc_lut*, *sources*, *species*, and *status*.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above *Attribute_Accuracy_Report*, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of hardcopy reports and maps on seabird nesting locations. These data do not necessarily represent all nesting sites present in American Samoa. See also the BIRDS (Bird Polygons) data layer, part of the larger American Samoa ESI database, for additional bird information. The following species are included in this data set: (Species_ID, Common Name, Scientific Name, if applicable): 126, Brown noddy, *Anous stolidus*; 249, Black noddy, *Anous minutus*; 251, Great frigatebird, *Fregata minor*; 261, Brown booby, *Sula leucogaster*; 263, Blue-gray noddy, *Procelsterna cerulea*; 557, Western reef heron, *Egretta gularis*; 731, Tahiti petrel, *Pterodroma rostrata*.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Most of the spatial components of the biological data sets are developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood

when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. Fish and Wildlife Service

Publication_Date: 1982

Title: Wildlife and Wildlife Habitat of American Samoa II

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher: U.S. DOI, Fish and Wildlife Service, Washington, DC.

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1982

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Nest information

Source_Information:

Source_Citation:

Citation_Information:

Originator: O'Connor, P.J. and M.J. Rauzon

Publication_Date: 2003

Title:

Inventory and Monitoring of Seabirds in National Park American Samoa

Geospatial_Data_Presentation_Form: Hardcopy map

Publication_Information:

Publication_Place: Unknown

Publisher:

Draft final report. Technical Report 132. U. of Hawaii at Manoa, NPS Contract No. 8036-2-9004, Cont. No. 132 PCSU/UH

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2002

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Nest information

Source_Information:

Source_Citation:

Citation_Information:

Originator: National Park of American Samoa

Publication_Date: 2000

Title: Preliminary Seabird Survey Tutuila, American Samoa

Geospatial_Data_Presentation_Form: Hardcopy map

Publication_Information:

Publication_Place: Unknown

Publisher: National Park Service GIS Department

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2000

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None
Source_Contribution: Nest information

*Process_Step:**Process_Description:*

The primary data source used to depict bird nesting locations for this data layer was maps and reports provided by the U.S. Fish and Wildlife Service (USFWS), the University of Hawaii, and the National Park of American Samoa (NPS). Concentration and seasonality information was extracted from published and unpublished reports.

Process_Date: 200311

*Process_Contact:**Contact_Information:**Contact_Organization_Primary:*

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

*Point_and_Vector_Object_Information:**SDTS_Terms_Description:*

SDTS_Point_and_Vector_Object_Type: Entity Point

Point_and_Vector_Object_Count: 61

*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:*

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983 (HARN)

Ellipsoid_Name: Geodetic Reference System 80

Semi-major_Axis: 6378137

Denominator_of_Flattening_Ratio: 298.257222

*Entity_and_Attribute_Information:**Overview_Description:**Entity_and_Attribute_Overview:*

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, NESTS) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (the American Samoa

atlas number is 76), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S_F, T_E, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, which describes relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: NESTS.PAT

Entity_Type_Definition:

The NESTS.PAT table contains attribute information for the vector points representing locations of nesting seabirds. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (76), element number (5), and record number.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 760500001

Range_Domain_Maximum: 760500061

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 76000001

Range_Domain_Maximum: 76000040

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 76000001

Range_Domain_Maximum: 76000134

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (76), element number (5), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 760100001

Range_Domain_Maximum: 763900060

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 076000001

Range_Domain_Maximum: 076000134

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density value of a species at a particular location. In this data layer, the field may contain counts of individuals (XX BIRDS) or nests (XX NESTS). In cases where no quantitative count data was available, the field contains "-". Counts were derived primarily from 2000 survey data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species common name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species scientific name for the entire ESI data set.

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SUBELEMENT*Attribute_Definition:* Element subgroup delineating a logical grouping of species*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* bat*Enumerated_Domain_Value_Definition:* Bat*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* bivalve*Enumerated_Domain_Value_Definition:* Bivalve*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* cephalopod*Enumerated_Domain_Value_Definition:* Cephalopod*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* crab*Enumerated_Domain_Value_Definition:* Crab*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* dolphin*Enumerated_Domain_Value_Definition:* Dolphin*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* e_nursery*Enumerated_Domain_Value_Definition:* Estuarine nursery fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* echinoderm*Enumerated_Domain_Value_Definition:* Echinoderm*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: gastropod
Enumerated_Domain_Value_Definition: Gastropod
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: gull_tern
Enumerated_Domain_Value_Definition: Gull or tern
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: lobster
Enumerated_Domain_Value_Definition: Lobster
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_benthic
Enumerated_Domain_Value_Definition: Marine benthic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_pelagic
Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pelagic
Enumerated_Domain_Value_Definition: Pelagic bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: shorebird
Enumerated_Domain_Value_Definition: Shorebird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: turtle
Enumerated_Domain_Value_Definition: Turtle
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: wading
Enumerated_Domain_Value_Definition: Wading bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: waterfowl
Enumerated_Domain_Value_Definition: Waterfowl
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: whale
Enumerated_Domain_Value_Definition: Whale
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: worm
Enumerated_Domain_Value_Definition: Worm
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute:
Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank

Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Not ranked

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* MAR*Attribute_Definition:* March*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in March*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* APR*Attribute_Definition:* April*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in April*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* MAY*Attribute_Definition:* May*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in May*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* JUN*Attribute_Definition:* June*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in June*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* JUL*Attribute_Definition:* July*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in July*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* AUG*Attribute_Definition:* August*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in August*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SEP*Attribute_Definition:* September*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in September
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT
Attribute_Definition: October
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in October
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV
Attribute_Definition: November
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in November
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC
Attribute_Definition: December
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in December
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA
Attribute_Definition:
Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORRES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORRES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* MONTH*Attribute_Definition:*

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* 12*Attribute:**Attribute_Label:* BREED1*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED2*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity

present
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: N
Enumerated_Domain_Value_Definition: Life-history stage or activity not present
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: -
Enumerated_Domain_Value_Definition:
Breed category not used or not appropriate for record(s) in question
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:
Attribute_Label: BREED3
Attribute_Definition:
Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.
Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: Y
Enumerated_Domain_Value_Definition: Life-history stage or activity present
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: N
Enumerated_Domain_Value_Definition: Life-history stage or activity not present
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: -
Enumerated_Domain_Value_Definition:
Breed category not used or not appropriate for record(s) in question
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:
Attribute_Label: BREED4
Attribute_Definition:
Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.
Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: Y
Enumerated_Domain_Value_Definition: Life-history stage or activity present
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:

Enumerated_Domain_Value: N
Enumerated_Domain_Value_Definition: Life-history stage or activity not present
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and S_SOURCE in the BIORRES table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Scale denominator of the source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: integer

Enumerated_Domain_Value_Definition: Any integer

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* Numeric*Enumerated_Domain_Value_Definition:* yyyy*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* STATUS*Entity_Type_Definition:*

The data table STATUS identifies the species that are listed as either threatened or endangered by a state or federal authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:*

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE
Attribute_Definition: Two-letter state abbreviation
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: Any character
 Enumerated_Domain_Value_Definition: Two-letter state abbreviation
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: S_F
Attribute_Definition: State and Federal status
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: F
 Enumerated_Domain_Value_Definition: Federally listed
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: T_E
Attribute_Definition: Threatened and endangered status.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: E
 Enumerated_Domain_Value_Definition: Endangered on state or federal list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:
 Enumerated_Domain_Value: T
 Enumerated_Domain_Value_Definition: Threatened on state or federal list
 Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: DATE_PUB
Attribute_Definition:
 Publication date of source material used to assign state and federal status values for each species, if used.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: Numeric
 Enumerated_Domain_Value_Definition: mmyyyy
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE
Attribute_Definition:
 Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORRES and SPECIES data tables.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: E#####
 Enumerated_Domain_Value_Definition:
 Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and

SPECIES_ID = 1; EL_SPE = 'B00001').
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Distribution_Information:**Distributor:**Contact_Information:**Contact_Person_Primary:**Contact_Person*: John Kaperick*Contact_Organization*: NOAA, Office of Response and Restoration*Contact_Address:**Address_Type*: Physical Address*Address*: 7600 Sand Point Way, N.E.*City*: Seattle*State_or_Province*: Washington*Postal_Code*: 98115-6349*Contact_Voice_Telephone*: (206) 526-6400*Contact_Facsimile_Telephone*: (206) 526-6329*Resource_Description*: ESI Atlas for American Samoa*Distribution_Liability:*

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

*Metadata_Reference_Information:**Metadata_Date*: 200402*Metadata_Review_Date*: 200402*Metadata_Contact:**Contact_Information:**Contact_Person_Primary:**Contact_Person*: Jill Petersen*Contact_Organization*: NOAA, Office of Response and Restoration*Contact_Position*: GIS Manager*Contact_Address:**Address_Type*: Physical Address*Address*: 7600 Sand Point Way, N.E.*City*: Seattle*State_or_Province*: Washington*Postal_Code*: 98115-6349*Contact_Voice_Telephone*: (206) 526-6944*Contact_Facsimile_Telephone*: (206) 526-6329*Contact_Electronic_Mail_Address*: Jill.Petersen@noaa.gov*Metadata_Standard_Name*: Content Standards for Digital Geospatial Metadata*Metadata_Standard_Version*: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Wed Feb 25 17:05:21 2004

American Samoa ESI: FISH (Fish Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Publication_Date: 200402

Title: American Samoa ESI: FISH (Fish Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: American Samoa

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Description:

Abstract:

This data set contains sensitive biological resource data for reef, pelagic, benthic, and estuarine fish species in American Samoa. Vector polygons in this data set represent fish distribution. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for American Samoa. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act, with amendments by the Oil Pollution Act of 1990, requires response plans for immediate and effective protection of sensitive resources.

*Time_Period_of_Content:**Time_Period_Information:**Range_of_Dates/Times:**Beginning_Date:* 2002*Ending_Date:* 2004*Currentness_Reference:*

The biological data were compiled during 2002-2003. The currentness dates for these data range from 1991 to 2003 and are documented in the *Source_Information* section.

*Status:**Progress:* Complete*Maintenance_and_Update_Frequency:* None Scheduled*Spatial_Domain:**Bounding_Coordinates:**West_Bounding_Coordinate:* -171.266*East_Bounding_Coordinate:* -167.964*North_Bounding_Coordinate:* -10.873*South_Bounding_Coordinate:* -14.723*Keywords:**Theme:**Theme_Keyword_Thesaurus:* None*Theme_Keyword:* ESI*Theme_Keyword:* Sensitivity maps*Theme_Keyword:* Coastal resources*Theme_Keyword:* Oil spill planning*Theme_Keyword:* Coastal Zone Management*Theme_Keyword:* Wildlife*Theme_Keyword:* Fish*Place:**Place_Keyword_Thesaurus:* None*Place_Keyword:* American Samoa*Access_Constraints:* None*Use_Constraints:*

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

*Browse_Graphic:**Browse_Graphic_File_Name:* [datafig.jpg](#)*Browse_Graphic_File_Description:*

Relationships between spatial data layers and attribute data tables for the American Samoa ESI data.

Browse_Graphic_File_Type: JPEG*Data_Set_Credit:*

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The *Spatial_Data_Organization_Information* section refers only to the source files in the ARC export format. The following files are included in that data set: *benthic.e00*, *birds.e00*, *casspt.e00*, *esi.e00*,

fish.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mampt.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge and available hardcopy reports on fish distribution. These data do not represent all fish occurrences in American Samoa. The following species are included in this data set (Species_ID, Common Name, Scientific Name, if applicable): 132, Groupers; 331, Sharks; 561, Angelfish; 562, Barracudas; 566, Tunas; 631, Bigeye scad, *Selar crumenophthalmus*; 635, Threadfin, *Polydactylus sexfilis*; 957, Rabbitfishes, *Siganus* spp.; 958, Unicornfishes, *Naso* spp.; 1007, Parrotfish; 1008, Jacks; 1010, Wrasses; 1019, Snappers; 1025, Butterflyfish; 1027, Filefish; 1028, Goatfish; 1033, Squirrelfish; 1034, Surgeonfish, 1035, Triggerfish; 1047, Marlins; 1058, Emperors; 1065, Mulletts. 2.4.1.1 Horizontal Positional Accuracy Report Most of the spatial components of the biological data sets are developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1: 24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator:

National Park of American Samoa (NPS); American Samoa
Department of Marine and Wildlife Resources (DMWR)

Publication_Date: 2002

Title: Natural History Guide to American Samoa

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher: National Park of American Samoa; DMWR.

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2002

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Fish information

Source_Information:

Source_Citation:

Citation_Information:

Originator: Alison Green (AS DMWR)

Publication_Date: 1996

Title: The Status of the Coral Reefs of the Samoan Archipelago

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher: AS Department of Marine and Wildlife Resources

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1996

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Fish information

Source_Information:

Source_Citation:

Citation_Information:

Originator: Ponwith, B.J.

Publication_Date: 1991

Title: The Shoreline Fishery of American Samoa: A 12-Year Comparison

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher: DMWR Biological Report Series, No. 23

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1991

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Fish information

Source_Information:

Source_Citation:

Citation_Information:

Originator: Saucerman, S.

Publication_Date: 1995

Title: The Inshore Fishery of American Samoa, 1991-1994

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown
Publisher: DMWR Biological Report Series, No. 77
Type_of_Source_Media: Paper
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1995
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Fish information
Source_Information:
Source_Citation:
Citation_Information:
Originator: Craig, Ponwith, Aitaoto, Hamm
Publication_Date: 1993
Title:
 The Commercial, Subsistence, and Recreational Fisheries of
 American Samoa
Geospatial_Data_Presentation_Form: Hardcopy text
Publication_Information:
Publication_Place: Unknown
Publisher: Marine Fisheries Review 55(2):109-116
Type_of_Source_Media: Paper
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1993
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Fish information
Source_Information:
Source_Citation:
Citation_Information:
Originator: Beeching, T.
Publication_Date: 2002
Title: Fish, invertebrate, and socioeconomic resource distribution
Geospatial_Data_Presentation_Form: Expert knowledge
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Personal communication
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2002
Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None
Source_Contribution: Fish information
Source_Information:
Source_Citation:
Citation_Information:
Originator: Western Pac. Fish. Mgt. Council
Publication_Date: 2001
Title: 2001 Pelagic Annual Report
Geospatial_Data_Presentation_Form: Hardcopy text
Publication_Information:
Publication_Place: Internet
Publisher: <http://www.wpcouncil.org/pelagic.htm>
Type_of_Source_Media: Online
Source_Time_Period_of_Content:

Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2001
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Fish information
Source_Information:
Source_Citation:
Citation_Information:
Originator: National Park Service
Publication_Date: 2003
Title:
 Distribution of Reef and Pelagic Fish, Sea Turtles, and
 Invertebrates
Geospatial_Data_Presentation_Form: Expert Knowledge
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Personal communication
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2003
Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None
Source_Contribution: Fish information
Process_Step:
Process_Description:
 Two main sources of data were used to depict fish distribution and seasonality for this data layer: (1) personal interviews with resource experts from American Samoa Department of Marine and Wildlife Resources (DMWR) and National Park of American Samoa (NPS), and (2) reports and survey data provided by DMWR, NPS, and the Western Pacific Fishery Management Council. Concentration and seasonality information was provided by resource experts or was extracted from published reports.
Process_Date: 200311
Process_Contact:
Contact_Information:
Contact_Organization_Primary:
Contact_Organization: NOAA, Office of Response and Restoration
Contact_Person: Jill Petersen
Contact_Address:
Address_Type: Physical address
Address: 7600 Sand Point Way, N.E.
City: Seattle
State_or_Province: Washington
Postal_Code: 98115-6349
Contact_Voice_Telephone: (206) 526-6944
Contact_Facsimile_Telephone: (206) 526-6329
Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:
Direct_Spatial_Reference_Method: Vector
Point_and_Vector_Object_Information:
SDTS_Terms_Description:
SDTS_Point_and_Vector_Object_Type: GT-polygon composed of rings
Point_and_Vector_Object_Count: 326

*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Area point*Point_and_Vector_Object_Count:* 326*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Complete chain*Point_and_Vector_Object_Count:* 568*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Link*Point_and_Vector_Object_Count:* 102357*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Node, planar graph*Point_and_Vector_Object_Count:* 533*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.00005*Longitude_Resolution:* 0.00005*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1983 (HARN)*Ellipsoid_Name:* Geodetic Reference System 80*Semi-major_Axis:* 6378137*Denominator_of_Flattening_Ratio:* 298.257222*Entity_and_Attribute_Information:**Overview_Description:**Entity_and_Attribute_Overview:*

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, FISH) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (the American Samoa atlas number is 76) an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S_F, T_E, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly

to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, which describes relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: FISH.PAT

Entity_Type_Definition:

The FISH.PAT table contains attribute information for the vector polygons representing fish distribution. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (76), element number (2), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 760200002

Range_Domain_Maximum: 760200330

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in the polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 76000059

Range_Domain_Maximum: 76000067

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in

the polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 76000001

Range_Domain_Maximum: 76000134

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (76), element number (2), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 760100001

Range_Domain_Maximum: 763900060

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 076000001

Range_Domain_Maximum: 076000134

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density value of a species at a particular location. No quantitative concentration information was available for fish, so descriptive terms such as "HIGH" were used or, where no concentration information was available, this field contains "-".

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SPECIES*Entity_Type_Definition:*

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:*

Attribute_Label: NAME

Attribute_Definition: Species common name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species common name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species scientific name for the entire ESI data set.

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bat

Enumerated_Domain_Value_Definition: Bat

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve

Enumerated_Domain_Value_Definition: Bivalve

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: cephalopod

Enumerated_Domain_Value_Definition: Cephalopod

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crab

Enumerated_Domain_Value_Definition: Crab

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: dolphin

Enumerated_Domain_Value_Definition: Dolphin

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_nursery

Enumerated_Domain_Value_Definition: Estuarine nursery fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: echinoderm

Enumerated_Domain_Value_Definition: Echinoderm

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gastropod

Enumerated_Domain_Value_Definition: Gastropod

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gull_tern

Enumerated_Domain_Value_Definition: Gull or tern

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: lobster

Enumerated_Domain_Value_Definition: Lobster

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_benthic

Enumerated_Domain_Value_Definition: Marine benthic fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_pelagic

Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: pelagic
 Enumerated_Domain_Value_Definition: Pelagic bird
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: shorebird
 Enumerated_Domain_Value_Definition: Shorebird
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: turtle
 Enumerated_Domain_Value_Definition: Turtle
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: wading
 Enumerated_Domain_Value_Definition: Wading bird
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: waterfowl
 Enumerated_Domain_Value_Definition: Waterfowl
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: whale
 Enumerated_Domain_Value_Definition: Whale
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: worm
 Enumerated_Domain_Value_Definition: Worm
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute:
 Attribute_Label: NHP
 Attribute_Definition: Natural Heritage Program global ranking
 Attribute_Definition_Source: Network of Natural Heritage Program
 Attribute_Domain_Values:
 Codeset_Domain:
 Codeset_Name: NHP Global Conservation Status Rank
 Codeset_Source: Natural Heritage Program
Attribute:
 Attribute_Label: DATE_PUB
 Attribute_Definition: Date of NHP listing
 Attribute_Definition_Source: Research Planning, Inc.
 Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: 0
 Enumerated_Domain_Value_Definition: Not ranked
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: Numeric
 Enumerated_Domain_Value_Definition: mmyyyy
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORRES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in June

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL

Attribute_Definition: July

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG

Attribute_Definition: August

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in September

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT

Attribute_Definition: October

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in October

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV

Attribute_Definition: November

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* DEC*Attribute_Definition:* December*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in December*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BREED*Entity_Type_Definition:*

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* MONTH*Attribute_Definition:*

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* 12*Attribute:**Attribute_Label:* BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 =

interesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y
Enumerated_Domain_Value_Definition: Life-history stage or activity present
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: N
Enumerated_Domain_Value_Definition: Life-history stage or activity not present
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: -
Enumerated_Domain_Value_Definition: Breed category not used or not appropriate for record(s) in question
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SOURCES*Entity_Type_Definition:*

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SOURCE_ID*Attribute_Definition:*

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and S_SOURCE in the BIORRES table.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:*

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

*Attribute:**Attribute_Label:* ORIGINATOR*Attribute_Definition:* Author or developer of source material or data set*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: Any character
Enumerated_Domain_Value_Definition: Free text
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:*

Date of source material, publication, or date of personal communication with expert source

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: Numeric
Enumerated_Domain_Value_Definition: mmyyyy
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* TITLE*Attribute_Definition:* Title of source material or data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Scale denominator of the source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: integer

Enumerated_Domain_Value_Definition: Any integer

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: yyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state or federal authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: FISH
Enumerated_Domain_Value_Definition: Fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: HABITAT
Enumerated_Domain_Value_Definition: Habitats and Plants
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: INVERT
Enumerated_Domain_Value_Definition: Invertebrates
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: M_MAMMAL
Enumerated_Domain_Value_Definition: Marine Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: REPTILE
Enumerated_Domain_Value_Definition: Reptiles and Amphibians
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: T_MAMMAL
Enumerated_Domain_Value_Definition: Terrestrial Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID
Attribute_Definition:
 Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Range_Domain:
Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE
Attribute_Definition: Two-letter state abbreviation
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: Any character
Enumerated_Domain_Value_Definition: Two-letter state abbreviation
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: S_F
Attribute_Definition: State and Federal status
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: F
Enumerated_Domain_Value_Definition: Federally listed
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: T_E

Attribute_Definition: Threatened and endangered status

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state or federal list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state or federal list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Publication date of source material used to assign state and federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORRES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for American Samoa

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200402

Metadata_Review_Date: 200402

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Wed Feb 25 17:07:48 2004

American Samoa ESI: INVERT (Invertebrate Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Publication_Date: 200402

Title: American Samoa ESI: INVERT (Invertebrate Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: American Samoa

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Description:

Abstract:

This data set contains sensitive biological resource data for estuarine, reef-associated, and terrestrial invertebrate species in American Samoa. Vector polygons in this data set represent invertebrate distribution. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for American Samoa. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill

planning and response. The Clean Water Act, with amendments by the Oil Pollution Act of 1990, requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2002

Ending_Date: 2004

Currentness_Reference:

The biological data were compiled during 2002-2003. The currentness dates for these data range from 1991 to 2002 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -171.266

East_Bounding_Coordinate: -167.964

North_Bounding_Coordinate: -10.873

South_Bounding_Coordinate: -14.723

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Invertebrate

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: American Samoa

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Relationships between spatial data layers and attribute data tables for the American Samoa ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL Server (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: benthic.e00, birds.e00, casspt.e00, esi.e00, fish.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mampt.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge and available hardcopy reports on invertebrate distribution. These data do not represent all invertebrate occurrences in American Samoa. The following species are included in this data set (Species_ID, Common Name, Scientific Name, if applicable): 403, Pronghorn spiny lobster, *Panulirus penicillatus*; 498, Giant clam, *Tridacna maxima*; 500, Palolo worm, *Eunice viridis*; 502, Coconut crab, *Birgus latro*; 1009, Sea urchins; 1030, Octopus; 1037, Sea snails.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Some of the spatial components of the biological data sets are developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy basemaps with a scale of 1:24,000. The rest of the spatial components of the biological data sets are developed from pre-existing digital sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

*Lineage:**Source_Information:**Source_Citation:**Citation_Information:**Originator:* Ponwith, B.J.*Publication_Date:* 1991*Title:* The Shoreline Fishery of American Samoa: A 12-Year Comparison*Geospatial_Data_Presentation_Form:* Hardcopy text*Publication_Information:**Publication_Place:* Unknown*Publisher:*Department of Marine and Wildlife Resources (DMWR)
Biological Report Series, No. 23*Type_of_Source_Media:* Paper*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 1991*Source_Currentness_Reference:* Date of publication*Source_Citation_Abbreviation:* None*Source_Contribution:* Invertebrate information*Source_Information:**Source_Citation:**Citation_Information:**Originator:* Department of Marine and Wildlife Resources (DMWR)*Publication_Date:* 2002*Title:* Lobster distribution*Geospatial_Data_Presentation_Form:* Hardcopy text*Publication_Information:**Publication_Place:* Unknown*Publisher:* Unpublished*Type_of_Source_Media:* Paper*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2002*Source_Currentness_Reference:* Date of publication*Source_Citation_Abbreviation:* None*Source_Contribution:* Invertebrate information*Source_Information:**Source_Citation:**Citation_Information:**Originator:* Craig, Ponwith, Aitaoto, Hamm*Publication_Date:* 1993*Title:*The Commercial, Subsistence, and Recreational Fisheries of
American Samoa*Geospatial_Data_Presentation_Form:* Hardcopy text*Publication_Information:**Publication_Place:* Unknown*Publisher:* Marine Fisheries Review 55(2): 109-116*Type_of_Source_Media:* Paper*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 1993*Source_Currentness_Reference:* Date of publication*Source_Citation_Abbreviation:* None*Source_Contribution:* Invertebrate information*Source_Information:*

*Source_Citation:**Citation_Information:**Originator:* Beeching, T.*Publication_Date:* 2002*Title:* Fish, invertebrate, and socioeconomic resource distribution*Geospatial_Data_Presentation_Form:* Expert knowledge*Publication_Information:**Publication_Place:* Unknown*Publisher:* Unpublished*Type_of_Source_Media:* Personal communication*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2002*Source_Currentness_Reference:* Dates of communication*Source_Citation_Abbreviation:* None*Source_Contribution:* Invertebrate information*Source_Information:**Source_Citation:**Citation_Information:**Originator:* Green, A. and P. Craig*Publication_Date:* 1999*Title:* Population size and structure of giant clams at Rose Atoll*Geospatial_Data_Presentation_Form:* Hardcopy text*Publication_Information:**Publication_Place:* Unknown*Publisher:* Coral Reefs 18:205-211*Type_of_Source_Media:* Paper*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 1999*Source_Currentness_Reference:* Date of publication*Source_Citation_Abbreviation:* None*Source_Contribution:* Invertebrate information*Source_Information:**Source_Citation:**Citation_Information:**Originator:* National Park Service*Publication_Date:* 2003*Title:*

Distribution of Reefs and Pelagic Fish, Sea Turtles, and Invertebrates

Geospatial_Data_Presentation_Form: Expert knowledge*Publication_Information:**Publication_Place:* Unknown*Publisher:* Unpublished*Type_of_Source_Media:* Personal communication*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2003*Source_Currentness_Reference:* Date of communication*Source_Citation_Abbreviation:* None*Source_Contribution:* Invertebrate information*Process_Step:**Process_Description:*

Two main sources of data were used to depict invertebrate distribution and seasonality for this data layer: (1) personal interviews with resource experts from American Samoa Department of Marine and Wildlife Resources (DMWR) and

National Park of American Samoa (NPS), and (2) reports and published documents provided by DMWR and NPS. Concentration and seasonality information was provided by resource experts or was extracted from published reports.

Process_Date: 200311

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of rings

Point_and_Vector_Object_Count: 379

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 379

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 628

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 71507

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 537

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983 (HARN)

Ellipsoid_Name: Geodetic Reference System 80

Semi-major_Axis: 6378137

Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, INVERT) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (the American Samoa atlas number is 76), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S_F, T_E, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, which describes relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: INVERT.PAT

Entity_Type_Definition:

The INVERT.PAT table contains attribute information for the vector polygons representing invertebrate distribution. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (76), element number (7), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 760700002
Range_Domain_Maximum: 760700386

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 76000068

Range_Domain_Maximum: 76000081

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 76000001

Range_Domain_Maximum: 76000134

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (76), element number (7), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 760100001

Range_Domain_Maximum: 763900060

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 076000001

Range_Domain_Maximum: 076000134

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density value of a species at a particular location. The field may contain counts of individuals per hectare (XX CLAMS/HA). In cases where no quantitative count data was available, a descriptive term such as "HIGH" may be used. In cases where no concentration information was available from any source, the CONC field contains "-". Giant clam densities were derived from 1995 survey data published in a 1999 journal article.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SPECIES*Entity_Type_Definition:*

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* NAME*Attribute_Definition:* Species common name*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Species common name for the entire ESI data set*Enumerated_Domain_Value_Definition:* Free text*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* GEN_SPEC*Attribute_Definition:* Species scientific name*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Species scientific name for the entire ESI data set.*Enumerated_Domain_Value_Definition:* Free text*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH

Enumerated_Domain_Value_Definition: Fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: HABITAT
Enumerated_Domain_Value_Definition: Habitats and Plants
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: INVERT
Enumerated_Domain_Value_Definition: Invertebrates
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: M_MAMMAL
Enumerated_Domain_Value_Definition: Marine Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: REPTILE
Enumerated_Domain_Value_Definition: Reptiles and Amphibians
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: T_MAMMAL
Enumerated_Domain_Value_Definition: Terrestrial Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:
Attribute_Label: SUBELEMENT
Attribute_Definition: Element subgroup delineating a logical grouping of species
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: bat
Enumerated_Domain_Value_Definition: Bat
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: bivalve
Enumerated_Domain_Value_Definition: Bivalve
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: cephalopod
Enumerated_Domain_Value_Definition: Cephalopod
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: crab
Enumerated_Domain_Value_Definition: Crab
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: dolphin
Enumerated_Domain_Value_Definition: Dolphin
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: e_nursery
Enumerated_Domain_Value_Definition: Estuarine nursery fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: echinoderm
Enumerated_Domain_Value_Definition: Echinoderm
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: gastropod
Enumerated_Domain_Value_Definition: Gastropod
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: gull_tern
Enumerated_Domain_Value_Definition: Gull or tern
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: lobster
Enumerated_Domain_Value_Definition: Lobster
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_benthic
Enumerated_Domain_Value_Definition: Marine benthic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_pelagic
Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pelagic
Enumerated_Domain_Value_Definition: Pelagic bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: shorebird
Enumerated_Domain_Value_Definition: Shorebird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: turtle
Enumerated_Domain_Value_Definition: Turtle
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: wading
Enumerated_Domain_Value_Definition: Wading bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: waterfowl
Enumerated_Domain_Value_Definition: Waterfowl
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: whale
Enumerated_Domain_Value_Definition: Whale

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: worm
Enumerated_Domain_Value_Definition: Worm
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP
Attribute_Definition: Natural Heritage Program global ranking
Attribute_Definition_Source: Network of Natural Heritage Program
Attribute_Domain_Values:
Codeset_Domain:
Codeset_Name: NHP Global Conservation Status Rank
Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB
Attribute_Definition: Date of NHP listing
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: 0
Enumerated_Domain_Value_Definition: Not ranked
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: Numeric
Enumerated_Domain_Value_Definition: mmyyyy
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE
Attribute_Definition:
Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: E#####
Enumerated_Domain_Value_Definition:
Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: SEASONAL
Entity_Type_Definition:
The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.
Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT
Attribute_Definition: Major categories of biological data
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: BIRD
Enumerated_Domain_Value_Definition: Birds
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* SEASON_ID*Attribute_Definition:*

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* JAN*Attribute_Definition:* January*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in January*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:*

Attribute_Label: FEB
Attribute_Definition: February
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in February
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR
Attribute_Definition: March
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in March
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR
Attribute_Definition: April
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in April
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY
Attribute_Definition: May
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in May
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN
Attribute_Definition: June
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in June
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL
Attribute_Definition: July
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in July
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG
Attribute_Definition: August
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP
Attribute_Definition: September
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in September
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT
Attribute_Definition: October
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in October
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV
Attribute_Definition: November
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in November
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC
Attribute_Definition: December
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in December
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA
Attribute_Definition:
Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: E#####
Enumerated_Domain_Value_Definition:
Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIoRES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is

"INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED5*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SOURCES*Entity_Type_Definition:*

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SOURCE_ID*Attribute_Definition:*

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and

S_SOURCE in the BIORES table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Scale denominator of the source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: integer

Enumerated_Domain_Value_Definition: Any integer
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: yyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state or federal authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* STATE*Attribute_Definition:* Two-letter state abbreviation*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Any character*Enumerated_Domain_Value_Definition:* Two-letter state abbreviation*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* S_F*Attribute_Definition:* State and Federal status*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* F*Enumerated_Domain_Value_Definition:* Federally listed*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* T_E*Attribute_Definition:* Threatened and endangered status.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E*Enumerated_Domain_Value_Definition:* Endangered on state or federal list*Enumerated_Domain_Value_Definition_Source:* U.S. Fish and Wildlife Service*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T*Enumerated_Domain_Value_Definition:* Threatened on state or federal list*Enumerated_Domain_Value_Definition_Source:* U.S. Fish and Wildlife Service*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:*

Publication date of source material used to assign state and federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Numeric*Enumerated_Domain_Value_Definition:* mmyyyy*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data

table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for American Samoa

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200402

Metadata_Review_Date: 200402

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Wed Feb 25 17:10:01 2004

American Samoa ESI: M_MAMMAL (Marine Mammal Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Publication_Date: 200402

Title: American Samoa ESI: M_MAMMAL (Marine Mammal Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: American Samoa

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Description:

Abstract:

This data set contains sensitive biological resource data for whales and dolphins in American Samoa. Vector polygons in this data set represent marine mammal distribution. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for American Samoa. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill

planning and response. The Clean Water Act, with amendments by the Oil Pollution Act of 1990, requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2002

Ending_Date: 2004

Currentness_Reference:

The biological data were compiled during 2002-2003. The currentness dates for these data range from 1994 to 2003 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -171.266

East_Bounding_Coordinate: -167.964

North_Bounding_Coordinate: -10.873

South_Bounding_Coordinate: -14.723

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Marine Mammal

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: American Samoa

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Relationships between spatial data layers and attribute data tables for the American Samoa ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: benthic.e00, birds.e00, casspt.e00, esi.e00, fish.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mampt.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge and published documents on marine mammal distribution. These data do not necessarily represent all marine mammal occurrences in American Samoa. The following species are included in this data set (Species_ID, Common Name, Scientific Name, if applicable): 5, Melon-headed whale, Peponocephala electra; 13, Humpback whale, Megaptera novaeangliae; 17, Bottlenose dolphin, Tursiops truncatus; 19, Shortfin pilot whale, Globicephala macrorhynchus; 48, Sperm whale, Physeter macrocephalus; 49, Spotted dolphin, Stenella attenuata; 50, Spinner dolphin, Stenella longirostris; 87, Rough-toothed dolphin, Steno bredanensis; 102, False killer whale, Pseudorca crassidens; 105, Pygmy killer whale, Feresa attenuata.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Most of the spatial components of the biological data sets are developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator:

Department of Marine and Wildlife Resources (DMWR); R. UTZURRUM, J. SEAMON

Publication_Date: 2003

Title:

Marine mammal concentration areas, bat surveys, and pelagic bird distribution

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2002

Ending_Date: 2003

Source_Currentness_Reference: Dates of surveys

Source_Citation_Abbreviation: None

Source_Contribution: Marine mammal information

Source_Information:

Source_Citation:

Citation_Information:

Originator: U.S. Coast Guard

Publication_Date: 1994

Title:

Federal On-Scene Coordinator American Samoa Contingency Plan Annex

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher: Unknown

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1994

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Marine mammal information

Source_Information:

Source_Citation:

Citation_Information:

Originator: Fagatele Bay National Marine Sanctuary (NMS)

Publication_Date: 1994

Title: Watching Samoa's Humpback Whales

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher: NOAA-Sanctuaries and Reserves Division

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1994

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Marine mammal information

Source_Information:

Source_Citation:

Citation_Information:

Originator: Reeves, Stewart, Clapham, & Powell

Publication_Date: 2002

Title: Guide to Marine Mammals of the World

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher: Alfred A. Knopf, Inc., New York, NY, 528 pp.

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2002

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Marine mammal information

Source_Information:

Source_Citation:

Citation_Information:

Originator: National Park Service

Publication_Date: 2003

Title: Distribution of Reef and Pelagic Fish, Sea Turtles, and Inverts

Geospatial_Data_Presentation_Form: Expert Knowledge

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Personal communication

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: Date of communication

Source_Citation_Abbreviation: None

Source_Contribution: Marine mammal information

Source_Information:

Source_Citation:

Citation_Information:

Originator: Daschbach, N.

Publication_Date: 2003

Title: Fagatele Bay Species Distributions

Geospatial_Data_Presentation_Form: Expert Knowledge

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Personal communication

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: Date of communication

Source_Citation_Abbreviation: None

Source_Contribution: Marine mammal information

Process_Step:

Process_Description:

Two main sources of data were used to depict distributions of marine mammals for this data layer: (1) personal interviews with resource experts from the American Samoa Department of Marine and Wildlife Resources (DMWR), the National Park of American Samoa (NPS), and the National Oceanic and Atmospheric Administration (NOAA) Fagatele Bay National Marine Sanctuary; and (2)

published documents provided by the National Marine Sanctuary, U.S. Coast Guard, the National Audubon Society. Concentration and seasonality information was provided by resource experts or was extracted from published sources.

Process_Date: 200311

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of rings

Point_and_Vector_Object_Count: 298

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 298

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 516

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 94503

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 491

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983 (HARN)

Ellipsoid_Name: Geodetic Reference System 80

Semi-major_Axis: 6378137

Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, M_MAMMAL) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (the American Samoa atlas number is 76), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S_F, T_E, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, which describes relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: M_MAMMAL.PAT

Entity_Type_Definition:

The M_MAMMAL.PAT table contains attribute information for the vector polygons representing marine mammal distribution. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (76), element number (4), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 760400002
Range_Domain_Maximum: 760400305

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 76000002

Range_Domain_Maximum: 76000088

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 76000001

Range_Domain_Maximum: 76000134

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (76), element number (4), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 760100001

Range_Domain_Maximum: 763900060

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA
Attribute_Domain_Values:
Range_Domain:
Range_Domain_Minimum: 076000001
Range_Domain_Maximum: 076000134

Attribute:

Attribute_Label: SPECIES_ID
Attribute_Definition:
Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Range_Domain:
Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC
Attribute_Definition:
The field CONC refers to "concentration," abundance, or density value of a species at a particular location. No quantitative concentration information was available for marine mammals, so descriptive terms such as "MODERATE" or "COMMON" were used. In cases where no concentration information was available from any source, the CONC field contains "-".
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: Any character
Enumerated_Domain_Value_Definition: Free text
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEASON_ID
Attribute_Definition:
Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Range_Domain:
Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE
Attribute_Definition:
Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Range_Domain:
Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE
Attribute_Definition:
Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Range_Domain:
Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species common name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species scientific name for the entire ESI data set.

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: HABITAT
Enumerated_Domain_Value_Definition: Habitats and Plants
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: INVERT
Enumerated_Domain_Value_Definition: Invertebrates
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: M_MAMMAL
Enumerated_Domain_Value_Definition: Marine Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: REPTILE
Enumerated_Domain_Value_Definition: Reptiles and Amphibians
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: T_MAMMAL
Enumerated_Domain_Value_Definition: Terrestrial Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT
Attribute_Definition: Element subgroup delineating a logical grouping of species
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: bat
Enumerated_Domain_Value_Definition: Bat
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: bivalve
Enumerated_Domain_Value_Definition: Bivalve
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: cephalopod
Enumerated_Domain_Value_Definition: Cephalopod
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: crab
Enumerated_Domain_Value_Definition: Crab
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: dolphin
Enumerated_Domain_Value_Definition: Dolphin
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: e_nursery
Enumerated_Domain_Value_Definition: Estuarine nursery fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: echinoderm

Enumerated_Domain_Value_Definition: Echinoderm

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gastropod

Enumerated_Domain_Value_Definition: Gastropod

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gull_tern

Enumerated_Domain_Value_Definition: Gull or tern

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: lobster

Enumerated_Domain_Value_Definition: Lobster

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_benthic

Enumerated_Domain_Value_Definition: Marine benthic fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_pelagic

Enumerated_Domain_Value_Definition: Marine pelagic fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: pelagic

Enumerated_Domain_Value_Definition: Pelagic bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shorebird

Enumerated_Domain_Value_Definition: Shorebird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: turtle

Enumerated_Domain_Value_Definition: Turtle

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wading

Enumerated_Domain_Value_Definition: Wading bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl

Enumerated_Domain_Value_Definition: Waterfowl

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: whale

Enumerated_Domain_Value_Definition: Whale

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: worm

Enumerated_Domain_Value_Definition: Worm

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank

Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Not ranked

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORRES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in February
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR
Attribute_Definition: March
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in March
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR
Attribute_Definition: April
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in April
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY
Attribute_Definition: May
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in May
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN
Attribute_Definition: June
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in June
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL
Attribute_Definition: July
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in July
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG
Attribute_Definition: August
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in September

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT

Attribute_Definition: October

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in October

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV

Attribute_Definition: November

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC

Attribute_Definition: December

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIoRES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIoRES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 =

hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and S_SOURCE in the BIORES table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Scale denominator of the source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: integer

Enumerated_Domain_Value_Definition: Any integer

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: yyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state or federal authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Two-letter state abbreviation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: S_F

Attribute_Definition: State and Federal status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: F

Enumerated_Domain_Value_Definition: Federally listed

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: T_E

Attribute_Definition: Threatened and endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state or federal list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state or federal list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Publication date of source material used to assign state and federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORRES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for American Samoa

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200402

Metadata_Review_Date: 200402

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Wed Feb 25 17:12:39 2004

American Samoa ESI: T_MAMPT (Terrestrial Mammal Points)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Publication_Date: 200402

Title: American Samoa ESI: T_MAMPT (Terrestrial Mammal Points)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: American Samoa

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Description:

Abstract:

This data set contains sensitive biological resource data for bats in American Samoa. Vector points in this data set represent bat roosts and caves. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for American Samoa. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act, with amendments by the Oil Pollution Act of

1990, requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2002

Ending_Date: 2004

Currentness_Reference:

The biological data were compiled during 2002-2003. The currentness date for these data is 2003 and is documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -171.266

East_Bounding_Coordinate: -167.964

North_Bounding_Coordinate: -10.873

South_Bounding_Coordinate: -14.723

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Terrestrial Mammal

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: American Samoa

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Relationships between spatial data layers and attribute data tables for the American Samoa ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export

format. The following files are included in that data set: benthic.e00, birds.e00, casspt.e00, esi.e00, fish.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mampt.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resources at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of information from hardcopy maps and survey data on bat roosts and caves. These data do not necessarily represent all bat roosts in American Samoa. The following species are included in this data set: (Species_ID, Common Name, Scientific Name, if applicable): 202, Insular flying fox, *Pteropus tonganus*; 231, Mariana sheath-tailed bat, *Emballonura semicaudata*.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Most of the spatial components of the biological data sets are developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

*Citation_Information:**Originator:*

Department of Marine and Wildlife Resources (DMWR); R.
UTZURRUM, J. SEAMON

Publication_Date: 2003

Title:

Marine mammal concentration areas, bat surveys, and pelagic bird
distribution

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Type_of_Source_Media: Paper

*Source_Time_Period_of_Content:**Time_Period_Information:**Range_of_Dates/Times:*

Beginning_Date: 2002

Ending_Date: 2003

Source_Currentness_Reference: Dates of surveys

Source_Citation_Abbreviation: None

Source_Contribution: Terrestrial mammal information

*Source_Information:**Source_Citation:**Citation_Information:*

Originator: Department of Marine and Wildlife Resources (DMWR)

Publication_Date: 2003

Title: List of cave locations for sheath-tailed bat

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished.

Type_of_Source_Media: Paper

*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:*

Calendar_Date: 2003

Source_Currentness_Reference: Date of survey

Source_Citation_Abbreviation: None

Source_Contribution: Terrestrial mammal information

*Process_Step:**Process_Description:*

Two main sources of data were used to depict bat roosts for this data layer: (1) hardcopy maps provided by the Department of Marine and Wildlife Resources (DMWR), and (2) survey data provided by DMWR. Concentration and seasonality information was extracted from the survey data.

Process_Date: 200311

*Process_Contact:**Contact_Information:**Contact_Organization_Primary:*

Contact_Organization: NOAA, Office of Response and
Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Entity Point

Point_and_Vector_Object_Count: 60

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983 (HARN)

Ellipsoid_Name: Geodetic Reference System 80

Semi-major_Axis: 6378137

Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, T_MAMPT) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (the American Samoa atlas number is 76), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S_F, T_E, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user

to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, which describes relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: T_MAMPT.PAT

Entity_Type_Definition:

The T_MAMPT.PAT table contains attribute information for the vector points representing bat roosts and caves. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (76), element number (39; 30 because it is a point feature, plus 9, the element value for T_MAMMAL), and record number.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 763900001

Range_Domain_Maximum: 763900060

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 76000103

Range_Domain_Maximum: 76000134

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

*Range_Domain:**Range_Domain_Minimum:* 76000001*Range_Domain_Maximum:* 76000134*Attribute:**Attribute_Label:* ID*Attribute_Definition:*

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (76), element number (39; 30 because it is a point feature, plus 9, the element value for T_MAMMAL), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 760100001*Range_Domain_Maximum:* 763900060*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BIORES*Entity_Type_Definition:*

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* RARNUM*Attribute_Definition:*

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 076000001*Range_Domain_Maximum:* 076000134*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* CONC*Attribute_Definition:*

The field CONC refers to "concentration," abundance, or density value of a species at a particular location. In this data layer, the field may contain average counts of individuals (XX BATS) or descriptive terms, such as "RARE" or "EPHEMERAL". In cases where no quantitative or qualitative count data were available, the field contains "-". Bat roost counts were derived from 1997-2001 unpublished survey data.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Any character*Enumerated_Domain_Value_Definition:* Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SPECIES*Entity_Type_Definition:*

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:*

Attribute_Label: NAME

Attribute_Definition: Species common name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species common name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species scientific name for the entire ESI data set.

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bat

Enumerated_Domain_Value_Definition: Bat

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve

Enumerated_Domain_Value_Definition: Bivalve

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: cephalopod

Enumerated_Domain_Value_Definition: Cephalopod

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crab

Enumerated_Domain_Value_Definition: Crab

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: dolphin

Enumerated_Domain_Value_Definition: Dolphin

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_nursery

Enumerated_Domain_Value_Definition: Estuarine nursery fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: echinoderm

Enumerated_Domain_Value_Definition: Echinoderm

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gastropod

Enumerated_Domain_Value_Definition: Gastropod

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gull_tern

Enumerated_Domain_Value_Definition: Gull or tern

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: lobster

Enumerated_Domain_Value_Definition: Lobster

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_benthic

Enumerated_Domain_Value_Definition: Marine benthic fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_pelagic

Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pelagic
Enumerated_Domain_Value_Definition: Pelagic bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: shorebird
Enumerated_Domain_Value_Definition: Shorebird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: turtle
Enumerated_Domain_Value_Definition: Turtle
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: wading
Enumerated_Domain_Value_Definition: Wading bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: waterfowl
Enumerated_Domain_Value_Definition: Waterfowl
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: whale
Enumerated_Domain_Value_Definition: Whale
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: worm
Enumerated_Domain_Value_Definition: Worm
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute:
Attribute_Label: NHP
Attribute_Definition: Natural Heritage Program global ranking
Attribute_Definition_Source: Network of Natural Heritage Program
Attribute_Domain_Values:
Codeset_Domain:
Codeset_Name: NHP Global Conservation Status Rank
Codeset_Source: Natural Heritage Program
Attribute:
Attribute_Label: DATE_PUB
Attribute_Definition: Date of NHP listing
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: 0
Enumerated_Domain_Value_Definition: Not ranked
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: Numeric
Enumerated_Domain_Value_Definition: mmyyyy
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORRES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in June

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL

Attribute_Definition: July

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG

Attribute_Definition: August

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in September

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT

Attribute_Definition: October

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in October

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV

Attribute_Definition: November

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* DEC*Attribute_Definition:* December*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in December*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORRES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BREED*Entity_Type_Definition:*

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORRES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* MONTH*Attribute_Definition:*

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* 12*Attribute:**Attribute_Label:* BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 =

interesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y
Enumerated_Domain_Value_Definition: Life-history stage or activity present
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: N
Enumerated_Domain_Value_Definition: Life-history stage or activity not present
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: -
Enumerated_Domain_Value_Definition: Breed category not used or not appropriate for record(s) in question
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SOURCES*Entity_Type_Definition:*

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SOURCE_ID*Attribute_Definition:*

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and S_SOURCE in the BIORES table.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:*

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

*Attribute:**Attribute_Label:* ORIGINATOR*Attribute_Definition:* Author or developer of source material or data set*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: Any character
Enumerated_Domain_Value_Definition: Free text
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:*

Date of source material, publication, or date of personal communication with expert source

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: Numeric
Enumerated_Domain_Value_Definition: mmyyyy
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* TITLE*Attribute_Definition:* Title of source material or data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Scale denominator of the source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: integer

Enumerated_Domain_Value_Definition: Any integer

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: yyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state or federal authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* STATE*Attribute_Definition:* Two-letter state abbreviation*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Any character*Enumerated_Domain_Value_Definition:* Two-letter state abbreviation*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* S_F*Attribute_Definition:* State and Federal status.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* F*Enumerated_Domain_Value_Definition:* Federally listed*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:*

Attribute_Label: T_E

Attribute_Definition: Threatened and endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state or federal list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state or federal list

Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Publication date of source material used to assign state and federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORRES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for American Samoa

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200402

Metadata_Review_Date: 200402

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Wed Feb 25 17:32:27 2004

American Samoa ESI: REPTILES (Reptile and Amphibian Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Publication_Date: 200402

Title: American Samoa ESI: REPTILES (Reptile and Amphibian Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: American Samoa

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Description:

Abstract:

This data set contains sensitive biological resource data for sea turtles in American Samoa. Vector polygons in this data set represent sea turtle nesting and nearshore distribution. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for American Samoa. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill

planning and response. The Clean Water Act, with amendments by the Oil Pollution Act of 1990, requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2002

Ending_Date: 2004

Currentness_Reference:

The biological data were compiled during 2001-2003. The currentness dates for these data range from 1992 to 2003 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -171.266

East_Bounding_Coordinate: -167.964

North_Bounding_Coordinate: -10.873

South_Bounding_Coordinate: -14.723

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Reptile

Theme_Keyword: Amphibian

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: American Samoa

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Relationships between spatial data layers and attribute data tables for the American Samoa ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: benthic.e00, birds.e00, casspt.e00, esi.e00, fish.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mampt.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new ID's and RARNUM's or HUNUM's are also generated. The new ID's are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUM's are also modified to include the atlas number, so multiple atlases can be combined and RARNUM's remain unique. RARNUM's are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUM's are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge and published reports and maps on sea turtle distribution. These data do not necessarily represent all sea turtle occurrences in American Samoa. The following species are included in this data set (Species_ID, Common Name, Scientific Name, if applicable): 2, Green sea turtle, Chelonia mydas; 9, Hawksbill sea turtle, Eretmochelys imbricata.

2.4.1.1 Horizontal Positional Accuracy Report Some of the spatial components of the biological data sets are developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Most of the spatial components of the biological data sets are developed from pre-existing digital sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: Volk, Knudsen, Kluge, and Herdich

Publication_Date: 1992

Title: Towards a Territorial Conservation Strategy
Geospatial_Data_Presentation_Form: Hardcopy map

Publication_Information:

Publication_Place: Unknown

Publisher:

Le Vaomatua, Inc., MacArthur Foundation, East-West
Center, Honolulu, HI

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1992

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Reptile information

Source_Information:

Source_Citation:

Citation_Information:

Originator:

National Marine Fisheries Service (NMFS) & U.S. Fish &
Wildlife Service (USFWS)

Publication_Date: 1998

Title:

Recovery Plan for U.S. Pacific Populations of the Hawksbill Turtle

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher: National Marine Fisheries Service, Silver Spring, MD

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1998

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Reptile information

Source_Information:

Source_Citation:

Citation_Information:

Originator: Utzurrum, R.

Publication_Date: 2002

Title: Sea turtle conservation in American Samoa

Geospatial_Data_Presentation_Form: Hardcopy text

Publication_Information:

Publication_Place: Unknown

Publisher:

In: Kinan, I. (ed.), Proc. Western Pacific Sea Turtle Coop.
Research & Mgt. Workshop. WRRFMC, Honolulu, HI

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2002

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Reptile information

Source_Information:

Source_Citation:

Citation_Information:

Originator: National Park of American Samoa

Publication_Date: 2002
Title: National Park Resource Maps
Geospatial_Data_Presentation_Form: Hardcopy map
Publication_Information:
Publication_Place: Unknown
Publisher: National Park of American Samoa GIS Division
Type_of_Source_Media: Paper
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2002
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Reptile information
Source_Information:
Source_Citation:
Citation_Information:
Originator:
National Marine Fisheries Service (NMFS) & U.S. Fish & Wildlife Service (USFWS)
Publication_Date: 1998
Title:
Recovery Plan for U.S. Pacific Populations of the Green Turtle (Chelonia mydas)
Geospatial_Data_Presentation_Form: Hardcopy text
Publication_Information:
Publication_Place: Unknown
Publisher: NMFS, Silver Spring, MD
Type_of_Source_Media: Paper
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1998
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Reptile information
Source_Information:
Source_Citation:
Citation_Information:
Originator: Dashbach, N.
Publication_Date: 2003
Title: Fagatele Bay Species Distribution
Geospatial_Data_Presentation_Form: Expert knowledge
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Personal communication
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2003
Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None
Source_Contribution: Reptile information
Process_Step:
Process_Description:
Two main sources of data were used to depict distributions of sea turtles for this data layer: (1) personal interviews with resource experts from the American Samoa Department of Marine and Wildlife Resources (DMWR), the National Park of American Samoa (NPS), and the National Oceanic and Atmospheric Administration

(NOAA) Fagatele Bay National Marine Sanctuary; and (2) published documents provided by NOAA National Marine Fisheries Service (NMFS), U.S. Fish and Wildlife Service (USFWS), DMWR, and Le Vaomatua, Inc. Concentration and seasonality information was provided by resource experts or was extracted from published sources.

Process_Date: 200311

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of rings

Point_and_Vector_Object_Count: 437

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 437

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 716

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 78513

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 554

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983 (HARN)

Ellipsoid_Name: Geodetic Reference System 80

Semi-major_Axis: 6378137

Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

*Overview_Description:**Entity_and_Attribute_Overview:*

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, REPTILES) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (the American Samoa atlas number is 76) an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S_F, T_E, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, which describes relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: REPTILES.PAT

Entity_Type_Definition:

The REPTILES.PAT table contains attribute information for the vector polygons representing sea turtle nesting and nearshore distribution. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (76), element number (6), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 760600002

Range_Domain_Maximum: 760600441

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 76000089

Range_Domain_Maximum: 76000102

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 76000001

Range_Domain_Maximum: 76000134

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (76), element number (6), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 760100001

Range_Domain_Maximum: 763900060

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 076000001

Range_Domain_Maximum: 076000134

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density value of a species at a particular location. Quantitative concentration information was available for Rose Atoll, so the field may contain counts indicating a range of nesting females (XX-XX FEMALES). When quantitative information was not available, descriptive terms such as "POTENTIAL", "LOW", "MODERATE", or "CONFIRMED" were used. In cases where no concentration information was available from any source, the CONC field contains "-".

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links

records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species common name for the entire ESI data set

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Species scientific name for the entire ESI data set.

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bat

Enumerated_Domain_Value_Definition: Bat

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve

Enumerated_Domain_Value_Definition: Bivalve

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: cephalopod

Enumerated_Domain_Value_Definition: Cephalopod

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crab

Enumerated_Domain_Value_Definition: Crab

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: dolphin

Enumerated_Domain_Value_Definition: Dolphin

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: e_nursery
Enumerated_Domain_Value_Definition: Estuarine nursery fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: echinoderm
Enumerated_Domain_Value_Definition: Echinoderm
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: gastropod
Enumerated_Domain_Value_Definition: Gastropod
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: gull_tern
Enumerated_Domain_Value_Definition: Gull or tern
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: lobster
Enumerated_Domain_Value_Definition: Lobster
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_benthic
Enumerated_Domain_Value_Definition: Marine benthic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_pelagic
Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pelagic
Enumerated_Domain_Value_Definition: Pelagic bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: shorebird
Enumerated_Domain_Value_Definition: Shorebird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: turtle
Enumerated_Domain_Value_Definition: Turtle
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: wading
Enumerated_Domain_Value_Definition: Wading bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: waterfowl
Enumerated_Domain_Value_Definition: Waterfowl
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: whale

Enumerated_Domain_Value_Definition: Whale

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: worm

Enumerated_Domain_Value_Definition: Worm

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank

Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Not ranked

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD
Enumerated_Domain_Value_Definition: Birds
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: FISH
Enumerated_Domain_Value_Definition: Fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: HABITAT
Enumerated_Domain_Value_Definition: Habitats and Plants
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: INVERT
Enumerated_Domain_Value_Definition: Invertebrates
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: M_MAMMAL
Enumerated_Domain_Value_Definition: Marine Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: REPTILE
Enumerated_Domain_Value_Definition: Reptiles and Amphibians
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: T_MAMMAL
Enumerated_Domain_Value_Definition: Terrestrial Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID
Attribute_Definition:
Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Range_Domain:
Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID
Attribute_Definition:
Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Range_Domain:
Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN
Attribute_Definition: January
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB
Attribute_Definition: February
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in February
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR
Attribute_Definition: March
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in March
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR
Attribute_Definition: April
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in April
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY
Attribute_Definition: May
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in May
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN
Attribute_Definition: June
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in June
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL
Attribute_Definition: July
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in July
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG
Attribute_Definition: August
Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in September

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT

Attribute_Definition: October

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in October

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV

Attribute_Definition: November

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC

Attribute_Definition: December

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORRES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g., ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then

BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and S_SOURCE in the BIORRES table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Scale denominator of the source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: integer

Enumerated_Domain_Value_Definition: Any integer

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: yyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state or federal authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL
Enumerated_Domain_Value_Definition: Terrestrial Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID
Attribute_Definition:
Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Range_Domain:
Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE
Attribute_Definition: Two-letter state abbreviation
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: Any character
Enumerated_Domain_Value_Definition: Two-letter state abbreviation
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: S_F
Attribute_Definition: State and Federal status.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: F
Enumerated_Domain_Value_Definition: Federally listed
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: T_E
Attribute_Definition: Threatened and endangered status.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: E
Enumerated_Domain_Value_Definition: Endangered on state or federal list
Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: T
Enumerated_Domain_Value_Definition: Threatened on state or federal list
Enumerated_Domain_Value_Definition_Source: U.S. Fish and Wildlife Service

Attribute:

Attribute_Label: DATE_PUB
Attribute_Definition:
Publication date of source material used to assign state and federal status values for each species, if used.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: Numeric
Enumerated_Domain_Value_Definition: mmyyyy
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORRES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g., ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for American Samoa

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200402

Metadata_Review_Date: 200402

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Wed Feb 25 17:27:37 2004

American Samoa ESI: MGT (Management Area Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Publication_Date: 200402

Title: American Samoa ESI: MGT (Management Area Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: American Samoa

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Description:

Abstract:

This data set contains management area data for special management areas, marine parks, marine sanctuaries, national parks, and wildlife refuges in American Samoa. Vector polygons in this data set represent management areas. Location-specific type and source information is stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for American Samoa. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the SOCECON (Socioeconomic Resource Points) data layer, part of the larger American Samoa ESI database, for additional human-use information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act, with amendments by the Oil Pollution Act of 1990, requires response plans for immediate and effective protection of sensitive resources.

*Time_Period_of_Content:**Time_Period_Information:**Range_of_Dates/Times:*

Beginning_Date: 2002

Ending_Date: 2004

Currentness_Reference:

These data were compiled during 2002-2003. The currentness dates for the data range from 2001 to 2003 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

*Spatial_Domain:**Bounding_Coordinates:*

West_Bounding_Coordinate: -171.266

East_Bounding_Coordinate: -167.964

North_Bounding_Coordinate: -10.873

South_Bounding_Coordinate: -14.723

*Keywords:**Theme:*

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Management area

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: American Samoa

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Relationships between spatial data layers and attribute data tables for the American Samoa ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's

with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: benthic.e00, birds.e00, casspt.e00, esi.e00, fish.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mampt.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent a synthesis of digital data sets that included management area boundaries. See also the SOCECON (Socioeconomic Resource Points) data layer, part of the larger American Samoa ESI database, for additional human-use information. These data do not necessarily represent all management areas in American Samoa.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

The MGT data set was developed from pre-existing digital sources and reflects the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: National Park of American Samoa

Publication_Date: 2003

Title: National Park of American Samoa: Tutuila Unit

Geospatial_Data_Presentation_Form: Digital vector data

Publication_Information:

Publication_Place: Unknown

Publisher: Unpublished

Source_Scale_Denominator: Unknown

Type_of_Source_Media: E-mail

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2003

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None
Source_Contribution: Management information
Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: National Park of American Samoa
 Publication_Date: 2003
 Title: National Park of American Samoa: Ta'u Unit
 Geospatial_Data_Presentation_Form: Digital vector data
 Publication_Information:
 Publication_Place: Unknown
 Publisher: Unpublished
 Source_Scale_Denominator: Unknown
 Type_of_Source_Media: E-mail
 Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 2003
 Source_Currentness_Reference: Date of publication
 Source_Citation_Abbreviation: None
 Source_Contribution: Management information
Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: National Park of American Samoa
 Publication_Date: 2003
 Title: National Park of American Samoa: Ofu and Olosega Island Unit
 Geospatial_Data_Presentation_Form: Digital vector data
 Publication_Information:
 Publication_Place: Unknown
 Publisher: Unpublished
 Source_Scale_Denominator: Unknown
 Type_of_Source_Media: E-mail
 Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 2003
 Source_Currentness_Reference: Date of publication
 Source_Citation_Abbreviation: None
 Source_Contribution: Management information
Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: National Park of American Samoa
 Publication_Date: 2001
 Title: Marine Protected Areas (MPAs) within the EEZ of American Samoa
 Geospatial_Data_Presentation_Form: Digital vector data
 Publication_Information:
 Publication_Place: Unknown
 Publisher: United States Code of Federal Regulations
 Source_Scale_Denominator: Unknown
 Type_of_Source_Media: CD-ROM
 Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 2003
 Source_Currentness_Reference: Dates of publication
 Source_Citation_Abbreviation: None
 Source_Contribution: Management information
Source_Information:

*Source_Citation:**Citation_Information:**Originator:* AS Department of Marine and Wildlife Resources (DMWR)*Publication_Date:* 2003*Title:* DMWR Community-Based Fisheries Management Program*Geospatial_Data_Presentation_Form:* Digital vector data*Publication_Information:**Publication_Place:* Unknown*Publisher:* Unpublished*Source_Scale_Denominator:* Unknown*Type_of_Source_Media:* E-mail*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2003*Source_Currentness_Reference:* Date of publication*Source_Citation_Abbreviation:* None*Source_Contribution:* Management information*Source_Information:**Source_Citation:**Citation_Information:**Originator:* American Samoa Department of Commerce*Publication_Date:* 2002*Title:* American Samoa Sea Turtle and Marine Mammal Sanctuary*Geospatial_Data_Presentation_Form:* Digital vector data*Publication_Information:**Publication_Place:* Unknown*Publisher:* Unpublished*Source_Scale_Denominator:* Unknown*Type_of_Source_Media:* E-mail*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2002*Source_Currentness_Reference:* Date of publication*Source_Citation_Abbreviation:* None*Source_Contribution:* Management information*Source_Information:**Source_Citation:**Citation_Information:**Originator:* Coral Reef Advisory Group*Publication_Date:* 2003*Title:* Special Management Areas on Tutuila*Geospatial_Data_Presentation_Form:* Hardcopy text*Publication_Information:**Publication_Place:* Unknown*Publisher:* Unpublished*Source_Scale_Denominator:* 24,000*Type_of_Source_Media:* Paper*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2003*Source_Currentness_Reference:* Date of publication*Source_Citation_Abbreviation:* None*Source_Contribution:* Management information*Process_Step:**Process_Description:*

The main sources of data used to depict management areas for this data layer were digital coverages of management area boundaries provided by the National Park of

American Samoa (NPSA), American Samoa Department of Commerce (DOC), American Samoa Department of Marine and Wildlife Resources (DMWR), and the Coral Reef Advisory Group (CRAG).

Process_Date: 200311

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of rings

Point_and_Vector_Object_Count: 317

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 317

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 449

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 38974

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 394

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983 (HARN)

Ellipsoid_Name: Geodetic Reference System 80

Semi-major_Axis: 6378137

Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, two relational attribute or data tables, SOC_DAT and SOURCES, are used to store the complex socioeconomic data in the ESI data structure. The geographic data layer containing socioeconomic resource information (in this case, MGT) is linked to the Socioeconomic Resources table (SOC_DAT) using the unique ID and the lookup table SOC_LUT, or it can be linked directly using HUNUM. HUNUM is a unique reference number concatenated with the atlas number (for the American Samoa atlas, the number is 76). ID is a unique combination of the atlas number (76), an element specific number (MGT = 11) and a unique record number. SOC_DAT and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Detailed_Description:

Entity_Type:

Entity_Type_Label: MGT.PAT

Entity_Type_Definition:

The MGT.PAT table contains attribute information for the vector polygons representing management areas. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TYPE

Attribute_Definition:

The human-use features depicted on the maps are those that could be impacted by an oil spill or could provide access for response operations.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: MA

Enumerated_Domain_Value_Definition: Management Areas

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: MS

Enumerated_Domain_Value_Definition: Marine Sanctuary

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: NP

Enumerated_Domain_Value_Definition: National Park

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: WR

Enumerated_Domain_Value_Definition: Wildlife Refuge

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the human-use data layers to records in the SOC_LUT data table. ID is a concatenation of atlas number (76), element number (11), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 761100002

Range_Domain_Maximum: 761100318

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links directly to the SOC_DAT table. HUNUM values of 0 are

holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 76000039

Range_Domain_Maximum: 76000083

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOC_LUT

Entity_Type_Definition:

The data table SOC_LUT is a lookup table that contains items necessary for linking vector objects in the human-use data layers with the SOC_DAT data table. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links records in the SOC_LUT data table to records in the SOC_DAT data table. HUNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 76000001

Range_Domain_Maximum: 76000083

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the human-use data layers to records in the SOC_LUT data table. ID is a concatenation of atlas number (76), element number (SOCECON=10; MGT=11), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 761000001

Range_Domain_Maximum: 761100318

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOC_DAT

Entity_Type_Definition:

The data table SOC_DAT contains both human-use attribute data and items necessary for linking the human-use spatial data layers to the SOURCES data table. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links records in the SOC_DAT data table to records in the SOC_LUT data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 76000001

Range_Domain_Maximum: 76000083

Attribute:

Attribute_Label: TYPE

Attribute_Definition: Identifies the feature type

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: AIRPORT

Enumerated_Domain_Value_Definition: Airport

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: AQUACULTURE

Enumerated_Domain_Value_Definition: Aquaculture Site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: ARCHAEOLOGICAL SITE

Enumerated_Domain_Value_Definition: Archaeological Site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: BEACH

Enumerated_Domain_Value_Definition: Beach

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: HISTORICAL SITE

Enumerated_Domain_Value_Definition: Historical Site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: MANAGEMENT AREA

Enumerated_Domain_Value_Definition: Managment Area

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: MARINE SANCTUARY

Enumerated_Domain_Value_Definition: Marine Sanctuary

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: NATIONAL LANDMARK

Enumerated_Domain_Value_Definition: National Landmark

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: NATIONAL PARK

Enumerated_Domain_Value_Definition: National Park

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: PARK

Enumerated_Domain_Value_Definition: Park

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: SUBSISTENCE

Enumerated_Domain_Value_Definition: Subsistence Collection Area

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: WILDLIFE REFUGE

Enumerated_Domain_Value_Definition: Wildlife Refuge

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NAME

Attribute_Definition: The feature name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: CONTACT

Attribute_Definition: Contact person or entity

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PHONE

Attribute_Definition: Contact telephone number

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source integer identifier that links records in the SOC_DAT data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: A_SOURCE

Attribute_Definition:

Attribute source integer identifier that links records in the SOC_DAT data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and S_SOURCE in the BIORES table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Scale denominator of the source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: integer

Enumerated_Domain_Value_Definition: Any integer

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric
Enumerated_Domain_Value_Definition: yyyy
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Distribution_Information:**Distributor:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* John Kaperick*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6400*Contact_Facsimile_Telephone:* (206) 526-6329*Resource_Description:* ESI Atlas for American Samoa*Distribution_Liability:*

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

*Metadata_Reference_Information:**Metadata_Date:* 200402*Metadata_Review_Date:* 200402*Metadata_Contact:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* Jill Petersen*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Position:* GIS Manager*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6944*Contact_Facsimile_Telephone:* (206) 526-6329*Contact_Electronic_Mail_Address:* Jill.Petersen@noaa.gov*Metadata_Standard_Name:* Content Standards for Digital Geospatial Metadata*Metadata_Standard_Version:* FGDC-STD-001-1998

Generated by [mp](#) version 2.8.2 on Wed Feb 25 17:53:01 2004

American Samoa ESI: SOCECON (Socioeconomic Resource Points)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Publication_Date: 200402

Title: American Samoa ESI: SOCECON (Socioeconomic Resource Points)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: None

Issue_Identification: American Samoa

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Description:

Abstract:

This data set contains human-use resource data for airports, aquaculture sites, archaeological and historic sites, National Landmarks, National Parks, recreational beaches, and subsistence collection areas in American Samoa. Vector points in this data set represent human-use site locations. Location-specific type and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for American Samoa. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the MGT (Management Area Polygons) data layer, part of the larger American Samoa ESI database, for additional human-use information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act, with amendments by the Oil Pollution Act of 1990, requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2002

Ending_Date: 2004

Currentness_Reference:

These data were compiled during 2002-2003. The currentness dates for the data range from 1989 to 2002 and are documented in the Source_Information section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -171.266

East_Bounding_Coordinate: -167.964

North_Bounding_Coordinate: -10.873

South_Bounding_Coordinate: -14.723

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Socioeconomic resource

Theme_Keyword: Human-use resource

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: American Samoa

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: [datafig.jpg](#)

Browse_Graphic_File_Description:

Relationships between spatial data layers and attribute data tables for American Samoa ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Hazardous Materials Response Division, Seattle, Washington, and NOAA's Coral Reef Conservation Program.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's

ARC/INFO(r) (version 8.3) and SQL SERVER(r) (version 7.0). The hardware configuration is PC's with Windows Operating System (NT4.0/2000).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: benthic.e00, birds.e00, casspt.e00, esi.e00, fish.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, nests.e00, reptiles.e00, socecon.e00, t_mampt.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER(r) to ARC/INFO(r) consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent a synthesis of expert knowledge, hardcopy maps, and reports depicting socioeconomic resources in American Samoa. Refer to the MGT (Management Area Polygons) data layer, part of the larger American Samoa ESI database, for additional human-use information. These data do not necessarily represent all human-use sites in American Samoa.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

The spatial components of the SOCECON data set are developed from pre-existing digital and hardcopy sources and the knowledge of regional experts. It is difficult to estimate the positional accuracy of such data, except to state that hardcopy data were compiled on base maps with a scale of 1:24,000. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: Volk, Knudsen, Kluge, and Herdich

Publication_Date: 1992

Title: Towards a Territorial Conservation Strategy

Geospatial_Data_Presentation_Form: Hardcopy map

Publication_Information:

Publication_Place: Unknown

Publisher:

Le Vaomatua, Inc., MacArthur Foundation, East-West Center, Honolulu, HI

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1992
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Socioeconomic information
Source_Information:
Source_Citation:
Citation_Information:
Originator: Beeching, T.
Publication_Date: 2002
Title: Fish, invertebrate, and socioeconomic resource distribution
Geospatial_Data_Presentation_Form: Expert knowledge
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Personal communication
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2002
Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None
Source_Contribution: Socioeconomic information
Source_Information:
Source_Citation:
Citation_Information:
Originator: AS Historic Preservation Office
Publication_Date: 2002
Title: Archaeological/Historical Site Locations
Geospatial_Data_Presentation_Form: Expert knowledge
Publication_Information:
Publication_Place: Unknown
Publisher: Unpublished
Type_of_Source_Media: Personal communication
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2003
Source_Currentness_Reference: Date of communication
Source_Citation_Abbreviation: None
Source_Contribution: Socioeconomic information
Source_Information:
Source_Citation:
Citation_Information:
Originator: U.S. Geological Survey
Publication_Date: 1989
Title: 7.5" Topographic Quadrangles
Geospatial_Data_Presentation_Form: Hardcopy map
Publication_Information:
Publication_Place: Unknown
Publisher: Denver, CO
Type_of_Source_Media: Paper
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1989
Source_Currentness_Reference: Date of publication
Source_Citation_Abbreviation: None
Source_Contribution: Socioeconomic information

Source_Information:

Source_Citation:

Citation_Information:

Originator: National Park Service

Publication_Date: 1999

Title: American Samoa: Official Map and Guide

Geospatial_Data_Presentation_Form: Hardcopy map

Publication_Information:

Publication_Place: Unknown

Publisher: GPO:1999-454-767/60471

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1999

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Socioeconomic information

Source_Information:

Source_Citation:

Citation_Information:

Originator: Bier, J.A.

Publication_Date: 1990

Title: Islands of Samoa

Geospatial_Data_Presentation_Form: Hardcopy map

Publication_Information:

Publication_Place: Unknown

Publisher: University of Hawaii Press

Type_of_Source_Media: Paper

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1990

Source_Currentness_Reference: Date of publication

Source_Citation_Abbreviation: None

Source_Contribution: Socioeconomic information

Process_Step:

Process_Description:

Two main sources of data were used to depict human-use resources for this data layer: (1) personal interviews with resource experts from the American Samoa Historic Preservation Office (AS HPO) and American Samoa Department of Marine and Wildlife Resources (DMWR), and (2) published maps and reports suggested for use by the National Park of American Samoa (NPS) and AS HPO.

Process_Date: 200311

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Entity Point

Point_and_Vector_Object_Count: 304

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00005

Longitude_Resolution: 0.00005

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1983 (HARN)

Ellipsoid_Name: Geodetic Reference System 80

Semi-major_Axis: 6378137

Denominator_of_Flattening_Ratio: 298.257222

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, two relational attribute or data tables, SOC_DAT and SOURCES, are used to store the complex socioeconomic data in the ESI data structure. The geographic data layer containing socioeconomic resource information (in this case, SOCECON) is linked to the Socioeconomic Resources table (SOC_DAT) using the unique ID and the lookup table SOC_LUT, or it can be linked directly using HUNUM. HUNUM is a unique reference number concatenated with the atlas number (the atlas number for American Samoa is 76). ID is a unique combination of the atlas number (76), an element specific number (SOCECON = 10) and a unique record number. SOC_DAT and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOCECON.PAT

Entity_Type_Definition:

The SOCECON.PAT table contains attribute information for the vector points representing human-use site locations. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TYPE

Attribute_Definition:

The human-use features depicted on the maps are those that could be impacted by an oil spill or could provide access for response operations.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: A

Enumerated_Domain_Value_Definition: Airport

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: AQ

Enumerated_Domain_Value_Definition: Aquaculture Site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: AS

Enumerated_Domain_Value_Definition: Archaeological Site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: B

Enumerated_Domain_Value_Definition: Beach

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: HS

Enumerated_Domain_Value_Definition: Historical Site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: NL

Enumerated_Domain_Value_Definition: National Landmark

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: NP

Enumerated_Domain_Value_Definition: National Park

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: S

Enumerated_Domain_Value_Definition: Subsistence Collection Area

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the human-use data layers to records in the SOC_LUT data table. ID is a concatenation of atlas number (76), element number (10), and record number.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 761000001

Range_Domain_Maximum: 761000304

Attribute:

Attribute_Label: HUNUM

Attribute_Definition: An identifier that links directly to the SOC_DAT table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 76000001

Range_Domain_Maximum: 76000066

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOC_LUT

Entity_Type_Definition:

The data table SOC_LUT is a lookup table that contains items necessary for linking vector objects in the human-use data layers with the SOC_DAT data table. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links records in the SOC_LUT data table to records in the

SOC_DAT data table. HUNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 76000001

Range_Domain_Maximum: 76000083

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the human-use data layers to records in the SOC_LUT data table. ID is a concatenation of atlas number (76), element number (SOCECON=10; MGT=11), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 761000001

Range_Domain_Maximum: 761100318

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOC_DAT

Entity_Type_Definition:

The data table SOC_DAT contains both human-use attribute data and items necessary for linking the human-use spatial data layers to the SOURCES data table. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links records in the SOC_DAT data table to records in the SOC_LUT data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 76000001

Range_Domain_Maximum: 76000083

Attribute:

Attribute_Label: TYPE

Attribute_Definition: Identifies the feature type

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: AIRPORT

Enumerated_Domain_Value_Definition: Airport

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: AQUACULTURE

Enumerated_Domain_Value_Definition: Aquaculture Site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: ARCHAEOLOGICAL SITE

Enumerated_Domain_Value_Definition: Archaeological Site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: BEACH

Enumerated_Domain_Value_Definition: Beach

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Enumerated_Domain:

Enumerated_Domain_Value: HISTORICAL SITE
Enumerated_Domain_Value_Definition: Historical Site
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Enumerated_Domain:
Enumerated_Domain_Value: MANAGEMENT AREA
Enumerated_Domain_Value_Definition: Managment Area
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Enumerated_Domain:
Enumerated_Domain_Value: MARINE SANCTUARY
Enumerated_Domain_Value_Definition: Marine Sanctuary
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Enumerated_Domain:
Enumerated_Domain_Value: NATIONAL LANDMARK
Enumerated_Domain_Value_Definition: National Landmark
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Enumerated_Domain:
Enumerated_Domain_Value: NATIONAL PARK
Enumerated_Domain_Value_Definition: National Park
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Enumerated_Domain:
Enumerated_Domain_Value: PARK
Enumerated_Domain_Value_Definition: Park
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Enumerated_Domain:
Enumerated_Domain_Value: SUBSISTENCE
Enumerated_Domain_Value_Definition: Subsistence Collection Area
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Enumerated_Domain:
Enumerated_Domain_Value: WILDLIFE REFUGE
Enumerated_Domain_Value_Definition: Wildlife Refuge
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NAME
Attribute_Definition: The feature name
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:

Enumerated_Domain_Value: Any character
Enumerated_Domain_Value_Definition: Free text
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: CONTACT
Attribute_Definition: Contact person or entity
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:

Enumerated_Domain_Value: Any character
Enumerated_Domain_Value_Definition: Free text
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PHONE
Attribute_Definition: Contact telephone number
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:

Enumerated_Domain_Value: Any character
Enumerated_Domain_Value_Definition: Free text
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source integer identifier that links records in the SOC_DAT data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: A_SOURCE

Attribute_Definition:

Attribute source integer identifier that links records in the SOC_DAT data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table, and to G_SOURCE and S_SOURCE in the BIORES table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: mmyyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Any character

Enumerated_Domain_Value_Definition: Free text

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Scale denominator of the source

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: integer

Enumerated_Domain_Value_Definition: Any integer

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Numeric

Enumerated_Domain_Value_Definition: yyyy

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for American Samoa

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to a wider community of GIS/mapping users. Distribution formats include ARC export, MOSS and Shape files, and MARPLOT map folders. An ArcView ESI project and ESI_Viewer product are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200402

Metadata_Review_Date: 200402

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

American Samoa ESI Entity Relationship Diagram

Relationships between spatial data layers and attribute data tables

Geographic Themes

Lookup Tables

Data Tables

